

DEPARTMENT OF INDUSTRIAL RELATIONS
Office of the Director – Research Unit
455 Golden Gate Avenue, 9th Floor
San Francisco, CA 94102

ADDRESS REPLY TO:

P.O. Box 420603
San Francisco CA 94142-0603



SCOPE OF WORK PROVISIONS

FOR

BRICKLAYER, STONEMASON, CEMENT BLOCKLAYER, POINTER,
CAULKER, CLEANER

IN

SAN LUIS OBISPO, SANTA BARBARA, AND VENTURA COUNTIES

18.4.3

AGREEMENT

MAY 1, 2014 - APRIL 30, 2017

RECEIVED
Department of Industrial Relations

MAY 19 2014

Office of the Director-Research

BETWEEN THE INDEPENDENT MASONRY CONTRACTORS
OF SANTA BARBARA, SAN LUIS OBISPO, AND VENTURA
COUNTIES

AND

THE BRICKLAYERS & ALLIED CRAFTWORKERS
LOCAL 4-E/4-F OF CALIFORNIA

ARTICLE II WORK COVERED

Section 1. This Agreement covers the work performed by the bricklayer, stonemason, cement blocklayer, pointer, caulker and cleaner, and Bricklayers and Allied Craftsmen and any other work that has been or may in the future become work of the bricklayer, stonemason, cement blocklayer, pointer, caulker and cleaner, or any work within the scope of brickmasonry, blockmasonry, refractory and acid resistant masonry, and whether performed at the job site or prefabricated on or off the job site.

Section 2. BRICKMASONRY consists of the laying or installation of any brick made of any material, vitreous, burnt clay, cement, glass, adobe or any substitute material and any size, shape or weight and including the application of thin brick veneer and terra cotta regardless of the method of application.

Section 3. BLOCKMASONRY consists of the laying or installation of any block made of any material, vitreous, burnt clay, cement, glass, adobe, clinder, shale or any substitute material, of any size, shape, weight and regardless of the method of application and block and beam floor assemblages.

Section 4. PRECAST MASONRY consists of the laying, erection or installation or any Precast material made from any material and any size, shape or weight and regardless of any method of installation, cementation, mechanical bolted, welded or other means and the erection of precast fireplaces or any other type of Precast products used as substitute for brickmasonry, blockmasonry, or stonemasonry, and the pointing, caulking and cleaning of same.

Section 5. STONEMASONRY consists of the laying or installation of granite, marble and any stone, natural or artificial, made from any material, of any size, shape or weight and regardless of the method of application and includes the placing of stones in precast panels, consists of laying all rip-rap, rubble work, with or without mortar, setting all cut stone, marble, slate or stone work, (meaning as to stone, any work manufactured from such

foreign or domestic products as are specified and used in the interior or on the exterior of buildings by architects, and customarily called "stone" in the trade.) Stonemasonry shall also consist of cutting all shoddies, broken ashlar or random ashlar that is roughly dressed upon beds and joints, and range ashlar not over ten inches in height; the dressing of all jibs, corners and ringstones that are roughly dressed upon the beds, joints or reveals, and the cutting of a draft upon same for plumbing purposes only; and the cleaning, cutting of joints and pointing of stone work.

Section 6. REFRACTORY, FIREPROOFING AND ACID RESISTANT MASONRY consists of the laying or installation of all refractory and acid resistant materials, laying of all brick and placing by any means all refractory and acid resistant materials and accompanying membranes and insulation materials including but not limited to pouring, pounding, ramming, painting, plastering, gunning and spraying of these materials.

Section 7. OTHER WORK includes sand blasting, sewers, manholes, pointing, caulking and cleaning of all types of masonry, caulking of all frames encased in masonry on brick, block or stone structures, including all grinding and cutting out of such work and steam cleaning, also the use of special mortars in addition to Portland cement mortars such as, but not limited to, epoxies, plastics, etc. The handling and placing of reinforcing steel in masonry and the grouting of all masonry by any means shall be the work of members of the I.U. of B.A.C.

Section 8. MARBLE MASONRY consists of the cutting and setting of all marble, cultured marble, slate, including slate blackboards, stone, alabaster, Carrara, semi-onyx, vitrolite, and similar opaque glass, scagliola, marbleitic, and all artificial, imitation or case of whatever thickness or dimension. This shall apply to all interior work, such as sanitary, decorative and other purposes inside of buildings of every description wherever required, including all polish, honed or sand finish; also the cutting and fitting of above materials after same leave mills or shops, as well as all accessories in connection with such work, and the laying of all marble tile, slate tile and terrazzo tile, cultured marble & corian.

In addition to the work jurisdiction in this Agreement, it shall also include the erection or installation of interior or exterior Marble, Slate or Stone work customarily set by the trade, both natural and artificial, in any public or private building anywhere within the territory governed by this Agreement.