STATE OF CALIFORNIA Gavin Newsom, Governor

DEPARTMENT OF INDUSTRIAL RELATIONS Office of the Director – Research Unit 455 Golden Gate Avenue, 9<sup>th</sup> Floor San Francisco, CA 94102



## SCOPE OF WORK PROVISIONS

## FOR

# **BRICKLAYER:**

BRICKLAYER, STONEMASON, MARBLE MASON, CEMENT BLOCKLAYER, POINTER, CAULKER, CLEANER

AND

MASON FINISHER

IN

INYO, KERN, LOS ANGELES, MONO, ORANGE, RIVERSIDE, SAN BERNARDINO, SAN LUIS OBISPO, SANTA BARBARA, TULARE AND VENTURA COUNTIES

#### **AGREEMENT**

#### THIS COLLECTIVE BARGAINING AGREEMENT

is entered into May 1, 2017

TO

April 30, 2021

by and between

THE EXECUTIVE COUNCIL

RECEIVED

Department of Industrial Relations

APR 2 4 2017

Office of the Director-Research

of the

MASON CONTRACTORS EXCHANGE

of

SOUTHERN CALIFORNIA, INC.

hereinafter referred to as the MCESC

on behalf of its members

and

BRICKLAYERS LOCAL UNION NO. 4

of CALIFORNIA

INTERNATIONAL UNION of

BRICKLAYERS AND ALLIED CRAFTWORKERS

For Local #4 Chapters:

4-A, Orange County

4-B, San Bernardino & Riverside Counties

4-E, Ventura County

4-F Santa Barbara & San Luis Obispo Counties

4-G, Kern, Inyo, Mono & Tulare Counties

4-H, Los Angeles County

hereinafter referred to as the Union

TABLE OF CONTENTS

i

#### Article II WORK COVERED

Section 1. This Agreement covers the work performed by the bricklayer, stonemason, marble mason, imitation marble mason, cement block layer, pointer, caulker, cleaner and any work which has been or may in the future become work of the bricklayer stonemason, marble mason, imitation marble mason, cement block layer, pointer, caulker and cleaner, or any work within the scope of brickmasonry, stone and marble masonry, imitation marble masonry, blockmasonry or refractory and acid resistant

masonry, whether performed at the jobsite or prefabricated on or off the job site.

Section 2. BRICKMASONRY consists of the laying or installation of any brick made of any material, vitreous, burnt clay, cement, glass, adobe, cinder, shale, metal or any substitute material of any size,

shape or weight, brick and interlocking paving

the application of thin brick veneer and terra cotta regardless of the method of application and the fabrication and setting of all brick panels, whether fabricated on or off the jobsite.

Section 3. BLOCKMASONRY consists of the laying or installation of any block made of any material, vitreous, burnt clay, cement, glass, adobe, cinder, shale, metal or any substitute material of any size, shape or weight and regardless of the method of application and the fabrication and setting of all block panels and block and beam floor systems, whether fabricated on or off the job site such as operating the block laying machines in plants.

Section 4. PRECAST MASONRY consists of the laying, erection or installation of any precast material made from any material of any size, shape or weight and regardless of any method of installation, cementation, mechanical, bolted, welded or other means and the erection of precast fireplaces or any other type of precast products used as substitutes for brickmasonry, blockmasonry or stonemasonry, and the pointing, caulking and cleaning of same.

Section 5. STONEMASONRY consists of the laying or installation of granite, marble and any stone, natural or artificial, made from any material, of any size, shape or weight and regardless of the method of erection, installation, cementation, mechanical, bolted or welded, provided qualified members are available for employment, and includes the placing of stones in precast panels, consists of laying all rip-rap, rubble work, with or without mortar, setting all cut stone, marble, slate or stone work (meaning as to stone, any work manufactured from such foreign or domestic products as are specified and used in the interior or on the exterior of buildings by architects, and customarily called "stone" in the trade). Stonemasonry shall also consist of cutting all shoddies, broken ashlar or random ashlar that is roughly dressed upon beds and joints, and range ashlar not over ten inches in height; the dressing of all jibs, corners and ringstones that are roughly dressed upon the beds, joints or reveals, and the cutting of a draft upon same for plumbing purposes only; and the cleaning, cutting of joints and pointing of stone work.

Section 6. REFRACTORY, FIREPROOFING AND ACID RESISTANT MASONRY consists of the laying or installation of firebrick, welding of studs for anchors, any anchoring system, ceramic fiber, wire mesh or installation of all refractory, fireproofing and acid resistant materials, laying out of all brick and placing by any means all refractory and acid resistant materials, including but not limited to pouring, pounding, ramming, pointing, plastering, guniting and spraying of these materials.

Section 7. OTHER WORK includes sandblasting, sewers, manholes, pointing, caulking and cleaning of all types of masonry, caulking of all frames encased in masonry on brick, block or stone structures, including all grinding and cutting out of such work and steam cleaning, also the use of special mortars in addition to portland cement mortars such as, but not limited to, epoxies, plastics, etc. The handling and placing of reinforcing steel in masonry and the grouting of all masonry by any means shall be the work of members of the IU of BAC.

Section 8. MARBLE MASONRY consists of the cutting and setting of all marble, cultured marble, slate, including slate blackboards, stone, albereen, carrara, sanl onyx, vitrolite, and similar opaque glass, scagliola, marbleithic, and all artificial, imitation or case of whatever thickness or dimension. This shall apply to all interior work, such as sanitary, decortative and other purposes inside of buildings of every description wherever required, including all polish, honed or sand finish; also the cutting and fitting of above materials after same leave mills or shops, as well as all accessories in connection with such work, and the laying of all marble tile, slate tile and terrazzo tile, cultured marble and corian.

In addition to the work jurisdiction in this Agreement, it shall also include the erection or installation of interior or exterior marble, slate or stone work customarily set by the trade, both natural and artificial, in any public or private building anywhere within the territory governed by this Agreement.

Section 11. MASON FINISHER work consists of any duty directed, such as grouting of masonry and operation of saw, with the exception of using tools of the trade.

# Article X MASON FINISHER/MASON FINISHER APPRENTICE

Section 1. Mason Finisher

It is hereby understood and agreed by and between the parties to this Agreement to recognize a category of worker known as Mason Finisher.

The Mason Finisher shall perform any duty directed, such as grouting of masonry and operation of the saw, with the exception of using the tools of the trade.