

<b>Case Number:</b>	CM13-0063701		
<b>Date Assigned:</b>	12/30/2013	<b>Date of Injury:</b>	02/09/2013
<b>Decision Date:</b>	06/30/2014	<b>UR Denial Date:</b>	11/25/2013
<b>Priority:</b>	Standard	<b>Application Received:</b>	12/06/2013

### HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. The expert reviewer is Board Certified in Anesthesiology, has a subspecialty in Acupuncture & Pain Medicine, and is licensed to practice in California. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/services. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

### CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

This is a 54 year old female injured worker with date of injury 2/9/13 with related bilateral shoulder pain rated 8/10. Per 12/6/13 report, she also had neck pain which radiated to the bilateral shoulders and to the low back. Her diagnoses include cervical spine sprain/strain; lumbar spine sprain/strain with disc protrusions; bilateral shoulder condition; bilateral epicondylitis. There are no imaging studies contained in the documentation submitted for review. It is not stated whether physical therapy was utilized. She was treated with medication management. The date of UR decision was 11/25/13.

### IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

#### **EMG OF THE BILATERAL UPPER AND LOWER EXTREMITIES:** Upheld

**Claims Administrator guideline:** The Claims Administrator did not cite any medical evidence for its decision.

**MAXIMUS guideline:** Decision based on MTUS ACOEM Chapter 12 Low Back Complaints Page(s): 303.

**Decision rationale:** ACOEM guidelines support ordering of imaging studies for emergence of red flags, physiologic evidence of tissue insult or neurologic dysfunction, failure to progress in a strengthening program intended to avoid surgery, and clarification of the anatomy prior to an

invasive procedure. Physiologic evidence may be in the form of definitive neurologic findings on physical examination, electrodiagnostic studies, laboratory tests, or bone scans. Unequivocal findings that identify specific nerve compromise on the neurologic examination are sufficient evidence to warrant imaging studies if symptoms persist. When the neurologic examination is less clear, however, further physiologic evidence of nerve dysfunction can be obtained before ordering an imaging study. Electromyography (EMG), and nerve conduction velocities (NCV), including H-reflex tests, may help identify subtle focal neurologic dysfunction in patients with neck or arm symptoms, or both, lasting more than three or four weeks. The documentation submitted for review lacks clinical findings identifying nerve compromise which would necessitate electrodiagnostic studies. Medical necessity cannot be affirmed. The request is not medically necessary and appropriate.

#### **NVC OF THE BILATERAL UPPER AND LOWER EXTREMITIES;: Upheld**

**Claims Administrator guideline:** The Claims Administrator did not cite any medical evidence for its decision.

**MAXIMUS guideline:** Decision based on MTUS ACOEM Chapter 12 Low Back Complaints Page(s): 303.

**Decision rationale:** ACOEM guidelines support ordering of imaging studies for emergence of red flags, physiologic evidence of tissue insult or neurologic dysfunction, failure to progress in a strengthening program intended to avoid surgery, and clarification of the anatomy prior to an invasive procedure. Physiologic evidence may be in the form of definitive neurologic findings on physical examination, electrodiagnostic studies, laboratory tests, or bone scans. Unequivocal findings that identify specific nerve compromise on the neurologic examination are sufficient evidence to warrant imaging studies if symptoms persist. When the neurologic examination is less clear, however, further physiologic evidence of nerve dysfunction can be obtained before ordering an imaging study. Electromyography (EMG), and nerve conduction velocities (NCV), including H-reflex tests, may help identify subtle focal neurologic dysfunction in patients with neck or arm symptoms, or both, lasting more than three or four weeks. The documentation submitted for review lacks clinical findings identifying nerve compromise which would necessitate electrodiagnostic studies. Medical necessity cannot be affirmed. The request is not medically necessary and appropriate.

#### **MRI OF THE CERVICAL SPINE: Upheld**

**Claims Administrator guideline:** The Claims Administrator did not cite any medical evidence for its decision.

**MAXIMUS guideline:** Decision based on MTUS ACOEM Chapter 8 Neck and Upper Back Complaints Page(s): 177.

**Decision rationale:** ACOEM guidelines support ordering of imaging studies for emergence of red flags, physiologic evidence of tissue insult or neurologic dysfunction, failure to progress in a strengthening program intended to avoid surgery, and clarification of the anatomy prior to an

invasive procedure. Physiologic evidence may be in the form of definitive neurologic findings on physical examination, electrodiagnostic studies, laboratory tests, or bone scans. Unequivocal findings that identify specific nerve compromise on the neurologic examination are sufficient evidence to warrant imaging studies if symptoms persist. When the neurologic examination is less clear, however, further physiologic evidence of nerve dysfunction can be obtained before ordering an imaging study. Electromyography (EMG), and nerve conduction velocities (NCV), including H-reflex tests, may help identify subtle focal neurologic dysfunction in patients with neck or arm symptoms, or both, lasting more than three or four weeks. The documentation submitted for review lacks history and physical findings suggesting a neurological condition which would necessitate MRI study. Medical necessity cannot be affirmed. The request is not medically necessary and appropriate.

**FLEXION/EXTENSION X-RAY OF THE CERVICAL SPINE:** Upheld

**Claims Administrator guideline:** The Claims Administrator did not cite any medical evidence for its decision.

**MAXIMUS guideline:** Decision based on MTUS ACOEM Chapter 8 Neck and Upper Back Complaints Page(s): 177.

**Decision rationale:** ACOEM guidelines support ordering of imaging studies for emergence of red flags, physiologic evidence of tissue insult or neurologic dysfunction, failure to progress in a strengthening program intended to avoid surgery, and clarification of the anatomy prior to an invasive procedure. Physiologic evidence may be in the form of definitive neurologic findings on physical examination, electrodiagnostic studies, laboratory tests, or bone scans. Unequivocal findings that identify specific nerve compromise on the neurologic examination are sufficient evidence to warrant imaging studies if symptoms persist. When the neurologic examination is less clear, however, further physiologic evidence of nerve dysfunction can be obtained before ordering an imaging study. Electromyography (EMG), and nerve conduction velocities (NCV), including H-reflex tests, may help identify subtle focal neurologic dysfunction in patients with neck or arm symptoms, or both, lasting more than three or four weeks. The documentation submitted for review lacks history and physical findings suggesting a neurological condition which would necessitate this x-ray study. Medical necessity cannot be affirmed. The request is not medically necessary and appropriate.