

Case Number:	CM13-0064327		
Date Assigned:	01/03/2014	Date of Injury:	08/06/2004
Decision Date:	05/07/2014	UR Denial Date:	12/04/2013
Priority:	Standard	Application Received:	12/11/2013

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. The expert reviewer is Board Certified in Internal Medicine & Emergency Medicine, and is licensed to practice in Florida. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/services. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

This patient is a 42 year-old with a date of injury of 08/06/04. A progress report associated with the request for services, dated 12/02/13, identified subjective complaints of chronic low back pain radiating into the left leg. Objective findings included facet tenderness and a positive straight leg-raising. Diagnoses included lumbar disc disease with radiculopathy. Treatment has included physical therapy, chiropractic, injections, and oral medications including long-term opioids. A Utilization Review determination was rendered on 12/04/13 recommending non-certification of "NORCO 10/325MG #120".

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

NORCO 10/325MG #120: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Opioids, Criteria for Use.

MAXIMUS guideline: Decision based on MTUS ACOEM Chapter 12 Low Back Complaints Page(s): 308.

Decision rationale: Norco 10/325 is a combination drug containing acetaminophen and the opioid hydrocodone. The California Medical Treatment Utilization Schedule (MTUS) Chronic Pain Guidelines related to on-going treatment of opioids state that there should be documentation

and ongoing review of pain relief, functional status, appropriate use, and side effects. Pain assessment should include: current pain; the least reported pain over the period since last assessment; average pain; intensity of pain after taking the opioid state that there should be documentation and ongoing review of pain relief, functional status, appropriate use, and side effects. The guidelines note that a recent epidemiologic study found that opioid treatment for chronic non-malignant pain did not seem to fulfill any of the key outcome goals including pain relief, improved quality of life, and/or improved functional capacity (Eriksen 2006). The Chronic Pain Guidelines also state that with chronic low back pain, opioid therapy "Appears to be efficacious but limited for short-term pain relief, and long-term efficacy is unclear (> 16 weeks), but also appears limited." Additionally, "There is also no evidence that opioids showed long-term benefit or improvement in function when used as treatment for chronic back pain (Martell - Annals, 2007)." The MTUS Guidelines further state that opioid therapy is not recommended for the low back beyond 2 weeks. The patient has been on Norco in excess of 16 weeks. The Official Disability Guidelines (ODG) state: "While long-term opioid therapy may benefit some patients with severe suffering that has been refractory to other medical and psychological treatments, it is not generally effective achieving the original goals of complete pain relief and functional restoration." Therapy with Norco appears to be ongoing. The documentation submitted lacked a number of the elements listed above, including the level of functional improvement afforded by the chronic opioid therapy. Therefore, the record does not demonstrate medical necessity for Norco.