

Case Number:	CM14-0129877		
Date Assigned:	08/20/2014	Date of Injury:	01/09/2003
Decision Date:	10/01/2014	UR Denial Date:	07/12/2014
Priority:	Standard	Application Received:	08/14/2014

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. The expert reviewer is Board Certified in Internal Medicine and is licensed to practice in California. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/services. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 56 year old male who reported an injury on the 01/09/2003 to bilateral shoulders, wrists, low back, and left elbow. Mechanism of injury is not described. Clinical note dated 02/13/14 indicated the injured worker complaining of tenderness at the lateral epicondyle of the left elbow. Range of motion was decreased. The injured worker had positive Cozen sign clinical note dated 03/13/14 indicated the injured worker continuing with left elbow pain. Tenderness to palpation continued at the medial and lateral epicondyles.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Ketoprofen 20% 165gm: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Topical NSAIDs.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Topical Analgesics Page(s): 111.

Decision rationale: The safety and efficacy of compounded medications has not been established through rigorous clinical trials. Topical analgesics are primarily recommended for neuropathic pain when trials of antidepressants and anticonvulsants have failed. There is no indication in the documentation that these types of medications have been trialed and/or failed.

Further, CA MTUS, Food and Drug Administration (FDA), and Official Disability Guidelines (ODG) require that all components of a compounded topical medication be approved for transdermal use. In addition, there is no evidence within the medical records submitted that substantiates the necessity of a transdermal versus oral route of administration. Therefore this compound cannot be recommended as medically necessary as it does not meet established and accepted medical guidelines.

Cyclobenzaprine 5% 100gm: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Topical Analgesics.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Topical Analgesics Page(s): 111.

Decision rationale: The safety and efficacy of compounded medications has not been established through rigorous clinical trials. Topical analgesics are primarily recommended for neuropathic pain when trials of antidepressants and anticonvulsants have failed. There is no indication in the documentation that these types of medications have been trialed and/or failed. Further, CA MTUS, Food and Drug Administration, and Official Disability Guidelines require that all components of a compounded topical medication be approved for transdermal use. In addition, there is no evidence within the medical records submitted that substantiates the necessity of a transdermal versus oral route of administration. Therefore this compound cannot be recommended as medically necessary as it does not meet established and accepted medical guidelines.

Synapryn 10mg 500ml: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Topical Analgesics Page(s): 111.

Decision rationale: The safety and efficacy of compounded medications has not been established through rigorous clinical trials. Topical analgesics are primarily recommended for neuropathic pain when trials of antidepressants and anticonvulsants have failed. There is no indication in the documentation that these types of medications have been trialed and/or failed. Further, CA MTUS, Food and Drug Administration, and Official Disability Guidelines require that all components of a compounded topical medication be approved for transdermal use. In addition, there is no evidence within the medical records submitted that substantiates the necessity of a transdermal versus oral route of administration. Therefore this compound cannot be recommended as medically necessary as it does not meet established and accepted medical guidelines.

Tabradol 1mg 250ml: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Topical Analgesics Page(s): 111.

Decision rationale: The safety and efficacy of compounded medications has not been established through rigorous clinical trials. Topical analgesics are primarily recommended for neuropathic pain when trials of antidepressants and anticonvulsants have failed. There is no indication in the documentation that these types of medications have been trialed and/or failed. Further, CA MTUS, Food and Drug Administration, and Official Disability Guidelines require that all components of a compounded topical medication be approved for transdermal use. In addition, there is no evidence within the medical records submitted that substantiates the necessity of a transdermal versus oral route of administration. Therefore this compound cannot be recommended as medically necessary as it does not meet established and accepted medical guidelines.

Deprizine 15mg 150ml: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Topical Analgesics Page(s): 111.

Decision rationale: The safety and efficacy of compounded medications has not been established through rigorous clinical trials. Topical analgesics are primarily recommended for neuropathic pain when trials of antidepressants and anticonvulsants have failed. There is no indication in the documentation that these types of medications have been trialed and/or failed. Further, CA MTUS, Food and Drug Administration, and Official Disability Guidelines require that all components of a compounded topical medication be approved for transdermal use. In addition, there is no evidence within the medical records submitted that substantiates the necessity of a transdermal versus oral route of administration. Therefore this compound cannot be recommended as medically necessary as it does not meet established and accepted medical guidelines.

Dicopanol 5mg 150ml: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Topical Analgesics Page(s): 111.

Decision rationale: The safety and efficacy of compounded medications has not been established through rigorous clinical trials. Topical analgesics are primarily recommended for neuropathic pain when trials of antidepressants and anticonvulsants have failed. There is no indication in the documentation that these types of medications have been trialed and/or failed. Further, CA MTUS, Food and Drug Administration, and Official Disability Guidelines require that all components of a compounded topical medication be approved for transdermal use. In addition, there is no evidence within the medical records submitted that substantiates the necessity of a transdermal versus oral route of administration. Therefore this compound cannot be recommended as medically necessary as it does not meet established and accepted medical guidelines.

Fanatrex 25mg 420ml: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Topical Analgesics Page(s): 111.

Decision rationale: The safety and efficacy of compounded medications has not been established through rigorous clinical trials. Topical analgesics are primarily recommended for neuropathic pain when trials of antidepressants and anticonvulsants have failed. There is no indication in the documentation that these types of medications have been trialed and/or failed. Further, CA MTUS, Food and Drug Administration, and Official Disability Guidelines require that all components of a compounded topical medication be approved for transdermal use. In addition, there is no evidence within the medical records submitted that substantiates the necessity of a transdermal versus oral route of administration. Therefore this compound cannot be recommended as medically necessary as it does not meet established and accepted medical guidelines.

Unknown sessions of shockwave therapy: Upheld

Claims Administrator guideline: Decision based on MTUS ACOEM Chapter 10 Elbow Disorders (Revised 2007) Page(s): 29.

MAXIMUS guideline: The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Elbow Chapter, Extracorporeal shockwave therapy (ESWT)

Decision rationale: The request for shockwave therapy is non-certified. No high quality studies have been published in peer reviewed literature supporting the use of extracorporeal shockwave therapy at the elbows. Without supporting evidence in place it is unclear if the safety and efficacy will be confirmed. Therefore, this request is not indicated as medically necessary.

Unknown sessions of physical therapy for the bilateral elbows and bilateral shoulders:
Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Physical Medicine Guidelines.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Elbow Chapter, Physical Medicine (electronically sited).

Decision rationale: The request for unknown sessions of physical therapy for both elbows and shoulders is non-certified. Given that no information was submitted regarding the frequency, duration, and length of time and the number of sessions involved in the physical therapy at the elbows and shoulders this request is rendered non-certified.

Unknown prescription of Terocin patches: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Topical Analgesics Page(s): 111.

Decision rationale: The safety and efficacy of compounded medications has not been established through rigorous clinical trials. Topical analgesics are primarily recommended for neuropathic pain when trials of antidepressants and anticonvulsants have failed. There is no indication in the documentation that these types of medications have been trialed and/or failed. Further, CA MTUS, Food and Drug Administration, and Official Disability Guidelines require that all components of a compounded topical medication be approved for transdermal use. In addition, there is no evidence within the medical records submitted that substantiates the necessity of a transdermal versus oral route of administration. Therefore this compound cannot be recommended as medically necessary as it does not meet established and accepted medical guidelines.