

Case Number:	CM14-0144139		
Date Assigned:	09/12/2014	Date of Injury:	05/04/1999
Decision Date:	11/03/2014	UR Denial Date:	08/24/2014
Priority:	Standard	Application Received:	09/05/2014

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. The expert reviewer is Board Certified in Physical Medicine and Rehabilitation, has a subspecialty in Pain Medicine, and is licensed to practice in California. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/services. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

This is a patient with a date of injury of 5/4/99. A utilization review determination dated 8/24/14 recommends non-certification of naproxen, Vicodin, Celebrex, Flexeril, lansoprazole, and Protonix. 8/6/14 medical report identifies pain in the neck, low back, and bilateral shoulders. There is popping, clicking, and stiffness. On exam, there is limited cervical ROM with tenderness in the cervical and lumbar paraspinal muscles. Recommendations include chiropractic, cervical traction, and multiple medications.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Naproxen 550mg #60: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Page(s): 67-72 of 127.

Decision rationale: Regarding the request for naproxen, Chronic Pain Medical Treatment Guidelines state that NSAIDs are recommended at the lowest dose for the shortest period in patients with moderate to severe pain. Within the documentation available for review, there is no indication that the medication is providing any specific analgesic benefits (in terms of percent

pain reduction or reduction in numeric rating scale) or any objective functional improvement. In the absence of such documentation, the currently requested naproxen is not medically necessary.

Celebrex 200mg #60: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Page(s): 22 and 30 of 127.

Decision rationale: Regarding the request for celecoxib (Celebrex), Chronic Pain Medical Treatment Guidelines state that Celebrex may be considered if the patient has a risk of GI complications. Within the documentation available for review, there is no identification of a high risk of GI complications and it should be noted that the provider also prescribed a non-selective NSAID, which suggests that there are no significant risk factors for GI complications present. In light of the above issues, the currently requested celecoxib (Celebrex) is not medically necessary.

Lansoprazole 30mg #30: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Page(s): 68-69 of 127. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG), Pain Chapter, Proton Pump Inhibitors (PPIs)

Decision rationale: Regarding the request for lansoprazole (Prevacid), California MTUS states that proton pump inhibitors are appropriate for the treatment of dyspepsia secondary to NSAID therapy or for patients at risk for gastrointestinal events with NSAID use. Within the documentation available for review, there is no indication that the patient has complaints of dyspepsia secondary to NSAID use, a risk for gastrointestinal events with NSAID use, or another indication for this medication. In light of the above issues, the currently requested lansoprazole is not medically necessary.

Protonix 20mg #60: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Page(s): 68-69 of 127. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG), Pain Chapter, Proton Pump Inhibitors (PPIs)

Decision rationale: Regarding the request for Protonix, California MTUS states that proton pump inhibitors are appropriate for the treatment of dyspepsia secondary to NSAID therapy or

for patients at risk for gastrointestinal events with NSAID use. Additionally, ODG recommends Nexium, Protonix, Dexilant, and AcipHex for use as 2nd line agents, after failure of omeprazole or lansoprazole. Within the documentation available for review, there is no indication that the patient has complaints of dyspepsia secondary to NSAID use, a risk for gastrointestinal events with NSAID use, or another indication for this medication. Furthermore, there is no indication that the patient has failed first-line agents prior to initiating treatment with pantoprazole (a 2nd line proton pump inhibitor). In the absence of clarity regarding those issues, the currently requested Protonix is not medically necessary.

Vicodin 5/500mg #60: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Page(s): 44, 47, 75-79, 120 of 127.

Decision rationale: Regarding the request for Vicodin, California Pain Medical Treatment Guidelines note that it is an opiate pain medication. Due to high abuse potential, close follow-up is recommended with documentation of analgesic effect, objective functional improvement, side effects, and discussion regarding any aberrant use. Guidelines go on to recommend discontinuing opioids if there is no documentation of improved function and pain. Within the documentation available for review, there is no indication that the medication is improving the patient's function or pain (in terms of specific examples of functional improvement and percent reduction in pain or reduced NRS), no documentation regarding side effects, and no discussion regarding aberrant use. As such, there is no clear indication for ongoing use of the medication. Opioids should not be abruptly discontinued, but unfortunately, there is no provision to modify the current request to allow tapering. In light of the above issues, the currently requested Vicodin is not medically necessary.

Flexeril 7.5mg #60: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Page(s): 63-66 of 127.

Decision rationale: Regarding the request for Flexeril, Chronic Pain Medical Treatment Guidelines support the use of nonsedating muscle relaxants to be used with caution as a 2nd line option for the short-term treatment of acute exacerbations of pain. Within the documentation available for review, there is no identification of a specific analgesic benefit or objective functional improvement as a result of the medication. Additionally, it does not appear that this medication is being prescribed for the short-term treatment of an acute exacerbation, as recommended by guidelines. In the absence of such documentation, the currently requested Flexeril is not medically necessary.

