

<b>Case Number:</b>	CM14-0153387		
<b>Date Assigned:</b>	09/23/2014	<b>Date of Injury:</b>	06/17/1987
<b>Decision Date:</b>	10/24/2014	<b>UR Denial Date:</b>	09/05/2014
<b>Priority:</b>	Standard	<b>Application Received:</b>	09/19/2014

### HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. The expert reviewer is Board Certified in Anesthesia, has a subspecialty in Acupuncture and Pain Medicine, and is licensed to practice in California. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/services. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

### CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

77y/o female injured worker with date of injury 6/17/87 with related back pain. Per the most recent progress report dated 7/30/14, it was noted that the injured worker was recently hospitalized 7/17/14 for syncope and hyponatremia. Per progress report dated 12/29/13, the injured worker reported back pain and sciatica. Physical exam findings were not documented. Imaging studies were not available for review. Treatment to date has included neck fusion 11/2007, lumbar surgery, spinal cord stimulator, physical therapy, acupuncture, and medication management. The date of UR decision was 9/5/14.

### IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

**Tramadol ER 100mg #180 for 90 days:** Upheld

**Claims Administrator guideline:** Decision based on MTUS Chronic Pain Treatment Guidelines Opioid.

**MAXIMUS guideline:** Decision based on MTUS Chronic Pain Treatment Guidelines OPIOIDS Page(s): 78, 91.

**Decision rationale:** Per MTUS Chronic Pain Medical Treatment Guidelines p78 regarding ongoing management of opioids "Four domains have been proposed as most relevant for ongoing monitoring of chronic pain patients on opioids: Pain relief, side effects, physical and

psychosocial functioning, and the occurrence of any potentially aberrant (or nonadherent) drug related behaviors. These domains have been summarized as the '4 As' (Analgesia, activities of daily living, adverse side effects, and any aberrant drug-taking behaviors). The monitoring of these outcomes over time should affect therapeutic decisions and provide a framework for documentation of the clinical use of these controlled drugs. "Review of the available medical records reveals no documentation to support the medical necessity of tramadol nor any documentation addressing the '4 A's' domains, which is a recommended practice for the on-going management of opioids. Specifically, the notes do not appropriately review and document pain relief, functional status improvement, appropriate medication use, or side effects. The MTUS considers this list of criteria for initiation and continuation of opioids in the context of efficacy required to substantiate medical necessity, and they do not appear to have been addressed by the treating physician in the documentation available for review. Furthermore, efforts to rule out aberrant behavior (e.g. CURES report, UDS, opiate agreement) are necessary to assure safe usage and establish medical necessity. There is no documentation comprehensively addressing this concern in the records available for my review. As MTUS recommends to discontinue opioids if there is no overall improvement in function, medical necessity cannot be affirmed.

**Carisoprodol 350mg #180 for 90 days: Upheld**

**Claims Administrator guideline:** Decision based on MTUS Chronic Pain Treatment Guidelines Muscle Relaxant.

**MAXIMUS guideline:** Decision based on MTUS Chronic Pain Treatment Guidelines CARISOPRODOL Page(s): 29.

**Decision rationale:** Per MTUS CPMTG p29, "Not recommended. This medication is not indicated for long-term use. Carisoprodol is a commonly prescribed, centrally acting skeletal muscle relaxant whose primary active metabolite is meprobamate (a schedule-IV controlled substance). Carisoprodol is now scheduled in several states but not on a federal level. It has been suggested that the main effect is due to generalized sedation and treatment of anxiety. Abuse has been noted for sedative and relaxant effects. In regular abusers the main concern is the accumulation of meprobamate. Carisoprodol abuse has also been noted in order to augment or alter effects of other drugs." As this medication is not recommended by MTUS, it is not medically necessary.

**Hydrocodone/APAP 7.5/325mg #360 for 90 days: Upheld**

**Claims Administrator guideline:** Decision based on MTUS Chronic Pain Treatment Guidelines Opioid.

**MAXIMUS guideline:** Decision based on MTUS Chronic Pain Treatment Guidelines OPIOIDS Page(s): 78, 91.

**Decision rationale:** Per MTUS Chronic Pain Medical Treatment Guidelines p78 regarding on-going management of opioids "Four domains have been proposed as most relevant for ongoing monitoring of chronic pain patients on opioids: Pain relief, side effects, physical and

psychosocial functioning, and the occurrence of any potentially aberrant (or nonadherent) drug related behaviors. These domains have been summarized as the '4 As' (Analgesia, activities of daily living, adverse side effects, and any aberrant drug-taking behaviors). The monitoring of these outcomes over time should affect therapeutic decisions and provide a framework for documentation of the clinical use of these controlled drugs." Review of the available medical records reveals no documentation to support the medical necessity of hydrocodone/APAP nor any documentation addressing the '4 A's' domains, which is a recommended practice for the ongoing management of opioids. Specifically, the notes do not appropriately review and document pain relief, functional status improvement, appropriate medication use, or side effects. The MTUS considers this list of criteria for initiation and continuation of opioids in the context of efficacy required to substantiate medical necessity, and they do not appear to have been addressed by the treating physician in the documentation available for review. Furthermore, efforts to rule out aberrant behavior (e.g. CURES report, UDS, opiate agreement) are necessary to assure safe usage and establish medical necessity. There is no documentation comprehensively addressing this concern in the records available for my review. As MTUS recommends to discontinue opioids if there is no overall improvement in function, medical necessity cannot be affirmed.

**Vicodin ES 7.5/300mg:** Upheld

**Claims Administrator guideline:** Decision based on MTUS Chronic Pain Treatment Guidelines Opioid.

**MAXIMUS guideline:** Decision based on MTUS Chronic Pain Treatment Guidelines OPIOIDS Page(s): 78, 91.

**Decision rationale:** Per MTUS Chronic Pain Medical Treatment Guidelines p78 regarding ongoing management of opioids "Four domains have been proposed as most relevant for ongoing monitoring of chronic pain patients on opioids: Pain relief, side effects, physical and psychosocial functioning, and the occurrence of any potentially aberrant (or nonadherent) drug related behaviors. These domains have been summarized as the '4 As' (Analgesia, activities of daily living, adverse side effects, and any aberrant drug-taking behaviors). The monitoring of these outcomes over time should affect therapeutic decisions and provide a framework for documentation of the clinical use of these controlled drugs." Review of the available medical records reveals no documentation to support the medical necessity of Vicodin ES nor any documentation addressing the '4 A's' domains, which is a recommended practice for the ongoing management of opioids. Specifically, the notes do not appropriately review and document pain relief, functional status improvement, appropriate medication use, or side effects. The MTUS considers this list of criteria for initiation and continuation of opioids in the context of efficacy required to substantiate medical necessity, and they do not appear to have been addressed by the treating physician in the documentation available for review. Furthermore, efforts to rule out aberrant behavior (e.g. CURES report, UDS, opiate agreement) are necessary to assure safe usage and establish medical necessity. There is no documentation comprehensively addressing this concern in the records available for my review. As MTUS recommends to discontinue opioids if there is no overall improvement in function, medical necessity cannot be affirmed. Furthermore, the request does not contain dose or quantity information.

