

Case Number:	CM14-0056934		
Date Assigned:	07/09/2014	Date of Injury:	11/10/2012
Decision Date:	08/19/2014	UR Denial Date:	04/16/2014
Priority:	Standard	Application Received:	04/28/2014

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. The expert reviewer is Board Certified in Chiropractic & Acupuncture and is licensed to practice in California. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/services. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 47 year old male who reported neck, mid back and low back pain from injury sustained on 11/10/12 while he was bent over to lift an asbestos gasket. MRI of the thoracic spine revealed disc desiccation at T5-6 and T6-7. MRI of the lumbar spine revealed disc desiccation; disc bulges; ligamentum flavum hypertrophy; bilateral neuroforaminal narrowing and spinal canal stenosis. Patient is diagnosed with thoracic spine strain; lumbar strain; lumbar radiculopathy and lumbar disc protrusion. Patient has been treated with medication, acupuncture, chiropractic and physical therapy. Per medical notes dated 04/21/14, patient has continues with symptomatic relief with acupuncture. Patient walks with slow gait. Examination revealed tenderness to palpation; mild limitation of motion of the lumbar spine. Acupuncture progress notes dated 04/29/14 revealed increased weakness; antalgic gait and tenderness to palpation of the upper, middle and lower paravertebral muscles and trapezius. Per acupuncture progress notes dated 04/22/13, patient complains of neck, mid back and low back pain. Pain is increased with cold weather. Primary physician is requesting additional 12 acupuncture sessions for the neck, mid back and low back. There is no assessment in the provided medical records of functional efficacy with prior acupuncture visits. Medical reports reveal little evidence of significant changes or improvement in findings, revealing a patient who has not achieved significant objective functional improvement to warrant additional treatment. Functional improvement means either a clinically significant improvement in activities of daily living or a reduction in work restrictions as measured during the history and physical exam or decrease in medication intake which was not documented in the medical records.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Acupuncture Therapy SessionsCervical: Upheld

Claims Administrator guideline: Decision based on MTUS Acupuncture Treatment Guidelines.

MAXIMUS guideline: Decision based on MTUS Acupuncture Treatment Guidelines.

Decision rationale: Per MTUS- Section 9792.24.1 Acupuncture Medical treatment Guidelines page 8-9, acupuncture is used as an option when pain medication is reduced and not tolerated, it may be used as an adjunct to physical rehabilitation and/or surgical intervention to hasten functional recovery. Time to produce function improvement: 3-6 treatments. 2) Frequency: 1-3 times per week. 3) Optimum duration: 1-2 months. Acupuncture treatments may be extended if functional improvement is documented. Patient has had prior acupuncture treatment. There is no assessment in the provided medical records of functional efficacy with prior acupuncture visits. Medical reports reveal little evidence of significant changes or improvement in findings, revealing a patient who has not achieved significant objective functional improvement to warrant additional treatment. Additional visits may be rendered if the patient has documented objective functional improvement. Per MTUS guidelines, Functional improvement means either a clinically significant improvement in activities of daily living or a reduction in work restrictions as measured during the history and physical exam or decrease in medication intake. Therefore, the request for acupuncture therapy sessions cervical is not medically necessary and appropriate.

Acupuncture Therapy SessionsThoracic: Upheld

Claims Administrator guideline: Decision based on MTUS Acupuncture Treatment Guidelines.

MAXIMUS guideline: Decision based on MTUS Acupuncture Treatment Guidelines.

Decision rationale: Per MTUS- Section 9792.24.1 Acupuncture Medical treatment Guidelines page 8-9, acupuncture is used as an option when pain medication is reduced and not tolerated, it may be used as an adjunct to physical rehabilitation and/or surgical intervention to hasten functional recovery. Time to produce function improvement: 3-6 treatments. 2) Frequency: 1-3 times per week. 3) Optimum duration: 1-2 months. Acupuncture treatments may be extended if functional improvement is documented. Patient has had prior acupuncture treatment. There is no assessment in the provided medical records of functional efficacy with prior acupuncture visits. Medical reports reveal little evidence of significant changes or improvement in findings, revealing a patient who has not achieved significant objective functional improvement to warrant additional treatment. Additional visits may be rendered if the patient has documented objective functional improvement. Per MTUS guidelines, Functional improvement means either a clinically significant improvement in activities of daily living or a reduction in work restrictions as measured during the history and physical exam or decrease in medication intake. Therefore, the request for acupuncture therapy sessions thoracic is not medically necessary and appropriate.

Acupuncture Therapy Sessions Lumbar Spine: Upheld

Claims Administrator guideline: Decision based on MTUS Acupuncture Treatment Guidelines.

MAXIMUS guideline: Decision based on MTUS Acupuncture Treatment Guidelines.

Decision rationale: Per MTUS- Section 9792.24.1 Acupuncture Medical treatment Guidelines page 8-9. Acupuncture is used as an option when pain medication is reduced and not tolerated, it may be used as an adjunct to physical rehabilitation and/or surgical intervention to hasten functional recovery. Time to produce function improvement: 3-6 treatments. 2) Frequency: 1-3 times per week. 3) Optimum duration: 1-2 months. Acupuncture treatments may be extended if functional improvement is documented. Patient has had prior acupuncture treatment. There is no assessment in the provided medical records of functional efficacy with prior acupuncture visits. Medical reports reveal little evidence of significant changes or improvement in findings, revealing a patient who has not achieved significant objective functional improvement to warrant additional treatment. Additional visits may be rendered if the patient has documented objective functional improvement. Per MTUS guidelines, Functional improvement means either a clinically significant improvement in activities of daily living or a reduction in work restrictions as measured during the history and physical exam or decrease in medication intake. Therefore, the request for acupuncture therapy sessions lumbar spine is not medically necessary and appropriate.