

<b>Case Number:</b>	CM14-0085484		
<b>Date Assigned:</b>	07/23/2014	<b>Date of Injury:</b>	02/03/2014
<b>Decision Date:</b>	08/29/2014	<b>UR Denial Date:</b>	06/04/2014
<b>Priority:</b>	Standard	<b>Application Received:</b>	06/09/2014

### HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. The expert reviewer is licensed in Chiropractic and Acupuncture Services and is licensed to practice in California. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/services. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

### CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 68 year old male who reported shoulder, low back, bilateral hip and knee pain from injury sustained on 02/03/14 due to cumulative trauma of being a truck driver for 41 years. There were no diagnostic imaging reports. Patient is diagnosed with left biceps rupture, left shoulder degenerative osteoarthritis of the acromioclavicular joint, right shoulder sprain/strain, left wrist sprain/strain, lumbar spine degenerative disc disease, lumbar spine spondylolisthesis L4 on L5, bilateral hip sprain/ strain, left knee joint degenerative osteoarthritis and right knee sprain/strain. Patient has been treated with medication and therapy. Per medical notes dated 06/20/14, patient complains of continued low back pain, which radiates to bilateral lower extremity. Examination revealed bilateral shoulder tenderness to palpation over the paracervical muscles and trapezius. Range of motion is limited and painful. Left sided partial biceps rupture is noted. Right elbow reveals no tenderness to palpation. Left hand/ wrist is tender to palpation, range of motion is limited and painful. Lumbar spine muscles are tender to palpation and limited range of motion is noted. Patient also has tenderness to palpation of the bilateral hips over the greater trochanteric region and bilateral knees. Provider is requesting initial trial of 12 acupuncture treatments for bilateral shoulders, lumbar spine, bilateral hips and knees. Requested visits exceed the quantity of initial acupuncture visits supported by the cited guidelines.

### IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

**Acupuncture to bilateral shoulders 2 times a week for 6 weeks: Upheld**

**Claims Administrator guideline:** Decision based on MTUS Acupuncture Treatment Guidelines.

**MAXIMUS guideline:** Decision based on MTUS Acupuncture Treatment Guidelines.

**Decision rationale:** Per MTUS- Section 9792.24.1 Acupuncture Medical treatment Guidelines Page 8-9. "Acupuncture is used as an option when pain medication is reduced and not tolerated, it may be used as an adjunct to physical rehabilitation and/or surgical intervention to hasten functional recovery". "Time to produce function improvement: 3-6 treatments. 2) Frequency: 1-3 times per week. 3) Optimum duration: 1-2 months. Acupuncture treatments may be extended if functional improvement is documented". Patient has not had prior Acupuncture treatment. Per guidelines 3-6 treatments are supported for initial course of Acupuncture with evidence of functional improvement prior to consideration of additional care. Requested visits exceed the quantity of initial acupuncture visits supported by the cited guidelines. Additional visits may be rendered if the patient has documented objective functional improvement. MTUS- Definition 9792.20 (f) Functional improvement means either a clinically significant improvement in activities of daily living or a reduction in work restrictions as measured during the history and physical exam. Per guidelines and review of evidence, 12 Acupuncture visits are is not medically necessary and appropriate.

**Acupuncture to lumbar spine 2 times a week for 6 weeks: Upheld**

**Claims Administrator guideline:** Decision based on MTUS Acupuncture Treatment Guidelines.

**MAXIMUS guideline:** Decision based on MTUS Acupuncture Treatment Guidelines.

**Decision rationale:** Per MTUS- Section 9792.24.1 Acupuncture Medical treatment Guidelines Page 8-9. "Acupuncture is used as an option when pain medication is reduced and not tolerated, it may be used as an adjunct to physical rehabilitation and/or surgical intervention to hasten functional recovery". "Time to produce function improvement: 3-6 treatments. 2) Frequency: 1-3 times per week. 3) Optimum duration: 1-2 months. Acupuncture treatments may be extended if functional improvement is documented". Patient has not had prior Acupuncture treatment. Per guidelines 3-6 treatments are supported for initial course of Acupuncture with evidence of functional improvement prior to consideration of additional care. Requested visits exceed the quantity of initial acupuncture visits supported by the cited guidelines. Additional visits may be rendered if the patient has documented objective functional improvement. MTUS- Definition 9792.20 (f) Functional improvement means either a clinically significant improvement in activities of daily living or a reduction in work restrictions as measured during the history and physical exam. Per guidelines and review of evidence, 12 Acupuncture visits are is not medically necessary and appropriate.

**Acupuncture to bilateral hips and bilateral knees 2 times a week for 6 weeks: Upheld**

**Claims Administrator guideline:** Decision based on MTUS Acupuncture Treatment Guidelines.

**MAXIMUS guideline:** Decision based on MTUS Acupuncture Treatment Guidelines.

**Decision rationale:** Per MTUS- Section 9792.24.1 Acupuncture Medical treatment Guidelines Page 8-9. "Acupuncture is used as an option when pain medication is reduced and not tolerated, it may be used as an adjunct to physical rehabilitation and/or surgical intervention to hasten functional recovery". "Time to produce function improvement: 3-6 treatments. 2) Frequency: 1-3 times per week. 3) Optimum duration: 1-2 months. Acupuncture treatments may be extended if functional improvement is documented". Patient has not had prior Acupuncture treatment. Per guidelines 3-6 treatments are supported for initial course of Acupuncture with evidence of functional improvement prior to consideration of additional care. Requested visits exceed the quantity of initial acupuncture visits supported by the cited guidelines. Additional visits may be rendered if the patient has documented objective functional improvement. MTUS- Definition 9792.20 (f) Functional improvement means either a clinically significant improvement in activities of daily living or a reduction in work restrictions as measured during the history and physical exam. Per guidelines and review of evidence, 12 Acupuncture visits are is not medically necessary and appropriate.