

Case Number:	CM13-0053077		
Date Assigned:	02/18/2014	Date of Injury:	08/24/2005
Decision Date:	01/02/2015	UR Denial Date:	11/05/2013
Priority:	Standard	Application Received:	11/18/2013

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. The expert reviewer is Board Certified in Emergency Medicine and is licensed to practice in New York. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/services. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The patient is a 49-year-old female who was injured on August 24, 2005. The patient continued to experience pain in neck and thoracic spine. Physical examination was notable for slow reciprocal gait, tenderness in the posterior cervical paraspinal muscles, intact sensation and normal motor strength in the bilateral upper extremities. Diagnoses included herniated cervical disc. Treatment included medications and surgery. Requests for authorization for MRI thoracic spine and MRI of the cervical spine were submitted for consideration.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

MRI THORACIC SPINE WITHOUT CONTRAST: Upheld

Claims Administrator guideline: Decision based on MTUS ACOEM Chapter 2 General Approach to Initial Assessment and Documentation.

MAXIMUS guideline: The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Low Back - Lumbar and Thoracic MRI's

Decision rationale: MRI of the spine is recommended for indications below. MRI's are test of choice for patients with prior back surgery. MRI of the lumbar spine for uncomplicated low back pain, with radiculopathy, is not recommended until after at least one month conservative

therapy, sooner if severe or progressive neurologic deficit. Repeat MRI is not routinely recommended, and should be reserved for a significant change in symptoms and/or findings suggestive of significant pathology (eg, tumor, infection, fracture, neurocompression, and recurrent disc herniation). Indications for imaging - Magnetic resonance imaging: - Thoracic spine trauma: with neurological deficit- Lumbar spine trauma: trauma, neurological deficit- Lumbar spine trauma: seat belt (chance) fracture (If focal, radicular findings or other neurologic deficit)- Uncomplicated low back pain, suspicion of cancer, infection, other "red flags"- Uncomplicated low back pain, with radiculopathy, after at least 1 month conservative therapy, sooner if severe or progressive neurologic deficit.- Uncomplicated low back pain, prior lumbar surgery- Uncomplicated low back pain, cauda equina syndrome- Myelopathy (neurological deficit related to the spinal cord), traumatic- Myelopathy, painful- Myelopathy, sudden onset- Myelopathy, stepwise progressive- Myelopathy, slowly progressive- Myelopathy, infectious disease patient- Myelopathy, oncology patient In this case, there is no documentation to support that there has been any change in the patient's condition or the development of additional neurologic deficits. Motors strength is normal and sensation is intact. The patient does not have any indication for thoracic MRI. Therefore, this request is not medically necessary.

MRI CERVICAL SPINE WITHOUT CONTRAST: Upheld

Claims Administrator guideline: Decision based on MTUS ACOEM Chapter 2 General Approach to Initial Assessment and Documentation.

MAXIMUS guideline: Decision based on MTUS ACOEM Chapter 8 Neck and Upper Back Complaints Page(s): 177-178. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Neck and Upper Back, Magnetic resonance imaging (MRI)

Decision rationale: Criteria for ordering imaging studies are emergence of a red flag, physiologic evidence of tissue insult or neurologic dysfunction, failure to progress in a strengthening program intended to avoid surgery, and clarification of the anatomy prior to an invasive procedure. If physiologic evidence indicates tissue insult or nerve impairment, consider a discussion with a consultant regarding next steps, including the selection of an imaging test to define a potential cause (magnetic resonance imaging [MRI] for neural or other soft tissue, computer tomography [CT] for bony structures). Per ODG indications for MRI of the cervical spine are: -Chronic neck pain (= after 3 months conservative treatment), radiographs normal, neurologic signs or symptoms present- Neck pain with radiculopathy if severe or progressive neurologic deficit- Chronic neck pain, radiographs show spondylosis, neurologic signs or symptoms present- Chronic neck pain, radiographs show old trauma, neurologic signs or symptoms present- Chronic neck pain, radiographs show bone or disc margin destruction- Suspected cervical spine trauma, neck pain, clinical findings suggest ligamentous injury (sprain), radiographs and/or CT "normal"- Known cervical spine trauma: equivocal or positive plain films with neurological deficit- Upper back/thoracic spine trauma with neurological deficit Repeat MRI is not routinely recommended, and should be reserved for a significant change in symptoms and/or findings suggestive of significant pathology (eg, tumor, infection, fracture, neurocompression, recurrent disc herniation). In this case, there is no documentation to support that there has been any change in the patient's condition or the development of additional

neurologic deficits. Motor strength is normal and sensation is intact. The patient does not have any indication for cervical MRI. Therefore, this request is not medically necessary.