

Case Number:	CM14-0100265		
Date Assigned:	09/16/2014	Date of Injury:	08/29/2012
Decision Date:	01/12/2015	UR Denial Date:	06/13/2014
Priority:	Standard	Application Received:	06/30/2014

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. The expert reviewer is Board Certified in Anesthesia, has a subspecialty in Acupuncture & Pain Medicine and is licensed to practice in California. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/services. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The 53 year old female injured worker with date of injury 8/29/12 with related right lower extremity pain. Per progress report dated 6/13/14, the injured worker rates her pain with medications 2/10, and 6/10 in intensity without medications. She reported that she suffered a fall the last week of May. She reported that she injured multiple body parts and had bruising across the right leg, arms, and chest. She reported that she did not seek any medical attention. At this time she reported increased pain in the right ankle. Treatment to date has included physical therapy, injections, and medication management. The date of UR decision was 6/13/14.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

MED-CELEBREX 200MG, #30: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines NSAIDs Page(s): 70.

Decision rationale: Per MTUS CPMTG p70, Celebrex is used for the relief of the signs and symptoms of osteoarthritis, rheumatoid arthritis, and ankylosing spondylitis. It works as an anti-inflammatory, analgesic, and antipyretic. It does not have an anti-platelet effect and is not a

substitute for aspirin for cardiac prophylaxis. The documentation submitted for review contains no evidence that the injured worker was refractory to treatment with ibuprofen or naproxen. The MTUS supports the use of Cox-2 inhibitors for individuals with an increased risk or history of GI complications. The documentation did not note any history of GI complications, or risk factors for GI complications. While it is noted that NSAIDs are clinically indicated for this claimant, the requested Celebrex is not supported by the guidelines. This request is considered not medically necessary.

ULTRAM 50MG, #120: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Opioids Page(s): 78, 93.

Decision rationale: Per MTUS Chronic Pain Medical Treatment Guidelines p78 regarding ongoing management of opioids "Four domains have been proposed as most relevant for ongoing monitoring of chronic pain patients on opioids: Pain relief, side effects, physical and psychosocial functioning, and the occurrence of any potentially aberrant (or nonadherent) drug related behaviors. These domains have been summarized as the '4 As' (Analgesia, activities of daily living, adverse side effects, and any aberrant drug-taking behaviors). The monitoring of these outcomes over time should affect therapeutic decisions and provide a framework for documentation of the clinical use of these controlled drugs." "Review of the available medical records reveals no documentation to support the medical necessity of Ultram nor any documentation addressing the '4 A's' domains, which is a recommended practice for the on-going management of opioids. Specifically, the notes do not appropriately review and document functional status improvement, appropriate medication use, or side effects. The MTUS considers this list of criteria for initiation and continuation of opioids in the context of efficacy required to substantiate medical necessity, and they do not appear to have been addressed by the treating physician in the documentation available for review. Efforts to rule out aberrant behavior (e.g. CURES report, UDS, opiate agreement) are necessary to assure safe usage and establish medical necessity. Ongoing UDS were documented and consistent with prescribed medications. As MTUS recommends discontinuing opioids if there is no overall improvement in function, the request is not medically necessary.

FLEXERIL 10MG, #20: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Muscle Relaxants Page(s): 63-64.

Decision rationale: With regard to muscle relaxants, the MTUS CPMTG states: "Recommend non-sedating muscle relaxants with caution as a second-line option for short-term treatment of

acute exacerbations in patients with chronic LBP. (Chou, 2007) (Mens, 2005) (Van Tulder, 1998) (van Tulder, 2003) (van Tulder, 2006) (Schnitzer, 2004) (See, 2008) Muscle relaxants may be effective in reducing pain and muscle tension, and increasing mobility. However, in most LBP cases, they show no benefit beyond NSAIDs in pain and overall improvement." Regarding Cyclobenzaprine: "Recommended for a short course of therapy. Limited, mixed-evidence does not allow for a recommendation for chronic use. Cyclobenzaprine is a skeletal muscle relaxant and a central nervous system depressant with similar effects to tricyclic antidepressants (e.g. amitriptyline). Cyclobenzaprine is more effective than placebo in the management of back pain, although the effect is modest and comes at the price of adverse effects." The patient is not being treated for an acute exacerbation of chronic back pain, and there was no documentation of spasm. The requested treatment is not medically necessary.