

Case Number:	CM14-0187236		
Date Assigned:	11/17/2014	Date of Injury:	05/28/2009
Decision Date:	01/15/2015	UR Denial Date:	10/31/2014
Priority:	Standard	Application Received:	11/10/2014

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. The expert reviewer is Board Certified in Anesthesia, has a subspecialty in Acupuncture and Pain Medicine and is licensed to practice in California. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/services. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 33 year old male with an injury dated 5/28/09 that presents low back pain. Per progress report dated 9/17/14, physical exam revealed tenderness to palpation at the L3 through S1. The injured worker also had radicular discomfort in the L5 distribution. There was decreased pinprick sensation to the right lower extremity in the L4-L5 distribution, with hyper-reflexive deep tendon reflexes to the lower extremities bilaterally. The injured worker walked with a mildly antalgic gait. The injured worker was seen for continuation of oral medications in a tapering dose in conjunction with escalation of pain pump medications. Treatment to date has included physical therapy, intrathecal infusion via implanted pain pump, and medication management. The date of UR decision was 10/31/14.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Ibuprofen 600mg #90: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines NSAIDs Page(s): 67-68.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines NSAIDs Page(s): 67-68.

Decision rationale: With regard to the use of NSAIDs for chronic low back pain, the MTUS CPMTG states "Recommended as an option for short-term symptomatic relief. A Cochrane review of the literature on drug relief for low back pain (LBP) suggested that NSAIDs were no more effective than other drugs such as acetaminophen, narcotic analgesics, and muscle relaxants. The review also found that NSAIDs had more adverse effects than placebo and acetaminophen but fewer effects than muscle relaxants and narcotic analgesics. In addition, evidence from the review suggested that no one NSAID, including COX-2 inhibitors, was clearly more effective than another." "Low back pain (chronic): Both acetaminophen and NSAIDs have been recommended as first line therapy for low back pain. There is insufficient evidence to recommend one medication over the other. Selection should be made on a case-by-case basis based on weighing efficacy vs. side effect profile." The documentation submitted for review indicates that the injured worker has been using ibuprofen since at least 12/2012. As it is only recommended for short-term symptomatic relief, the request is not medically necessary.

Voltaren Gel 1% 100 grams: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Topical Analgesics Page(s): 111-112.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Topical Analgesics Page(s): 111-112.

Decision rationale: With regard to topical NSAIDs, MTUS states "These medications may be useful for chronic musculoskeletal pain, but there are no long-term studies of their effectiveness or safety. (Mason, 2004) Indications: Osteoarthritis and tendinitis, in particular, that of the knee and elbow or other joints that are amenable to topical treatment: Recommended for short-term use (4-12 weeks)." Voltaren Gel 1% specifically is "Indicated for relief of osteoarthritis pain in joints that lend themselves to topical treatment (ankle, elbow, foot, hand, knee, and wrist)." Per the guidelines, the indications of this medication are limited to joints that are amenable to topical treatment. The documentation submitted for review do not denote any indications for the request. The request is not medically necessary.