

<b>Case Number:</b>	CM14-0190433		
<b>Date Assigned:</b>	11/21/2014	<b>Date of Injury:</b>	06/02/1998
<b>Decision Date:</b>	01/09/2015	<b>UR Denial Date:</b>	10/28/2014
<b>Priority:</b>	Standard	<b>Application Received:</b>	11/14/2014

### HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. The expert reviewer is Board Certified in Anesthesiology, has a subspecialty in Pain Management and is licensed to practice in California. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/services. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

### CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

According to the records made available for review, this is a 63-year-old male with a 6/2/98 date of injury, and status post lumbar laminectomy L4-5 6/18/14. At the time (10/28/14) of request for authorization for Motrin 800mg, 1 Q12 hours #60, refills: 2, Robaxin 500mg, 1 Q8 hours, refills: 2, and Norco 10/325mg, 1 Q6 hours #120, refills: 2, there is documentation of subjective (overall doing well) and objective (swelling over the left knee and left ankle) findings, current diagnoses (lumbar canal stenosis, status post lumbar laminectomy), and treatment to date (epidural steroid injection, physical therapy, medications (including ongoing use of Norco, Motrin, and Robaxin since at least 5/14)). Regarding the requested Motrin 800mg, 1 Q12 hours #60, refills: 2, there is no documentation of functional benefit or improvement as a reduction in work restrictions; an increase in activity tolerance; and/or a reduction in the use of medications as a result of Motrin use to date. Regarding the requested Robaxin 500mg, 1 Q8 hours, refills: 2, there is no documentation of an acute exacerbation of chronic low back pain, that Robaxin is being used as a second line option, functional benefit or improvement as a reduction in work restrictions; an increase in activity tolerance; and/or a reduction in the use of medications as a result of Robaxin use to date, and an intention for short-term (less than two weeks) treatment. Regarding the requested Norco 10/325mg, 1 Q6 hours #120, refills: 2, there is no documentation that the prescriptions are from a single practitioner and are taken as directed; that the lowest possible dose is being prescribed; and that there will be ongoing review and documentation of pain relief, functional status, appropriate medication use, and side effects, and functional benefit or improvement as a reduction in work restrictions; an increase in activity tolerance; and/or a reduction in the use of medications as a result of Norco use to date.

### IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

**Motrin 800mg, 1 Q12 hours #60, refills: 2:** Upheld

**Claims Administrator guideline:** The Claims Administrator did not cite any medical evidence for its decision.

**MAXIMUS guideline:** Decision based on MTUS Chronic Pain Treatment Guidelines NSAIDs (non-steroidal anti-inflammatory drugs) Page(s): 67-68. Decision based on Non-MTUS Citation Other Medical Treatment Guideline or Medical Evidence: Title 8, California Code of Regulations, section 9792.20

**Decision rationale:** MTUS Chronic Pain Medical Treatment Guidelines identifies documentation of moderate to severe osteoarthritis pain, acute low back pain, chronic low back pain, or exacerbations of chronic pain, as criteria necessary to support the medical necessity of NSAIDs. MTUS-Definitions identifies that any treatment intervention should not be continued in the absence of functional benefit or improvement as a reduction in work restrictions; an increase in activity tolerance; and/or a reduction in the use of medications or medical services. Within the medical information available for review, there is documentation of diagnoses of lumbar canal stenosis and status post lumbar laminectomy. In addition, there is documentation of chronic low back pain. However, given medical records reflecting prescription for Motrin since at least 5/14, there is no documentation of functional benefit or improvement as a reduction in work restrictions; an increase in activity tolerance; and/or a reduction in the use of medications as a result of Motrin use to date. Therefore, based on guidelines and a review of the evidence, the request for Motrin 800mg, 1 Q12 hours #60, refills: 2 is not medically necessary.

**Robaxin 500mg, 1 Q8 hours, refills: 2:** Upheld

**Claims Administrator guideline:** The Claims Administrator did not cite any medical evidence for its decision.

**MAXIMUS guideline:** Decision based on MTUS Chronic Pain Treatment Guidelines Muscle relaxants (for pain) Page(s): 63-64. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Pain, Muscle relaxants (for pain) Other Medical Treatment Guideline or Medical Evidence: Title 8, California Code of Regulations, section 9792.20

**Decision rationale:** MTUS Chronic Pain Medical Treatment Guidelines identifies documentation of acute exacerbation of chronic low back pain and used as a second line option for short-term treatment, as criteria necessary to support the medical necessity of muscle relaxant. MTUS-Definitions identifies that any treatment intervention should not be continued in the absence of functional benefit or improvement as a reduction in work restrictions; an increase in activity tolerance; and/or a reduction in the use of medications or medical services. ODG identifies that muscle relaxants are recommended for short-term (less than two weeks) treatment. Within the medical information available for review, there is documentation of diagnoses of lumbar canal stenosis and status post lumbar laminectomy. However, there is no documentation of an acute exacerbation of chronic low back pain and that Robaxin is being used as a second

line option. In addition, given medical records reflecting prescription for Robaxin since at least 5/14, there is no documentation of functional benefit or improvement as a reduction in work restrictions; an increase in activity tolerance; and/or a reduction in the use of medications as a result of Robaxin use to date. In addition, there is no documentation of an intention for short-term (less than two weeks) treatment. Therefore, based on guidelines and a review of the evidence, the request for Robaxin 500mg, 1 Q8 hours, refills: 2 is not medically necessary.

**Norco 10/325mg, 1 Q6 hours #120, refills: 2: Upheld**

**Claims Administrator guideline:** The Claims Administrator did not cite any medical evidence for its decision.

**MAXIMUS guideline:** Decision based on MTUS Chronic Pain Treatment Guidelines Opioids Page(s): 74-80. Decision based on Non-MTUS Citation Other Medical Treatment Guideline or Medical Evidence: Title 8, California Code of Regulations, section 9792.20

**Decision rationale:** MTUS Chronic Pain Medical Treatment Guidelines necessitate documentation that the prescriptions are from a single practitioner and are taken as directed; the lowest possible dose is being prescribed; and there will be ongoing review and documentation of pain relief, functional status, appropriate medication use, and side effects, as criteria necessary to support the medical necessity of opioids. MTUS-Definitions identifies that any treatment intervention should not be continued in the absence of functional benefit or improvement as a reduction in work restrictions; an increase in activity tolerance; and/or a reduction in the use of medications or medical services. Within the medical information available for review, there is documentation of diagnoses of lumbar canal stenosis and status post lumbar laminectomy. However, there is no documentation that the prescriptions are from a single practitioner and are taken as directed; that the lowest possible dose is being prescribed; and that there will be ongoing review and documentation of pain relief, functional status, appropriate medication use, and side effects. In addition, given medical records reflecting prescription for Norco since at least 5/14, there is no documentation of functional benefit or improvement as a reduction in work restrictions; an increase in activity tolerance; and/or a reduction in the use of medications as a result of Norco use to date. Therefore, based on guidelines and a review of the evidence, the request for Norco 10/325mg, 1 Q6 hours #120, refills: 2 is not medically necessary.