

Case Number:	CM15-0005955		
Date Assigned:	02/18/2015	Date of Injury:	07/26/1999
Decision Date:	05/01/2015	UR Denial Date:	12/17/2014
Priority:	Standard	Application Received:	01/12/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:
 State(s) of Licensure: California, District of Columbia, Maryland
 Certification(s)/Specialty: Anesthesiology, Pain Management

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 62-year-old male, who sustained an industrial injury on July 26, 1999. He reported left hip pain. The injured worker was diagnosed as having piriformis syndrome of the left buttock, status post piriformis release/sciatic decompression and ongoing sciatic neuritis/chronic post op pain. Treatment to date has included radiographic imaging, diagnostic studies, surgical intervention, physical therapy, medications and work restrictions. Currently, the injured worker complains of left hip pain. The injured worker reported an industrial injury in 1999, resulting in the above noted pain. He was treated conservatively and surgically without complete resolution of the pain. Evaluation on June 24, 2014, revealed continued pain. An H wave device was recommended. Evaluation on November 4, 2014, evaluation on November 4, 2014, revealed continued severe pain. Medications were adjusted and renewed.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Retro: Norco 10/325mg #60 DOS: 11/3/2014: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Opioids Page(s): 78, 91.

Decision rationale: Per MTUS Chronic Pain Medical Treatment Guidelines p78 regarding ongoing management of opioids "Four domains have been proposed as most relevant for ongoing monitoring of chronic pain patients on opioids: Pain relief, side effects, physical and psychosocial functioning, and the occurrence of any potentially aberrant (or non-adherent) drug related behaviors. These domains have been summarized as the '4 A's' (Analgesia, activities of daily living, adverse side effects, and any aberrant drug-taking behaviors). The monitoring of these outcomes over time should affect therapeutic decisions and provide a framework for documentation of the clinical use of these controlled drugs." Review of the available medical records reveals neither documentation to support the medical necessity of Norco nor any documentation addressing the '4 A's' domains, which is a recommended practice for the on-going management of opioids. Specifically, the notes do not appropriately review and document pain relief, functional status improvement, appropriate medication use, or side effects. The MTUS considers this list of criteria for initiation and continuation of opioids in the context of efficacy required to substantiate medical necessity, and they do not appear to have been addressed by the treating physician in the documentation available for review. Furthermore, efforts to rule out aberrant behavior (e.g. CURES report, UDS, opiate agreement) are necessary to assure safe usage and establish medical necessity. There is no documentation comprehensively addressing this concern in the records available for my review. As MTUS recommends discontinuing opioids if there is no overall improvement in function, medical necessity cannot be affirmed. Therefore, this request is not medically necessary.

Retro: Soma 350mg #30 DOS: 11/3/2014: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Carisoprodol Page(s): 29.

Decision rationale: Per MTUS CPMTG p29, "Not recommended. This medication is not indicated for long-term use. Carisoprodol is a commonly prescribed, centrally acting skeletal muscle relaxant whose primary active metabolite is meprobamate (a schedule-IV controlled substance). Carisoprodol is now scheduled in several states but not on a federal level. It has been suggested that the main effect is due to generalized sedation and treatment of anxiety. Abuse has been noted for sedative and relaxant effects. In regular abusers, the main concern is the accumulation of meprobamate. Carisoprodol abuse has also been noted in order to augment or alter effects of other drugs." As this medication is not recommended by MTUS, it is not medically necessary.

Retro: Ambien 10mg #30 DOS 11/3/2014: Upheld

Claims Administrator guideline: The Claims Administrator did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines.

MAXIMUS guideline: The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation ODG, Pain, Zolpidem.

Decision rationale: The MTUS is silent on the treatment of insomnia. With regard to Ambien, the ODG guidelines state "Zolpidem is a prescription short-acting nonbenzodiazepine hypnotic, which is approved for the short-term (usually two to six weeks) treatment of insomnia. Proper sleep hygiene is critical to the individual with chronic pain and often is hard to obtain. Various medications may provide short-term benefit. While sleeping pills, so-called minor tranquilizers, and anti-anxiety agents are commonly prescribed in chronic pain, pain specialists rarely, if ever, recommend them for long-term use. They can be habit-forming, and they may impair function and memory more than opioid pain relievers may. There is also concern that they may increase pain and depression over the long-term." The documentation submitted for review does not contain information regarding sleep onset, sleep maintenance, and sleep quality and next-day functioning. It was not noted whether simple sleep hygiene methods were tried and failed. It is noted that the injured worker has been using this medication since at least 5/2014. It is recommended for short-term use. The request is not medically necessary.