

Case Number:	CM15-0009947		
Date Assigned:	01/27/2015	Date of Injury:	08/12/2010
Decision Date:	04/10/2015	UR Denial Date:	01/08/2015
Priority:	Standard	Application Received:	01/16/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:
 State(s) of Licensure: Florida
 Certification(s)/Specialty: Family Practice

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 39-year-old male, who sustained a work related injury on 8/12/10. The diagnoses have included reflex sympathetic dystrophy in lower limb, depressive disorder and osteoarthritis of right ankle. Treatments to date have included oral medications, lumbar sympathetic block right side and exercise as tolerated. The injured worker complains of constant right ankle pain. He states the pain is better when he not up on foot and ankle. He has decreased range of motion in right ankle. On 1/8/15, Utilization Review non-certified prescription requests for Omeprazole DR 40mg #60 and Celebrex 100mg BID, #60, refill 3. The California MTUS, Chronic Pain Treatment Guidelines, were cited.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Omeprazole DR 40mg cap BID #60: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines NSAIDs, GI symptoms & cardiovascular risk Page(s): 68-69.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines NSAIDs, GI symptoms & cardiovascular risk Page(s): 68-69.

Decision rationale: In accordance with California MTUS guidelines, PPI's (Proton Pump Inhibitors) can be utilized if the patient is concomitantly on NSAIDS and if the patient has gastrointestinal risk factors. Whether the patient has cardiovascular risk factors that would contraindicate certain NSAID, use should also be considered. The guidelines state, "Recommend with precautions as indicated. Clinicians should weight the indications for NSAIDs against both GI and cardiovascular risk factors. Determine if the patient is at risk for gastrointestinal events: (1) age > 65 years; (2) history of peptic ulcer, GI bleeding or perforation; (3) concurrent use of ASA, corticosteroids, and/or an anticoagulant; or (4) high dose/multiple NSAID (e.g., NSAID + low-dose ASA)." This patient does not have any of these gastrointestinal or cardiovascular risk factors. Likewise, this request for Omeprazole is not medically necessary.

Celebrex 100mg cap BID #60 refill 3: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines NSAIDs Page(s): 67-68, 70.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines NSAIDS Page(s): 64, 102-105, 66.

Decision rationale: In accordance with California MTUS guidelines, NSAIDS are recommended as an option for short-term symptomatic relief. These guidelines state, "A Cochrane review of the literature on drug relief for low back pain (LBP) suggested that NSAIDs were no more effective than other drugs such as acetaminophen, narcotic analgesics, and muscle relaxants. The review also found that NSAIDs had more adverse effects than placebo and acetaminophen but fewer effects than muscle relaxants and narcotic analgesics." The MTUS guidelines do not recommend chronic use of NSAIDS due to the potential for adverse side effects. Likewise, this request for Celebrex is not medically necessary.