

Case Number:	CM15-0101400		
Date Assigned:	07/15/2015	Date of Injury:	01/27/2013
Decision Date:	08/10/2015	UR Denial Date:	05/05/2015
Priority:	Standard	Application Received:	05/27/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:
State(s) of Licensure: North Carolina
Certification(s)/Specialty: Family Practice

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 50-year-old male, who sustained an industrial injury on 1-27-13. The injured worker has complaints of low back pain that radiates to the left lower extremity. The diagnoses have included thoracic sprain; lumbar sprain and lumbosacral-thoracic radiculitis. Treatment to date has included magnetic resonance imaging (MRI) of the lumbar spine on 4-23-14 showed L4-L5 facet arthropathy produces bilateral neuroforaminal narrowing, L5-S1 (sacroiliac), 4. 5 millimeter disc protrusion and facet hypertrophy produces bilateral neuroforaminal narrowing, posterior annular tear-fissure; magnetic resonance imaging (MRI) of the thoracic spine on 4-23-14 showed unremarkable mulipositional magnetic resonance imaging (MRI) of the thoracic spine and electromyography/nerve conduction study dated 6-2-14 showed findings are consistent with chronic right S1 (sacroiliac) radiculopathy, no active lumbar radiculopathy noted. The request was for one magnetic resonance imaging (MRI) of the lumbar spine and one electromyography/nerve conduction velocity of bilateral lower extremities.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

One MRI of the lumbar spine: Upheld

Claims Administrator guideline: Decision based on MTUS ACOEM Chapter 12 Low Back Complaints Page(s): 303.

MAXIMUS guideline: Decision based on MTUS ACOEM Chapter 12 Low Back Complaints Page(s): 303.

Decision rationale: The ACOEM chapter on low back complaints and special diagnostic studies states: Unequivocal objective findings that identify specific nerve compromise on the neurologic examination are sufficient evidence to warrant imaging in patients who do not respond to treatment and who would consider surgery an option. When the neurologic examination is less clear, however, further physiologic evidence of nerve dysfunction should be obtained before ordering an imaging study. Indiscriminant imaging will result in false-positive findings, such as disk bulges, that are not the source of painful symptoms and do not warrant surgery. If physiologic evidence indicates tissue insult or nerve impairment, the practitioner can discuss with a consultant the selection of an imaging test to define a potential cause (magnetic resonance imaging [MRI] for neural or other soft tissue, computed tomography [CT] for bony structures). Relying solely on imaging studies to evaluate the source of low back and related symptoms carries a significant risk of diagnostic confusion (false positive test results) because of the possibility of identifying a finding that was present before symptoms began and therefore has no temporal association with the symptoms. Techniques vary in their abilities to define abnormalities (Table 12-7). Imaging studies should be reserved for cases in which surgery is considered or red-flag diagnoses are being evaluated. Because the overall false-positive rate is 30% for imaging studies in patients over age 30 who do not have symptoms, the risk of diagnostic confusion is great. There is no recorded presence of emerging red flags on the physical exam. There is evidence of nerve compromise on physical exam but there is not mention of consideration for surgery or complete failure of conservative therapy. There have also been no significant clinical changes since previous MRI. For these reasons, criteria for imaging as defined above per the ACOEM have not been met. Therefore, the request is not medically necessary.

One Electromyography (EMG)/Nerve conduction velocity (NCV) of bilateral lower extremities: Upheld

Claims Administrator guideline: Decision based on MTUS ACOEM Chapter 12 Low Back Complaints Page(s): 303.

MAXIMUS guideline: Decision based on MTUS ACOEM Chapter 12 Low Back Complaints Page(s): 301.

Decision rationale: The ACOEM chapters on low back complaints and the need for lower extremity EMG/NCV states: Unequivocal objective findings that identify specific nerve compromise on the neurologic examination are sufficient evidence to warrant imaging in patients who do not respond to treatment and who would consider surgery an option. When the neurologic examination is less clear, however, further physiologic evidence of nerve dysfunction should be obtained before ordering an imaging study. Indiscriminant imaging will result in false- positive findings, such as disk bulges, that are not the source of painful symptoms and do not warrant surgery. If physiologic evidence indicates tissue insult or nerve impairment, the practitioner can discuss with a consultant the selection of an imaging test to define a potential cause (magnetic resonance imaging [MRI] for neural or other soft tissue, computer tomography [CT] for bony structures). Electromyography (EMG), including H-reflex tests, may be useful to identify subtle, focal neurologic dysfunction in patients with low back

symptoms lasting more than three or four weeks. There are unequivocal objective findings of nerve compromise on the neurologic exam provided for review. However, there is not mention of surgical consideration. There are no unclear neurologic findings on exam. For these reasons, criteria for lower extremity EMG/NCV have not been met as set forth in the ACOEM. Therefore, the request is not medically necessary.