

Case Number:	CM15-0102659		
Date Assigned:	06/05/2015	Date of Injury:	01/20/2011
Decision Date:	07/21/2015	UR Denial Date:	04/28/2015
Priority:	Standard	Application Received:	05/28/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:
 State(s) of Licensure: North Carolina
 Certification(s)/Specialty: Family Practice

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

This is a 60 year old male with a January 20, 2011 date of injury. A progress note dated April 13, 2015 documents subjective complaints (chronic bilateral shoulder, elbow, and head pain), objective findings (tenderness to palpation over the left lateral upper condyle and tenderness to the muscles and tendons attaching to the bilateral upper condyle), and current diagnoses (bilateral shoulder joint pain; cervical spondylosis without myelopathy). Treatments to date have included cortisone injection to the left elbow which gave about ten days' worth of pain relief, shoulder surgeries, physical therapy for the shoulders and left elbow, medications, imaging studies, and home exercise. The treating physician documented a plan of care that included Ibuprofen and an ultrasound evaluation of the left elbow.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

1 prescription for Ibuprofen 500mg, #60 with 1 refill: Overturned

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines NSAIDs (non-steroidal anti-inflammatory drugs).

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines NSAID Page(s): 68-72.

Decision rationale: The California chronic pain medical treatment guidelines section on NSAID therapy states: Recommended at the lowest dose for the shortest period in patients with moderate to severe pain. Acetaminophen may be considered for initial therapy for patients with mild to moderate pain, and in particular, for those with gastrointestinal, cardiovascular or renovascular risk factors. NSAIDs appear to be superior to acetaminophen, particularly for patients with moderate to severe pain. There is no evidence to recommend one drug in this class over another based on efficacy. In particular, there appears to be no difference between traditional NSAIDs and COX-2 NSAIDs in terms of pain relief. The main concern of selection is based on adverse effects. COX-2 NSAIDs have fewer GI side effects at the risk of increased cardiovascular side effects, although the FDA has concluded that long-term clinical trials are best interpreted to suggest that cardiovascular risk occurs with all NSAIDs and is a class effect (with naproxyn being the safest drug). There is no evidence of long-term effectiveness for pain or function. (Chen, 2008) (Laine, 2008) Back Pain - Chronic low back pain: Recommended as an option for short-term symptomatic relief. A Cochrane review of the literature on drug relief for low back pain (LBP) suggested that NSAIDs were no more effective than other drugs such as acetaminophen, narcotic analgesics, and muscle relaxants. The review also found that NSAIDs had more adverse effects than placebo and acetaminophen but fewer effects than muscle relaxants and narcotic analgesics. In addition, evidence from the review suggested that no one NSAID, including COX-2 inhibitors, was clearly more effective than another. (Roelofs-Cochrane, 2008) See also Anti-inflammatory medications. Neuropathic pain: There is inconsistent evidence for the use of these medications to treat long term neuropathic pain, but they may be useful to treat breakthrough and mixed pain conditions such as osteoarthritis (and other nociceptive pain) in with neuropathic pain. This medication is recommended for the shortest period of time and at the lowest dose possible. The dosing of this medication is within the California MTUS guideline recommendations. The definition of shortest period possible is not clearly defined in the California MTUS. Therefore the request is certified.

1 left elbow ultrasound evaluation: Upheld

Claims Administrator guideline: The Claims Administrator did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG), Elbow (Acute & Chronic), Ultrasound, diagnostic.

MAXIMUS guideline: Decision based on MTUS ACOEM Chapter 10 Elbow Disorders (Revised 2007).

Decision rationale: The ACOEM chapter on elbow complaints and imaging states: Criteria for ordering imaging studies are: The imaging study results will substantially change the treatment plan. Emergence of a red flag. Failure to progress in a rehabilitation program, evidence of significant tissue insult or neurological dysfunction that has been shown to be correctible by invasive treatment, and agreement by the patient to undergo invasive treatment if the presence of the correctible lesion is confirmed. The provided documentation for review does not meet these criteria for imaging and therefore the request is not medically necessary.

