

Case Number:	CM15-0107135		
Date Assigned:	06/11/2015	Date of Injury:	01/05/2012
Decision Date:	07/13/2015	UR Denial Date:	05/26/2015
Priority:	Standard	Application Received:	06/03/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:

State(s) of Licensure: California

Certification(s)/Specialty: Physical Medicine & Rehabilitation

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 57-year-old female, who sustained an industrial injury on 01/05/2012. She has reported injury to the left hand, left ankle, and low back. The diagnoses have included left third finger trigger finger; status post left third trigger finger release, on 11/24/2014; low back pain with left lower extremity symptoms; and left ankle pain. Treatment to date has included medications, diagnostics, physical therapy, home exercise program, and surgical intervention. Medications have included Tramadol ER, Pantoprazole, and Naproxen. A progress report from the treating physician, dated 04/18/2015, documented an evaluation with the injured worker. Currently, the injured worker complains of left hand/third finger pain, rated at 6/10 on the visual analog scale; left ankle pain, rated 5/10 on the visual analog scale; and low back pain with left lower extremity symptoms, rated at 6/10 on the visual analog scale. Objective findings included triggering of the third finger left hand, which remains unchanged; tenderness of the left ankle; pain with range of motion of the foot at the ankle; lumbar range of motion is decreased; and there is a positive straight leg raise on the left for pain to the foot. The treatment plan has included the request for Naproxen 550mg #60; Pantoprazole 20mg #30; and Tramadol ER 100mg #60.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Naproxen 550mg #60: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines NSAIDs.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines NSAIDs (non-steroidal anti-inflammatory drugs), Page 22.

Decision rationale: Anti-inflammatory are the traditional first line of treatment, to reduce pain so activity and functional restoration can resume, but long-term use may not be warranted. Monitoring of NSAID's functional benefit is advised as per Guidelines, long-term use of NSAIDS beyond a few weeks may actually retard muscle and connective tissue healing and increase the risk of hip fractures. Available reports submitted have not adequately addressed the indication to continue a NSAID for a chronic injury nor have they demonstrated any functional efficacy derived from treatment already rendered. The Naproxen 550mg #60 is not medically necessary and appropriate.

Pantoprazole 20mg #30: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines NSAIDs, GI Symptoms and Cardiovascular Risk.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines NSAIDs, GI Symptoms and Cardiovascular risk, Pages 68-69.

Decision rationale: Prilosec (Omeprazole) medication is for treatment of the problems associated with erosive esophagitis from GERD, or in patients with hyper secretion diseases. Per MTUS Chronic Pain Treatment Guidelines, the patient does not meet criteria for Omeprazole (Prilosec) namely reserved for patients with history of prior GI bleeding, the elderly (over 65 years), diabetics, and chronic cigarette smokers. Submitted reports have not described or provided any GI diagnosis that meets the criteria to indicate medical treatment. Review of the records show no documentation of any history, symptoms, or GI diagnosis to warrant this medication. The Pantoprazole 20mg #30 is not medically necessary and appropriate.

Tramadol ER 100mg #60: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Opioids.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Opioids, page(s) 74-96.

Decision rationale: Pain symptoms and clinical findings remain unchanged for this chronic injury. Submitted documents show no evidence that the treating physician is prescribing opioids in accordance to change in pain relief, functional goals with demonstrated improvement in daily activities, decreased in medical utilization or returned to work status. There is no evidence

presented of random drug testing or utilization of pain contract to adequately monitor for narcotic safety, efficacy, and compliance. The MTUS provides requirements of the treating physician to assess and document for functional improvement with treatment intervention and maintenance of function that would otherwise deteriorate if not supported. From the submitted reports, there is no demonstrated evidence of specific functional benefit derived from the continuing use of opioids with persistent severe pain for this chronic injury. In addition, submitted reports have not adequately demonstrated the specific indication to support for chronic opioid use without acute flare-up, new injuries, or progressive clinical deficits to support for chronic opioids outside recommendations of the guidelines. The Tramadol ER 100mg #60 is not medically necessary and appropriate.