

<b>Case Number:</b>	CM15-0109111		
<b>Date Assigned:</b>	06/19/2015	<b>Date of Injury:</b>	01/31/2012
<b>Decision Date:</b>	09/09/2015	<b>UR Denial Date:</b>	05/12/2015
<b>Priority:</b>	Standard	<b>Application Received:</b>	06/05/2015

### HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:

State(s) of Licensure: California

Certification(s)/Specialty: Orthopedic Surgery

### CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

This 57 year old female sustained an industrial injury on 1/31/12. She subsequently reported left upper extremity pain. Diagnoses include rotator cuff tendonitis, left shoulder non-displacement slap tear, subacromial bursitis and impingement syndrome. Treatments to date include x-ray and MRI testing, injections, physical therapy and prescription pain medications. The injured worker continues to experience left shoulder pain. Exam note 4/30/15 demonstrates, left shoulder range of motion was decreased, tenderness was noted along the left shoulder anterior joint and axilla. Motor testing for deltoid and biceps were 4-5/ 5. A request for Associated surgical service: pain pump x 4 days, Associated surgical service: CPM x 6 weeks, Associated surgical service: Micro cool unit x 6 weeks, Pre-op clearance: H & P (History and physical), Pre-op CXR (Chest x-ray), Pre-op: EKG, Pre-op labs: CMP, Pre-op labs: CBC, Pre-op labs: PT and PTT, Pre-op: Lipid panel and Pre-op: Urinalysis was made by the treating physician.

### IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

**Associated surgical service: pain pump x 4 days:** Upheld

**Claims Administrator guideline:** The Claims Administrator did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG).

**MAXIMUS guideline:** The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Online edition, 2014.

**Decision rationale:** CA MTUS/ACOEM is silent on the issue of shoulder pain pumps. Per the Official Disability Guidelines, Online edition, Shoulder Chapter, regarding postoperative pain pumps not recommended. Three recent moderate quality RCTs did not support the use of pain pumps. Before these studies, evidence supporting the use of ambulatory pain pumps existed primarily in the form of small case series and poorly designed randomized, controlled studies with small populations. In addition there are concerns regarding chondrolysis in the peer reviewed literature with pain pumps in the shoulder postoperatively. As the guidelines and peer reviewed literature does not recommend pain pumps, the request is not medically necessary.

**Associated surgical service: CPM x 6 weeks: Upheld**

**Claims Administrator guideline:** The Claims Administrator did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG).

**MAXIMUS guideline:** The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Shoulder, CPM.

**Decision rationale:** CA MTUS/ACOEM guidelines are silent on the issue of CPM machine. According to the Official Disability Guidelines, Shoulder Chapter, Continuous passive motion (CPM), CPM is recommended for patients with adhesive capsulitis but not with patients with rotator cuff pathology primarily. With regards to adhesive capsulitis it is recommended for 4 weeks. As there is no evidence preoperatively of adhesive capsulitis in the exam note of 4/30/15, the request is not medically necessary.

**Associated surgical service: Multi stim unit plus supplies x 3 months: Upheld**

**Claims Administrator guideline:** Decision based on MTUS Chronic Pain Treatment Guidelines. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG).

**MAXIMUS guideline:** The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Shoulder, Electrical stimulation.

**Decision rationale:** CA MTUS/ACOEM is silent on the issue of E-stim for the shoulder. Per the ODG, Shoulder, electrical stimulation, not recommended. For several physical therapy interventions and indications (e.g., thermotherapy, therapeutic exercise, massage, electrical

stimulation, mechanical traction), there was a lack of evidence regarding efficacy. As the guidelines do not support e-stimulation for the shoulder, the request is not medically necessary.

**Associated surgical service: Micro cool unit x 6 weeks:** Upheld

**Claims Administrator guideline:** The Claims Administrator did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG).

**MAXIMUS guideline:** The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Shoulder, Continuous flow cryotherapy.

**Decision rationale:** CA MTUS/ACOEM is silent on the issue of shoulder cryotherapy. According to ODG Shoulder Chapter, Continuous flow cryotherapy, it is recommended immediately postoperatively for upwards of 7 days. In this case the request exceeds the guidelines recommendation of 7 days. Therefore the request is not medically necessary.

**Pre-op clearance: H & P (History and physical):** Upheld

**Claims Administrator guideline:** The Claims Administrator did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines.

**MAXIMUS guideline:** The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Low Back, Preoperative testing.

**Decision rationale:** CA MTUS/ACOEM is silent on the issue of preoperative clearance and testing. ODG, Low back, Preoperative testing general, is utilized. This chapter states that preoperative testing is guided by the patient's clinical history, comorbidities and physical examination findings. ODG states, these investigations can be helpful to stratify risk, direct anesthetic choices, and guide postoperative management, but often are obtained because of protocol rather than medical necessity. The decision to order preoperative tests should be guided by the patient's clinical history, comorbidities and physical examination findings. Patients with signs or symptoms of active cardiovascular disease should be evaluated with appropriate testing, regardless of their preoperative status. Electrocardiography is recommended for patients undergoing high risk surgery and that undergoing intermediate risk surgery who have additional risk factors. Patients undergoing low risk surgery do not require electrocardiography. Based on the information provided for review, there is no indication of any of these clinical scenarios present in this case. In this case the patient is a healthy 57 year old without comorbidities or physical examination findings concerning to warrant preoperative history and physical prior to the proposed surgical procedure. Therefore the request is not medically necessary.

**Pre-op CXR (Chest x-ray):** Upheld

**Claims Administrator guideline:** The Claims Administrator did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines.

**MAXIMUS guideline:** The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Low back Preoperative testing.

**Decision rationale:** CA MTUS/ACOEM is silent on the issue of preoperative clearance and testing. ODG, Low back, Preoperative testing general, is utilized. This chapter states that preoperative testing is guided by the patient's clinical history, comorbidities and physical examination findings. ODG states these investigations can be helpful to stratify risk, direct anesthetic choices, and guide postoperative management, but often are obtained because of protocol rather than medical necessity. The decision to order preoperative tests should be guided by the patient's clinical history, comorbidities and physical examination findings. Patients with signs or symptoms of active cardiovascular disease should be evaluated with appropriate testing, regardless of their preoperative status. Electrocardiography is recommended for patients undergoing high risk surgery and that undergoing intermediate risk surgery who have additional risk factors. Patients undergoing low risk surgery do not require electrocardiography. Based on the information provided for review, there is no indication of any of these clinical scenarios present in this case. In this case the patient is a healthy 57 year old without comorbidities or physical examination findings concerning to warrant preoperative testing prior to the proposed surgical procedure. Therefore the request is not medically necessary.

**Pre-op: EKG:** Upheld

**Claims Administrator guideline:** The Claims Administrator did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines.

**MAXIMUS guideline:** The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Low Back, Preoperative testing.

**Decision rationale:** CA MTUS/ACOEM is silent on the issue of preoperative clearance and testing. ODG, Low back, Preoperative testing general, is utilized. This chapter states that preoperative testing is guided by the patient's clinical history, comorbidities and physical examination findings. ODG states, these investigations can be helpful to stratify risk, direct anesthetic choices, and guide postoperative management, but often are obtained because of protocol rather than medical necessity. The decision to order preoperative tests should be guided by the patient's clinical history, comorbidities and physical examination findings. Patients with signs or symptoms of active cardiovascular disease should be evaluated with appropriate testing, regardless of their preoperative status. Electrocardiography is recommended for patients undergoing high risk surgery and that undergoing intermediate risk surgery who have additional risk factors. Patients undergoing low risk surgery do not require electrocardiography. Based on the information provided for review, there is no indication of any of these clinical scenarios present in this case. In this case the patient is a healthy 57 year old without comorbidities or physical examination findings concerning to warrant preoperative testing prior to the proposed surgical procedure. Therefore the request is not medically necessary.

**Pre-op labs: CMP:** Upheld

**Claims Administrator guideline:** The Claims Administrator did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines.

**MAXIMUS guideline:** The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Low Back, Preoperative testing.

**Decision rationale:** CA MTUS/ACOEM is silent on the issue of preoperative clearance and testing. ODG, Low back, Preoperative testing general, is utilized. This chapter states that preoperative testing is guided by the patient's clinical history, comorbidities and physical examination findings. ODG states these investigations can be helpful to stratify risk, direct anesthetic choices, and guide postoperative management, but often are obtained because of protocol rather than medical necessity. The decision to order preoperative tests should be guided by the patient's clinical history, comorbidities and physical examination findings. Patients with signs or symptoms of active cardiovascular disease should be evaluated with appropriate testing, regardless of their preoperative status. Electrocardiography is recommended for patients undergoing high-risk surgery and that undergoing intermediate risk surgery who have additional risk factors. Patients undergoing low risk surgery do not require electrocardiography. Based on the information provided for review, there is no indication of any of these clinical scenarios present in this case. In this case the patient is a healthy 57 year old without comorbidities or physical examination findings concerning to warrant preoperative testing prior to the proposed surgical procedure. Therefore the request is not medically necessary.

**Pre-op labs: CBC:** Upheld

**Claims Administrator guideline:** The Claims Administrator did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines.

**MAXIMUS guideline:** The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Low Back, Preoperative testing.

**Decision rationale:** CA MTUS/ACOEM is silent on the issue of preoperative clearance and testing. ODG, Low back, Preoperative testing general, is utilized. This chapter states that preoperative testing is guided by the patient's clinical history, comorbidities and physical examination findings. ODG states, these investigations can be helpful to stratify risk, direct anesthetic choices, and guide postoperative management, but often are obtained because of protocol rather than medical necessity. The decision to order preoperative tests should be guided by the patient's clinical history, comorbidities and physical examination findings. Patients with signs or symptoms of active cardiovascular disease should be evaluated with appropriate testing, regardless of their preoperative status. Electrocardiography is recommended for patients undergoing high risk surgery and that undergoing intermediate risk surgery who have additional risk factors. Patients undergoing low risk surgery do not require electrocardiography. Based on the information provided for review, there is no indication of any of these clinical scenarios

present in this case. In this case the patient is a healthy 57 year old without comorbidities or physical examination findings concerning to warrant preoperative testing prior to the proposed surgical procedure. Therefore the request is not medically necessary.

**Pre-op labs: PT and PTT:** Upheld

**Claims Administrator guideline:** The Claims Administrator did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines.

**MAXIMUS guideline:** The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Low Back, Preoperative testing.

**Decision rationale:** CA MTUS/ACOEM is silent on the issue of preoperative clearance and testing. ODG, Low back, Preoperative testing general, is utilized. This chapter states that preoperative testing is guided by the patient's clinical history, comorbidities and physical examination findings. ODG states, these investigations can be helpful to stratify risk, direct anesthetic choices, and guide postoperative management, but often are obtained because of protocol rather than medical necessity. The decision to order preoperative tests should be guided by the patient's clinical history, comorbidities and physical examination findings. Patients with signs or symptoms of active cardiovascular disease should be evaluated with appropriate testing, regardless of their preoperative status. Electrocardiography is recommended for patients undergoing high-risk surgery and that undergoing intermediate risk surgery who have additional risk factors. Patients undergoing low risk surgery do not require electrocardiography. Based on the information provided for review, there is no indication of any of these clinical scenarios present in this case. In this case the patient is a healthy 57 year old without coagulopathy or physical examination findings concerning to warrant preoperative PT/PTT prior to the proposed surgical procedure. Therefore the request is not medically necessary.

**Pre-op: Lipid panel:** Upheld

**Claims Administrator guideline:** The Claims Administrator did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines.

**MAXIMUS guideline:** The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Low Back, Preoperative testing.

**Decision rationale:** CA MTUS/ACOEM is silent on the issue of preoperative clearance and testing. ODG, Low back, Preoperative testing general, is utilized. This chapter states that preoperative testing is guided by the patient's clinical history, comorbidities and physical examination findings. ODG states, these investigations can be helpful to stratify risk, direct anesthetic choices, and guide postoperative management, but often are obtained because of protocol rather than medical necessity. The decision to order preoperative tests should be guided by the patient's clinical history, comorbidities and physical examination findings. Patients with signs or symptoms of active cardiovascular disease should be evaluated with appropriate testing,

regardless of their preoperative status. Electrocardiography is recommended for patients undergoing high risk surgery and that undergoing intermediate risk surgery who have additional risk factors. Patients undergoing low risk surgery do not require electrocardiography. Based on the information provided for review, there is no indication of any of these clinical scenarios present in this case. In this case the patient is a healthy 57 year old without comorbidities or physical examination findings concerning to warrant preoperative lipid panel prior to the proposed surgical procedure. Therefore the request is not medically necessary.

**Pre-op: Urinalysis:** Upheld

**Claims Administrator guideline:** The Claims Administrator did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines.

**MAXIMUS guideline:** The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Low Back, Preoperative testing.

**Decision rationale:** CA MTUS/ACOEM is silent on the issue of preoperative clearance and testing. ODG, Low back, Preoperative testing general, is utilized. This chapter states that preoperative testing is guided by the patient's clinical history, comorbidities and physical examination findings. ODG states, these investigations can be helpful to stratify risk, direct anesthetic choices, and guide postoperative management, but often are obtained because of protocol rather than medical necessity. The decision to order preoperative tests should be guided by the patient's clinical history, comorbidities and physical examination findings. Patients with signs or symptoms of active cardiovascular disease should be evaluated with appropriate testing, regardless of their preoperative status. Electrocardiography is recommended for patients undergoing high-risk surgery and that undergoing intermediate risk surgery who have additional risk factors. Patients undergoing low risk surgery do not require electrocardiography. Based on the information provided for review, there is no indication of any of these clinical scenarios present in this case. In this case the patient is a healthy 57 year old without comorbidities or physical examination findings concerning to warrant preoperative urinalysis prior to the proposed surgical procedure. Therefore the request is not medically necessary.