

Case Number:	CM15-0018027		
Date Assigned:	02/05/2015	Date of Injury:	10/05/2007
Decision Date:	04/07/2015	UR Denial Date:	01/12/2015
Priority:	Standard	Application Received:	01/30/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:
 State(s) of Licensure: New Jersey, Michigan, California
 Certification(s)/Specialty: Neurology, Neuromuscular Medicine

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 39 year old female, who sustained an industrial injury on 10/5/07. On 1/30/15, the injured worker submitted an application for IMR for review of Norco 10/325 #120, and Methoderm topical cream, and Zanaflex 4mg #30, and Ambien 10mg #30. The treating provider has reported the injured worker complained of history of left hip pain, right knee and coccyx pain. The diagnoses have included left hip strain, lumbar strain with lumbar radiculopathy for the left, insomnia due to chronic pain, depression due to chronic pain, coccygeal pain, GERD, and right knee pain. Treatment to date has included TENS Unit, ambulates with cane, psychological treatment, hinged knee brace, and medication. On 1/12/15 Utilization Review non-certified Norco 10/325 #120, and Methoderm topical cream, and Zanaflex 4mg #30, and Ambien 10mg #30. The MTUS Guidelines were cited.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Norco 10/325 #120: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Criteria for use of opioids Page(s): 76-79.

Decision rationale: According to MTUS guidelines, Norco (Hydrocodone/Acetaminophen) is a synthetic opioid indicated for the pain management but not recommended as a first line oral analgesic. In addition and according to MTUS guidelines, ongoing use of opioids should follow specific rules: (a) Prescriptions from a single practitioner taken as directed, and all prescriptions from a single pharmacy. (b) The lowest possible dose should be prescribed to improve pain and function. (c) Office: Ongoing review and documentation of pain relief, functional status, appropriate medication use, and side effects. Four domains have been proposed as most relevant for ongoing monitoring of chronic pain patients on opioids: pain relief, side effects, physical and psychosocial functioning, and the occurrence of any potentially aberrant (or non adherent) drug-related behaviors. These domains have been summarized as the "4 A's" (analgesia, activities of daily living, adverse side effects, and aberrant drug taking behaviors). The monitoring of these outcomes over time should affect therapeutic decisions and provide a framework. According to the patient file, there is no objective documentation of pain and functional improvement to justify continuous use of Norco. Norco was used for longtime without documentation of functional improvement or evidence of return to work or improvement of activity of daily living. Therefore, the prescription of Norco 10/325mg #120 is not medically necessary.

Mentoderm topical cream: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Topical Analgesics Page(s): 111.

Decision rationale: Mentoderm contains methyl salicylate 15% and menthol 10%. According to MTUS, in Chronic Pain Medical Treatment guidelines section Topical Analgesics (page 111), topical analgesics are largely experimental in use with few randomized controlled trials to determine efficacy or safety. Many agents are combined to other pain medications for pain control. That is limited research to support the use of many of these agents. Furthermore, according to MTUS guidelines, any compounded product that contains at least one drug or drug class that is not recommended. Mentoderm (menthol and methyl salicylate) contains menthol a topical analgesic that is not recommended by MTUS. Furthermore, there is no documentation of the patient's intolerance of oral anti-inflammatory medications. Based on the above, Mentoderm is not medically necessary.

Zanaflex 4mg #30: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Muscle relaxants Page(s): 63.

Decision rationale: According to MTUS guidelines, a non-sedating muscle relaxants is recommended with caution as a second line option for short term treatment of acute exacerbations in patients with chronic lumbosacral pain. Efficacy appears to diminish over time and prolonged use may cause dependence. The patient in this case developed continuous pain, does not have clear exacerbation of back pain and spasm and the prolonged use of Zanaflex is not justified. Furthermore, there is no clear evidence of chronic myofascial pain and spasm. Therefore, The request for Zanaflex 4mg #30 is not medically necessary.

Ambien 10mg #30: Upheld

Claims Administrator guideline: The Claims Administrator did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Pain Chapter.

MAXIMUS guideline: The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Non-Benzodiazepine sedative-hypnotics (Benzodiazepine-receptor agonists (<http://worklossdatainstitute.verioiponly.com/odgtwc/pain.htm>).

Decision rationale: According to ODG guidelines, “Non-Benzodiazepine sedative-hypnotics (Benzodiazepine-receptor agonists): First-line medications for insomnia. This class of medications includes zolpidem (Ambien and Ambien CR), zaleplon (Sonata), and eszopicolone (Lunesta). Benzodiazepine-receptor agonists work by selectively binding to type-1 benzodiazepine receptors in the CNS. All of the benzodiazepine-receptor agonists are schedule IV controlled substances, which means they have potential for abuse and dependency.” Ambien is not recommended for long-term use to treat sleep problems. Furthermore, there is no documentation of the use of non pharmacologic treatment for the patient's sleep issue. There is no documentation and characterization of recent sleep issues with the patient. Therefore, the prescription of Ambien 10mg #30 is not medically necessary.