

Case Number:	CM15-0139112		
Date Assigned:	07/29/2015	Date of Injury:	09/15/2014
Decision Date:	09/14/2015	UR Denial Date:	07/13/2015
Priority:	Standard	Application Received:	07/17/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:
 State(s) of Licensure: Texas, Florida, California
 Certification(s)/Specialty: Preventive Medicine, Occupational Medicine

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

This injured worker is a 56 year old female who reported an industrial injury on 9-15-2014. Her diagnoses, and or impression, were noted to include: large disc herniation in the lumbar-lumbosacral spine. Recent magnetic imaging studies of the lumbar spine were done on 6-10-2015. Her treatments were noted to include consultation, and medication management. The progress notes of 6-10-2015 reported progressive pain in the low back pain that radiated to the legs. Objective findings were noted to include: that she was doing poorly and was in marked distress, having tenderness in the low back, with positive straight leg raise test; and that the physician reviewed the magnetic resonance imaging scan which showed a large disc herniation at the lumbosacral level. The physician's requests for treatments were noted to include the continuation of Orphenadrine-Caffeine, Gabapentin-Pyridoxine, and a compound cream for pain while he awaited the findings and recommendations of the spine specialist.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Orphenadrine 50mg/Caffeine 10mg #60: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines muscle relaxants.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Page(s): 65 of 127.

Decision rationale: This claimant was injured in 2014 and was diagnosed with a large disc herniation in the lumbar-lumbosacral spine. The treatments were noted to include consultation, and medication management. There is progressive pain in the low back pain that radiated to the legs. The primary medicine in this combination is the muscle relaxant Orphenadrine. Per the MTUS, Orphenadrine (Norflex, Banflex, Antiflex, Mio-Rel, Orphenate available) is similar to diphenhydramine, but has greater anticholinergic effects. The mode of action is not clearly understood. Effects are thought to be secondary to analgesic and anticholinergic properties. This drug was approved by the FDA in 1959. The MTUS says that the muscle relaxers should be for short term use only for acute spasm. A prolonged use is not supported. The request is not consistent with a short-term use. The request is not medically necessary.

Gabapentin/Pyridoxine 250mg/10mg #60: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines anti-epilepsy drugs.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Page(s): 16 of 127 and page 19 of 127.

Decision rationale: As previously noted, this claimant was injured in 2014 and was diagnosed with a large disc herniation in the lumbar-lumbosacral spine. The treatments were noted to include consultation, and medication management. There is progressive pain in the low back pain that radiated to the legs. The MTUS notes that anti-epilepsy drugs (AEDs) like Gabapentin are also referred to as anti-convulsants, and are recommended for neuropathic pain (pain due to nerve damage). However, there is a lack of expert consensus on the treatment of neuropathic pain in general due to heterogeneous etiologies, symptoms, physical signs and mechanisms. It is not clear in this case what the neuropathic pain generator is, and why therefore that Gabapentin is essential. Gabapentin (Neurontin, Gabarone, generic available) has been shown to be effective for treatment of diabetic painful neuropathy and post-herpetic neuralgia and has been considered as a first-line treatment for neuropathic pain. This claimant however has neither of those conditions. The request is not medically necessary under the MTUS evidence-based criteria.

Flurb/Omeprazole 100/10mg #60: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines NSAIDs, GI symptoms and cardiovascular risk.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Page(s): 60, 67, 68 of 127.

Decision rationale: As shared previously, this claimant was injured in 2014 and was diagnosed with a large disc herniation in the lumbar-lumbosacral spine. The treatments were noted to

include consultation, and medication management. There is progressive pain in the low back pain that radiated to the legs. This is a combination NSAID/Proton pump inhibitor. The MTUS recommends NSAID medication for osteoarthritis and pain at the lowest dose, and the shortest period possible. The guides cite that there is no reason to recommend one drug in this class over another based on efficacy. Further, the MTUS cites there is no evidence of long-term effectiveness for pain or function. This claimant though has been on some form of a prescription non-steroidal anti-inflammatory medicine for some time, with no documented objective benefit or functional improvement. The MTUS guideline of the shortest possible period of use is clearly not met. Without evidence of objective, functional benefit, such as improved work ability, improved activities of daily living, or other medicine reduction, the MTUS does not support the use of this medicine, and moreover, to recommend this medicine instead of simple over the counter NSAID. The medicine is not medically necessary. Regarding the other component, the MTUS speaks to the use of Proton Pump Inhibitors like in this case in the context of Non Steroid Anti-inflammatory Prescription. It notes that clinicians should weigh the indications for NSAIDs against gastrointestinal risk factors such as: (1) age > 65 years; (2) history of peptic ulcer, GI bleeding or perforation; (3) concurrent use of ASA, corticosteroids, and/or an anticoagulant; or (4) high dose/multiple NSAID (e.g., NSAID + low-dose ASA). Sufficient gastrointestinal risks are not noted in these records. The request is appropriately non- certified based on MTUS guideline review.