

<b>Case Number:</b>	CM15-0139642		
<b>Date Assigned:</b>	07/29/2015	<b>Date of Injury:</b>	04/22/2010
<b>Decision Date:</b>	08/26/2015	<b>UR Denial Date:</b>	07/02/2015
<b>Priority:</b>	Standard	<b>Application Received:</b>	07/20/2015

### HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:

State(s) of Licensure: Iowa, Illinois, Hawaii

Certification(s)/Specialty: Preventive Medicine, Occupational Medicine, Public Health & General Preventive Medicine

### CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 53 year old female, who sustained an industrial injury on 4.22.10. Initial complaints were of cumulative type trauma for neck and bilateral wrist. The injured worker was diagnosed as having displacement cervical intervertebral disc without myelopathy; carpal tunnel syndrome; C6-C7 disc herniation with severe neck and radiating left parascapular and arm pain; C4-C5 large central disc herniation with central canal stenosis. Diagnostic studies included MRI of the cervical spine (9.13.12); CT scan cervical spine (11/6/12). Treatment to date has included status post C5-C6 fusion with instrumentation (3.11.13); status post removal of instrumentation, exploration of fusion with C5-C6 discectomy and placement of interbody cages at C5-C6 with anterior cervical instrumentation and left iliac crest bone graft (3.11/13); cervical epidural injection (9.5.12; 10.24.12); trigger point injection (3.5.15); physical therapy; urine drug screening; medications. Currently, the PR-2 notes dated 3.5.15 indicated the injured worker has had extensive cervical anterior-posterior fusion surgery. She presents in the office on this date with significant scapular trigger point tenderness. She was administered a left scapular trigger point injection using Marcaine, Lidocaine and Kenalog. A physical examination is documented in these notes and indicated weakness in the left wrist extension and flexion of 4+ to 5- over 5. Her shoulder range of motion is limited with limited cervical range of motion. She has significant tenderness in the left scapular region long the medial border. Her sensation is intact and wound is healed from bilateral carpal tunnel releases. The provider documents the injured worker has symptoms postoperatively centered around the area of the left scapular region. The provider is requesting authorization of TENS purchase.

## IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

**TENS Purchase:** Upheld

**Claims Administrator guideline:** Decision based on MTUS Chronic Pain Treatment Guidelines. Decision based on Non-MTUS Citation Official Disability Guidelines.

**MAXIMUS guideline:** Decision based on MTUS Chronic Pain Treatment Guidelines Interferential Current Stimulation, Transcutaneous electrotherapy Page(s): 54, 114-116, 118-120. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Pain, TENS chronic pain (transcutaneous electrical nerve stimulation).

**Decision rationale:** MTUS states regarding TENS unit, "Not recommended as a primary treatment modality, but a one-month home-based TENS trial may be considered as a noninvasive conservative option, if used as an adjunct to a program of evidence-based functional restoration, for the conditions described below". For pain, MTUS and ODG recommend TENS (with caveats) for neuropathic pain, phantom limb pain and CRPSII, spasticity, and multiple sclerosis. The medical records do not indicate any of the previous conditions. ODG further outlines recommendations for specific body parts: Low back: Not recommended as an isolated intervention. Knee: Recommended as an option for osteoarthritis as adjunct treatment to a therapeutic exercise program. Neck: Not recommended as a primary treatment modality for use in whiplash-associated disorders, acute mechanical neck disease or chronic neck disorders with radicular findings. Ankle and foot: Not recommended. Elbow: Not recommended. Forearm, Wrist and Hand: Not recommended. Shoulder: Recommended for post-stroke rehabilitation. Medical records do not indicate conditions of the low back, knee, neck, ankle, elbow, or shoulders that meet guidelines. Of note, medical records do not indicate knee osteoarthritis. ODG further details criteria for the use of TENS for Chronic intractable pain (for the conditions noted above): (1) Documentation of pain of at least three months duration. (2) There is evidence that other appropriate pain modalities have been tried (including medication) and failed. (3) A one-month trial period of the TENS unit should be documented (as an adjunct to ongoing treatment modalities within a functional restoration approach) with documentation of how often the unit was used, as well as outcomes in terms of pain relief and function; rental would be preferred over purchase during this trial. (4) Other ongoing pain treatment should also be documented during the trial period including medication usage. (5) A treatment plan including the specific short- and long-term goals of treatment with the TENS unit should be submitted. (6) After a successful 1- month trial, continued TENS treatment may be recommended if the physician documents that the patient is likely to derive significant therapeutic benefit from continuous use of the unit over a long period of time. At this point purchase would be preferred over rental. (7) Use for acute pain (less than three months duration) other than post-operative pain is not recommended. (8) A 2-lead unit is generally recommended; if a 4-lead unit is recommended, there must be documentation of why this is necessary. The medical records do not satisfy the several criteria for selection specifically, lack of documented 1-month trial, lack of documented short-long term treatment goals with TENS unit, and unit use for acute (less than three months) pain. As such, the request for TENS Purchase is not medically necessary.