

Case Number:	CM15-0142054		
Date Assigned:	07/31/2015	Date of Injury:	05/13/2014
Decision Date:	08/31/2015	UR Denial Date:	07/02/2015
Priority:	Standard	Application Received:	07/22/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:
 State(s) of Licensure: North Carolina
 Certification(s)/Specialty: Family Practice

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 60 year old female who sustained an industrial injury on 05/13/2014 when a motorized cart flipped throwing the injured worker out of the vehicle. The injured worker was diagnosed with cervical disk and facet injury, lumbar intervertebral disc injury and shoulder impingement. No surgical interventions were documented. Treatment to date has included diagnostic testing, physical therapy and medications. According to the primary treating physician's progress report on July 2, 2015, the injured worker continues to experience ankle, knee, neck, back, shoulder and hand pain. The reported evaluation is noted to be subjective without objective findings documented. The injured worker experiences swelling and numbness of the cervical spine with popping and occasional headaches. The injured worker expressed bilateral arm and shoulder pain with movement and rated at 7 out of 10 on the pain scale. Bilateral shoulder pain is described as 10 out of 10 with decreased range of motion and pain with movement. Hand and palm pain is documented as tenderness and weakness with swelling and rated at 7 out of 10 on the pain scale. Back pain is in the lumbar area with weakness in the bilateral lower extremities rated as 6 out of 10 on the pain scale. The injured worker is on temporary total disability (TTD). Current medications are listed as Ibuprofen and Nexium. Treatment plan consists of lumbar and cervical spine magnetic resonance imaging (MRI) and the current request for Electromyography (EMG) and Nerve Conduction Velocity (NCV) of the right and left upper extremities.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

EMG/NCV right upper extremity: Upheld

Claims Administrator guideline: Decision based on MTUS ACOEM Chapter 8 Neck and Upper Back Complaints, Chapter 9 Shoulder Complaints, Chapter 11 Forearm, Wrist, and Hand Complaints.

MAXIMUS guideline: Decision based on MTUS ACOEM Chapter 8 Neck and Upper Back Complaints Page(s): 173-174.

Decision rationale: The ACOEM chapter on neck and upper back complaints and special diagnostic studies states: Criteria for ordering imaging studies are: Emergence of a red flag; Physiologic evidence of tissue insult or neurologic dysfunction; Failure to progress in a strengthening program intended to avoid surgery; Clarification of the anatomy prior to an invasive procedure. Physiologic evidence may be in the form of definitive neurologic findings on physical examination, electrodiagnostic studies, laboratory tests, or bone scans. Unequivocal findings that identify specific nerve compromise on the neurologic examination are sufficient evidence to warrant imaging studies if symptoms persist. When the neurologic examination is less clear, however, further physiologic evidence of nerve dysfunction can be obtained before ordering an imaging study. Electromyography (EMG), and nerve conduction velocities (NCV), including H-reflex tests, may help identify subtle focal neurologic dysfunction in patients with neck or arm symptoms, or both, lasting more than three or four weeks. The assessment may include sensory-evoked potentials (SEPs) if spinal stenosis or spinal cord myelopathy is suspected. If physiologic evidence indicates tissue insult or nerve impairment, consider a discussion with a consultant regarding next steps, including the selection of an imaging test to define a potential cause (magnetic resonance imaging [MRI] for neural or other soft tissue, computer tomography [CT] for bony structures). Additional studies may be considered to further define problem areas. The recent evidence indicates cervical disk annular tears may be missed on MRIs. The clinical significance of such a finding is unclear, as it may not correlate temporally or anatomically with symptoms. The provided documentation does not show any signs of emergence of red flags or subtle physiologic evidence of tissue insult or neurologic dysfunction. There is no mention of planned invasive procedures. There are no subtle neurologic findings listed on the physical exam. For these reasons criteria for special diagnostic testing has not been met per the ACOEM. Therefore the request is not medically necessary.

EMG/NCV left upper extremity: Upheld

Claims Administrator guideline: Decision based on MTUS ACOEM Chapter 8 Neck and Upper Back Complaints, Chapter 9 Shoulder Complaints, Chapter 11 Forearm, Wrist, and Hand Complaints.

MAXIMUS guideline: Decision based on MTUS ACOEM Chapter 8 Neck and Upper Back Complaints Page(s): 173-174.

Decision rationale: The ACOEM chapter on neck and upper back complaints and special diagnostic studies states: Criteria for ordering imaging studies are: Emergence of a red flag; Physiologic evidence of tissue insult or neurologic dysfunction; Failure to progress in a strengthening program intended to avoid surgery; Clarification of the anatomy prior to an invasive procedure. Physiologic evidence may be in the form of definitive neurologic findings on physical examination, electrodiagnostic studies, laboratory tests, or bone scans. Unequivocal findings that identify specific nerve compromise on the neurologic examination are sufficient evidence to warrant imaging studies if symptoms persist. When the neurologic examination is less clear, however, further physiologic evidence of nerve dysfunction can be obtained before ordering an imaging study. Electromyography (EMG), and nerve conduction velocities (NCV), including H reflex tests, may help identify subtle focal neurologic dysfunction in patients with neck or arm symptoms, or both, lasting more than three or four weeks. The assessment may include sensory-evoked potentials (SEPs) if spinal stenosis or spinal cord myelopathy is suspected. If physiologic evidence indicates tissue insult or nerve impairment, consider a discussion with a consultant regarding next steps, including the selection of an imaging test to define a potential cause (magnetic resonance imaging [MRI] for neural or other soft tissue, computer tomography [CT] for bony structures). Additional studies may be considered to further define problem areas. The recent evidence indicates cervical disk annular tears may be missed on MRIs. The clinical significance of such a finding is unclear, as it may not correlate temporally or anatomically with symptoms. The provided documentation does not show any signs of emergence of red flags or subtle physiologic evidence of tissue insult or neurologic dysfunction. There is no mention of planned invasive procedures. There are no subtle neurologic findings listed on the physical exam. For these reasons criteria for special diagnostic testing has not been met per the ACOEM. Therefore the request is not medically necessary.