

Case Number:	CM15-0160217		
Date Assigned:	08/26/2015	Date of Injury:	10/29/2012
Decision Date:	10/02/2015	UR Denial Date:	08/11/2015
Priority:	Standard	Application Received:	08/17/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:
 State(s) of Licensure: California, District of Columbia, Maryland
 Certification(s)/Specialty: Anesthesiology, Pain Management

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 54 year old male with an industrial injury dated 10-29-2012. The injured worker's diagnoses include left knee pain status post anterior cruciate ligament (ACL) reconstruction and left wrist pain. Treatment consisted of electromyography (EMG), nerve conduction studies (NCS) prescribed medications, physical therapy and periodic follow up visits. In a progress note dated 07-24-2015, the injured worker reported left knee pain and left wrist pain. The injured worker also reported improvement from physical therapy, though pain continues and unchanged wrist symptoms. Objective findings revealed mild limp, mild patellofemoral crepitus, mild lateral joint tenderness and moderate tenderness in both medial and lateral hamstring tendons. The treatment plan consisted of medication management. The treating physician prescribed Norco 10-325mg and Valium 5mg, now under review.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Norco 10/325mg: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Short Acting Opioids.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Opioids
Page(s): 78, 91.

Decision rationale: Per MTUS Chronic Pain Medical Treatment Guidelines p 78 regarding ongoing management of opioids Four domains have been proposed as most relevant for ongoing monitoring of chronic pain patients on opioids: Pain relief, side effects, physical and psychosocial functioning, and the occurrence of any potentially aberrant (or non-adherent) drug related behaviors. These domains have been summarized as the 4 A's (Analgesia, activities of daily living, adverse side effects, and any aberrant drug-taking behaviors). The monitoring of these outcomes over time should affect therapeutic decisions and provide a framework for documentation of the clinical use of these controlled drugs. Review of the available medical records reveals no documentation to support the medical necessity of Norco or any documentation addressing the '4 A's' domains, which is a recommended practice for the on-going management of opioids. Specifically, the notes do not appropriately review and document pain relief, functional status improvement, appropriate medication use, or side effects. The MTUS considers this list of criteria for initiation and continuation of opioids in the context of efficacy required to substantiate medical necessity, and they do not appear to have been addressed by the treating physician in the documentation available for review. Furthermore, efforts to rule out aberrant behavior (e.g. CURES report, UDS, opiate agreement) are necessary to assure safe usage and establish medical necessity. There is no documentation comprehensively addressing this concern in the records available for my review. As MTUS recommends discontinuing opioids if there is no overall improvement in function, medical necessity cannot be affirmed.

Valium 5mg: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Benzodiazepines.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Benzodiazepines Page(s): 24.

Decision rationale: Per MTUS Chronic Pain Medical Treatment Guidelines p 24 regarding benzodiazepines, Not recommended for long-term use because long-term efficacy is unproven and there is a risk of dependence. Most guidelines limit use to 4 weeks. Their range of action includes sedative/hypnotic, anxiolytic, anticonvulsant, and muscle relaxant. Chronic benzodiazepines are the treatment of choice in very few conditions. Tolerance to hypnotic effects develops rapidly. Tolerance to anxiolytic effects occurs within months and long-term use may actually increase anxiety. The documentation submitted for review contained no rationale for the prescription of this medication. Absent any indication, medical necessity cannot be confirmed.