

Case Number:	CM15-0166441		
Date Assigned:	09/04/2015	Date of Injury:	12/26/2000
Decision Date:	10/26/2015	UR Denial Date:	08/17/2015
Priority:	Standard	Application Received:	08/25/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:

State(s) of Licensure: New York

Certification(s)/Specialty: Anesthesiology

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

This 48 year old woman sustained an industrial injury on 12-26-2000. The mechanism of injury is not detailed. Diagnoses include lumbar post-laminectomy syndrome, myofascial pain syndrome, and chronic low back pain. Treatment has included oral medications and surgical intervention. Physician notes dated 8-3-2015 show complaints of low back pain and pain related insomnia. The worker rates her pain 10 out of 10 without medications and 7 out of 10 with medications. Recommendations include HELP evaluation (awaiting IMR), Hydrocodone-Acetaminophen, Zolpidem, Gabapentin, Lidoderm patches, Naproxen, and follow up in three months.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Hydrocodone/Acetaminophen 10/325 mg #150: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009, Section(s): Opioids for chronic pain. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Opioids.

Decision rationale: According to the CA MTUS and ODG, Vicodin 10/325mg (Hydrocodone/Acetaminophen) is a short-acting opioid analgesic indicated for moderate to moderately severe pain, and is used to manage both acute and chronic pain. The treatment of chronic pain with any opioid analgesic requires review and documentation of pain relief, functional status, appropriate medication use, and side effects. A pain assessment should include current pain, intensity of pain after taking the opiate, and the duration of pain relief. In this case, there is no documentation of objective functional improvement with medication use to support the subjective reported benefit. Medical necessity of the requested item has not been established. Of note, discontinuation of an opioid analgesic should include a taper, to avoid withdrawal symptoms. The requested medication is not medically necessary.

Zolpidem Tartrate 5 mg #30: Upheld

Claims Administrator guideline: The Claims Administrator did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG).

MAXIMUS guideline: The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Insomnia treatment.

Decision rationale: Ambien (Zolpidem) is a prescription short-acting non-benzodiazepine hypnotic, which is recommended for short-term treatment of insomnia (two to six weeks), and is rarely recommended for long-term use. Ambien is indicated for treatment of insomnia with difficulty of sleep onset and/or sleep maintenance. It can be habit-forming, and may impair function and memory more than opioid analgesics. There is also concern that Ambien may increase pain and depression over the long-term. The treatment of insomnia should be based on the etiology, and pharmacological agents should only be used after careful evaluation of potential causes of sleep disturbance. There is no documentation of the specific criteria for a sleep disorder, the indications for Zolpidem, the duration of use, or the results of use. Medical necessity of the requested medication has not been established. The requested medication is not medically necessary.

Gabapentin 300 mg #90 with 3 refills: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009, Section(s): Antiepilepsy drugs (AEDs). Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Gabapentin (Neurontin).

Decision rationale: Gabapentin (Neurontin) is an anti-epilepsy drug which has been shown to be effective for treatment of diabetic painful neuropathy and post-herpetic neuralgia and has been considered as a first-line treatment for neuropathic pain. The records document that the patient has reported radiculopathy related to his chronic low back condition, without evidence of neuropathic pain. There is no documentation of objective findings consistent with current neuropathic pain to necessitate the use of Gabapentin. In addition, there is no documentation of benefit from the previous use of Gabapentin. Medical necessity for Gabapentin has not been established. The requested medication is not medically necessary.

Lidoderm (Lidocaine HCL) 5% #30 with 3 refills: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009, Section(s): Lidoderm (lidocaine patch), Topical Analgesics.

Decision rationale: According to the California MTUS Guidelines (2009), topical analgesics, such as the Lidoderm 5% patch, are primarily recommended for neuropathic pain when trials of antidepressants and anticonvulsants have failed. These agents are applied topically to painful areas with advantages that include lack of systemic side effects, absence of drug interactions, and no need to titrate. Many agents are compounded as monotherapy or in combination for pain control, for example, NSAIDs, opioids, or antidepressants. Lidoderm is the brand name for a lidocaine patch. Topical lidocaine may be recommended for localized peripheral pain after there has been evidence of a trial of first-line therapy (tri-cyclic or SNRI anti-depressants, or an AED, such as gabapentin or Lyrica). Lidoderm patches are not a first-line treatment and are only FDA approved for post-herpetic neuralgia. Further research is needed to recommend this treatment for chronic neuropathic pain disorders other than post-herpetic neuralgia. In this case, medical necessity of the requested medication has not been established. The requested topical analgesic is not medically necessary.

Naproxen 500 mg: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009, Section(s): NSAIDs (non-steroidal anti-inflammatory drugs). Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) NSAIDs.

Decision rationale: Naproxen (Aleve or Naprosyn) is a non-steroidal anti-inflammatory drug (NSAID). Oral NSAIDs are recommended for the treatment of chronic pain and control of inflammation as a second-line therapy after acetaminophen. The ODG states that NSAIDs are recommended for acute pain, osteoarthritis, acute low back pain (LBP) and acute exacerbations of chronic pain, and short-term pain relief in chronic LBP. There is no evidence of long-term effectiveness for pain or function. There is inconsistent evidence for the use of NSAIDs to treat

long-term neuropathic pain. Guidelines recommended that the lowest effective dose be used for the shortest duration of time consistent with treatment goals. In this case, the patient had prior use of NSAIDs without any documentation of significant improvement. There was no documentation of subjective or objective benefit from use of this medication. Medical necessity of the requested medication has not been established. The request for Naproxen is not medically necessary.