

Case Number:	CM15-0168013		
Date Assigned:	08/31/2015	Date of Injury:	09/18/2001
Decision Date:	10/07/2015	UR Denial Date:	08/19/2015
Priority:	Standard	Application Received:	08/19/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:
 State(s) of Licensure: California, District of Columbia, Maryland
 Certification(s)/Specialty: Anesthesiology, Pain Management

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 48 year old female, who sustained an industrial injury on September 18, 2001. The injured worker reported heavy lifting and back pain. The injured worker was diagnosed as having lumbar disc disorder, lumbago, myalgia and myositis, lumbar or lumbosacral disc degeneration and spondylolisthesis. Treatment to date has included magnetic resonance imaging (MRI), medication, lab work and electromyography. A progress note dated August 10, 2015 provides the injured worker complains of low back pain. Review of lumbar magnetic resonance imaging (MRI) reveals disc desiccation, annular fissure, disc bulge, facet hypertrophy and foraminal stenosis. Physical exam notes positive straight leg raise on the left. The plan includes medication refill, epidural steroid injection and follow-up.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Zolpidem ER 6.25mg #30: Upheld

Claims Administrator guideline: The Claims Administrator did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG), Zolpidem (Ambien).

MAXIMUS guideline: The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Pain (Chronic), Zolpidem (Ambien).

Decision rationale: The MTUS is silent on the treatment of insomnia. With regard to Ambien, the ODG guidelines state "Zolpidem is a prescription short-acting non-benzodiazepine hypnotic, which is approved for the short-term (usually two to six weeks) treatment of insomnia. Proper sleep hygiene is critical to the individual with chronic pain and often is hard to obtain. Various medications may provide short-term benefit. While sleeping pills, so-called minor tranquilizers, and anti-anxiety agents are commonly prescribed in chronic pain, pain specialists rarely, if ever, recommend them for long-term use. They can be habit-forming, and they may impair function and memory more than opioid pain relievers. There is also concern that they may increase pain and depression over the long-term." The documentation submitted for review does not contain information regarding sleep onset, sleep maintenance, sleep quality and next-day functioning. It was not noted whether simple sleep hygiene methods were tried and failed. The request is not medically necessary.

Cyclobenzaprine 5mg #90: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009, Section(s): Muscle relaxants (for pain).

Decision rationale: With regard to muscle relaxants, the MTUS CPMTG states: "Recommend non-sedating muscle relaxants with caution as a second-line option for short-term treatment of acute exacerbations in patients with chronic LBP. (Chou, 2007) (Mens, 2005) (Van Tulder, 1998) (Van Tulder, 2003) (Van Tulder, 2006) (Schnitzer, 2004) (See, 2008) Muscle relaxants may be effective in reducing pain and muscle tension, and increasing mobility. However, in most LBP cases, they show no benefit beyond NSAIDs in pain and overall improvement." Regarding Cyclobenzaprine: "Recommended for a short course of therapy limited, mixed-evidence does not allow for a recommendation for chronic use. Cyclobenzaprine is a skeletal muscle relaxant and a central nervous system depressant with similar effects to tricyclic antidepressants (e.g. amitriptyline). Cyclobenzaprine is more effective than placebo in the management of back pain, although the effect is modest and comes at the price of adverse effects." Per p41 of the MTUS guidelines the effect is greatest in the first 4 days of treatment, suggesting that shorter courses may be better. Treatment is recommended for the treatment of acute spasm limited to a maximum of 2-3 weeks. UDS that evaluate for cyclobenzaprine can provide additional data on whether the injured worker is compliant, however in this case there is no UDS testing for cyclobenzaprine. The documentation submitted for review indicates that the injured worker has been using this medication since at least 2/2015. There is no documentation of the patients' specific functional level or percent improvement with treatment with cyclobenzaprine. As it is recommended only for short-term use, the request is not medically necessary and cannot be affirmed.

Gabapentin 300mg #90: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009, Section(s): Antiepilepsy drugs (AEDs).

Decision rationale: With regard to antiepilepsy drugs, the MTUS CPMTG states "Fibromyalgia: Gabapentin and pregabalin have been found to be safe and efficacious to treat pain and other symptoms. (Arnold, 2007) (Crofford, 2005) Pregabalin is FDA approved for fibromyalgia." Per MTUS CPMTG, "Gabapentin (Neurontin) has been shown to be effective for treatment of diabetic painful neuropathy and postherpetic neuralgia and has been considered as a first-line treatment for neuropathic pain." Per MTUS CPMTG p17, "After initiation of treatment there should be documentation of pain relief and improvement in function as well as documentation of side effects incurred with use. The continued use of AEDs depends on improved outcomes versus tolerability of adverse effects." With regard to medication history, gabapentin has been in use since at least 2/2015. The documentation submitted for review did not contain evidence of improvement in function. As such, the request is not medically necessary and cannot be affirmed.

Lidocaine pad 5% #30: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009, Section(s): Topical Analgesics.

Decision rationale: The MTUS Chronic Pain Medical Treatment Guidelines p112 states "Lidocaine Indication: Neuropathic pain Recommended for localized peripheral pain after there has been evidence of a trial of first-line therapy (tri-cyclic or SNRI anti-depressants or an AED such as gabapentin or Lyrica). Topical lidocaine, in the formulation of a dermal patch (Lidoderm) has been designated for orphan status by the FDA for neuropathic pain. Lidoderm is also used off-label for diabetic neuropathy. No other commercially approved topical formulations of lidocaine (whether creams, lotions or gels) are indicated for neuropathic pain. The medical records submitted for review do not indicate that the injured worker suffers from peripheral neuropathic pain. The request is not medically necessary.