

Case Number:	CM15-0190193		
Date Assigned:	10/02/2015	Date of Injury:	02/13/2015
Decision Date:	11/16/2015	UR Denial Date:	08/19/2015
Priority:	Standard	Application Received:	09/28/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:

State(s) of Licensure: New York, Tennessee

Certification(s)/Specialty: Emergency Medicine

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 47 year old female, who sustained an industrial injury on February 13, 2015. She reported injury to her right shoulder. The injured worker was currently diagnosed as having myofascial pain syndrome and rotator cuff syndrome. Treatment to date has included injection, physical therapy without benefit, and acupuncture without benefit, medication and exercise. On August 5, 2015, the injured worker complained of right shoulder pain, especially with overhead activity. Physical examination revealed pain in the right rhomboid and paracervical muscle and decreased range of motion and strength of the right shoulder. Impingement was positive in the right shoulder. A request was made for Naprosyn, Omeprazole and Neurontin. On August 19, 2015, utilization review denied a request for Naprosyn 550mg, Omeprazole 20mg and Neurontin 600mg.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Naprosyn 550mg: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009, Section(s): NSAIDs (non-steroidal anti-inflammatory drugs).

MAXIMUS guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009, Section(s): NSAIDs (non-steroidal anti-inflammatory drugs).

Decision rationale: Naprosyn is naproxen, a nonsteroidal anti-inflammatory drug (NSAID). Chronic Medical Treatment Guidelines state that "anti-inflammatory drugs are the traditional first line of treatment, but long term use may not be warranted". For osteoarthritis it was recommended that the lowest dose for the shortest length of time be used. It was not shown to be more effective than acetaminophen, and had more adverse side effects. Adverse effects for GI toxicity and renal function have been reported. Medications for chronic pain usually provide temporary relief. Medications should be prescribed only one at a time and should show effect within 1-3 days. Record of pain and function with the medication should be documented. In this case the patient had been receiving Naprosyn since at least April 2015 without relief. The duration of treatment increases the risk of adverse effects with little benefit. The request is not medically necessary.

Omeprazole 20mg: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009, Section(s): NSAIDs, GI symptoms & cardiovascular risk.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009, Section(s): NSAIDs, GI symptoms & cardiovascular risk.

Decision rationale: Omeprazole is a proton pump inhibitor (PPI). PPI's are used in the treatment of peptic ulcer disease and may be prescribed in patients who are using non-steroidal anti-inflammatory drugs and are at high risk for gastrointestinal events. Risk factors for high-risk events are age greater than 65, history of peptic ulcer, GI bleeding or perforation, concurrent use of ASA, corticosteroids, and/or an anticoagulant, or high dose/multiple NSAID (e.g., NSAID + low-dose ASA). The patient in this case was using NSAID medication, but did not have any of the risk factors for a gastrointestinal event. The request is not medically necessary.

Neurontin 600mg: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009, Section(s): Antiepilepsy drugs (AEDs).

MAXIMUS guideline: Decision based on MTUS Chronic Pain Medical Treatment 2009, Section(s): Antiepilepsy drugs (AEDs).

Decision rationale: Neurontin is the anti-epileptic medication, gabapentin. Gabapentin is an anti-epileptic medication. Gabapentin has been shown to be effective for treatment of diabetic painful neuropathy and postherpetic neuralgia and has been considered as a first-line treatment for neuropathic pain and has FDA approval for treatment of post-herpetic neuralgia. Gabapentin appears to be effective in reducing abnormal hypersensitivity, to have anti-anxiety effects, and may be beneficial as a sleep aid. Gabapentin has a favorable side-effect profile, few clinically significant drug-drug interactions and is generally well tolerated; however, common

side effects include dizziness, somnolence, confusion, ataxia, peripheral edema, dry mouth, and weight gain. It has been recommended for the treatment of pain from spinal cord injury, fibromyalgia, lumbar spinal stenosis, and chronic regional pain syndrome. Recommended trial period is three to eight weeks for titration, then one to two weeks at maximum tolerated dosage. If inadequate control of pain is found, a switch to another first-line drug is recommended. In this case the patient has been using the medication since at least July 2015 and there is no documentation of adequate pain control. Switch to another first-line drug is recommended. The request is not medically necessary.