

<b>Case Number:</b>	CM15-0190844		
<b>Date Assigned:</b>	10/02/2015	<b>Date of Injury:</b>	07/24/2014
<b>Decision Date:</b>	11/16/2015	<b>UR Denial Date:</b>	09/16/2015
<b>Priority:</b>	Standard	<b>Application Received:</b>	09/28/2015

### HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:  
 State(s) of Licensure: California, Indiana, Oregon  
 Certification(s)/Specialty: Orthopedic Surgery

### CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 44 year old female, who sustained an industrial injury on 7-24-14. The injured worker is being treated for status postindustrial strain-sprain left wrist, congenital negative ulnar variance left wrist and right and left carpal tunnel syndrome. (EMG) Electromyogram studies performed on 8-20-15 revealed evidence of right median neuropathy across the wrist consistent with right moderate carpal tunnel syndrome. Treatment to date has included right wrist injection, neutral wrist brace, oral medications including Brintellix 10mg, over the counter NSAIDs (non-steroidal anti-inflammatory drugs) and Levothyroxine 75mcg; bilateral carpal tunnel surgery, physical therapy and activity modifications. On 9-1-15, the injured worker reports some relief for about a week following right carpal tunnel cortisone injection; she is doing better since last visit and rates her pain 2-3 out of 10. Work status is noted to be modified duty. On 9-9-15 request for authorization was submitted for pen versus endoscopic right carpal tunnel release, pre op medical clearances and CBC, CMP, PT and PTT. Physical exam performed on 9-1-15 revealed tenderness of right wrist with positive Phalen's and positive carpal compression test for carpal tunnel syndrome. On 9-16-15 request for pre-operative medical clearance, pre-operative labs: CMP, PT and PTT were non-certified by utilization review.

### IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

**Pre-operative medical clearance:** Upheld

**Claims Administrator guideline:** The Claims Administrator did not cite any medical evidence for its decision.

**MAXIMUS guideline:** The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) low back.

**Decision rationale:** CA MTUS/ACOEM is silent on the issue of preoperative clearance and testing. ODG, Low back, Preoperative testing general, is utilized. This chapter states that preoperative testing is guided by the patient's clinical history, comorbidities and physical examination findings. ODG states, "These investigations can be helpful to stratify risk, direct anesthetic choices, and guide postoperative management, but often are obtained because of protocol rather than medical necessity. The decision to order preoperative tests should be guided by the patient's clinical history, comorbidities and physical examination findings. Patients with signs or symptoms of active cardiovascular disease should be evaluated with appropriate testing, regardless of their preoperative status." Preoperative ECG in patients without known risk factor for coronary artery disease, regardless of age, may not be necessary. CBC is recommended for surgeries with large anticipated blood loss. Creatinine is recommended for patient with renal failure. Electrocardiography is recommended for patients undergoing high risk surgery and those undergoing intermediate risk surgery who have additional risk factors. Patients undergoing low risk surgery do not require electrocardiography. Based on the information provided for review, there is no indication of any of these clinical scenarios present in this case. In this case the patient is healthy without comorbidities or physical examination findings concerning to warrant preoperative testing prior to the proposed surgical procedure. Therefore the request is not medically necessary.

**Pre-operative medical clearance labs: CMP:** Upheld

**Claims Administrator guideline:** The Claims Administrator did not cite any medical evidence for its decision.

**MAXIMUS guideline:** The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) low back.

**Decision rationale:** CA MTUS/ACOEM is silent on the issue of preoperative clearance and testing. ODG, Low back, Preoperative testing general, is utilized. This chapter states that preoperative testing is guided by the patient's clinical history, comorbidities and physical examination findings. ODG states, "These investigations can be helpful to stratify risk, direct anesthetic choices, and guide postoperative management, but often are obtained because of protocol rather than medical necessity. The decision to order preoperative tests should be guided by the patient's clinical history, comorbidities and physical examination findings. Patients with signs or symptoms of active cardiovascular disease should be evaluated with appropriate testing, regardless of their preoperative status." Preoperative ECG in patients without known risk factor for coronary artery disease, regardless of age, may not be necessary. CBC is recommended for

surgeries with large anticipated blood loss. Creatinine is recommended for patient with renal failure. Electrocardiography is recommended for patients undergoing high risk surgery and those undergoing intermediate risk surgery who have additional risk factors. Patients undergoing low risk surgery do not require electrocardiography. Based on the information provided for review, there is no indication of any of these clinical scenarios present in this case. In this case the patient is healthy without comorbidities or physical examination findings concerning to warrant preoperative testing prior to the proposed surgical procedure. Therefore the request is not medically necessary.

**Pre-operative medical clearance labs: PT:** Upheld

**Claims Administrator guideline:** The Claims Administrator did not cite any medical evidence for its decision.

**MAXIMUS guideline:** The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) low back.

**Decision rationale:** CA MTUS/ACOEM is silent on the issue of preoperative clearance and testing. ODG, Low back, Preoperative testing general, is utilized. This chapter states that preoperative testing is guided by the patient's clinical history, comorbidities and physical examination findings. ODG states, "These investigations can be helpful to stratify risk, direct anesthetic choices, and guide postoperative management, but often are obtained because of protocol rather than medical necessity. The decision to order preoperative tests should be guided by the patient's clinical history, comorbidities and physical examination findings. Patients with signs or symptoms of active cardiovascular disease should be evaluated with appropriate testing, regardless of their preoperative status." Preoperative ECG in patients without known risk factor for coronary artery disease, regardless of age, may not be necessary. CBC is recommended for surgeries with large anticipated blood loss. Creatinine is recommended for patient with renal failure. Electrocardiography is recommended for patients undergoing high risk surgery and those undergoing intermediate risk surgery who have additional risk factors. Patients undergoing low risk surgery do not require electrocardiography. Based on the information provided for review, there is no indication of any of these clinical scenarios present in this case. In this case the patient is healthy without comorbidities or physical examination findings concerning to warrant preoperative testing prior to the proposed surgical procedure. Therefore the request is not medically necessary.

**Pre-operative medical clearance labs: PTT:** Upheld

**Claims Administrator guideline:** The Claims Administrator did not cite any medical evidence for its decision.

**MAXIMUS guideline:** The Expert Reviewer did not base their decision on the MTUS. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) low back.

**Decision rationale:** CA MTUS/ACOEM is silent on the issue of preoperative clearance and testing. ODG, Low back, Preoperative testing general, is utilized. This chapter states that

preoperative testing is guided by the patient's clinical history, comorbidities and physical examination findings. ODG states, "These investigations can be helpful to stratify risk, direct anesthetic choices, and guide postoperative management, but often are obtained because of protocol rather than medical necessity. The decision to order preoperative tests should be guided by the patient's clinical history, comorbidities and physical examination findings. Patients with signs or symptoms of active cardiovascular disease should be evaluated with appropriate testing, regardless of their preoperative status." Preoperative ECG in patients without known risk factor for coronary artery disease, regardless of age, may not be necessary. CBC is recommended for surgeries with large anticipated blood loss. Creatinine is recommended for patient with renal failure. Electrocardiography is recommended for patients undergoing high risk surgery and those undergoing intermediate risk surgery who have additional risk factors. Patients undergoing low risk surgery do not require electrocardiography. Based on the information provided for review, there is no indication of any of these clinical scenarios present in this case. In this case the patient is healthy without comorbidities or physical examination findings concerning to warrant preoperative testing prior to the proposed surgical procedure. Therefore the request is not medically necessary.