

Case Number:	CM15-0020739		
Date Assigned:	02/10/2015	Date of Injury:	06/07/2010
Decision Date:	03/25/2015	UR Denial Date:	01/24/2015
Priority:	Standard	Application Received:	02/04/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:

State(s) of Licensure: California

Certification(s)/Specialty: Physical Medicine & Rehabilitation

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 53 year old female who sustained an industrial injury on 6/7/10. The injured worker reported symptoms in the left knee. The diagnoses included arthritis of left knee, patellofemoral arthralgia of left knee, complex regional pain syndrome type I of lower limb, left. Treatments to date include oral analgesic medications, oral pain medications, physical therapy, and durable medical equipment including a wheelchair and cane. In a progress note dated 1/15/15 the treating provider reports the injured worker was with left knee "pain with any pressure...unable to move the knee because of complaints of discomfort." On 1/23/15 Utilization Review modified the request for 12 physical therapy visits to 6 physical therapy visits, non-certified the request for 1 prescription for Gabapentin 600 milligrams quantity of 100 and modified 1 prescription for Norco 10/325 milligrams #100 to Norco 10/325 milligrams #75. The MTUS, ACOEM Guidelines, (or ODG) was cited.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

12 physical therapy visits: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Physical Therapy, pages 98-99.

Decision rationale: Physical therapy is considered medically necessary when the services require the judgment, knowledge, and skills of a qualified physical therapist due to the complexity and sophistication of the therapy and the physical condition of the patient. However, there is no clear measurable evidence of progress with the PT treatment already rendered including milestones of increased ROM, strength, and functional capacity. Review of submitted physician reports show no evidence of functional benefit, unchanged chronic symptom complaints, clinical findings, and functional status. There is no evidence documenting functional baseline with clear goals to be reached and the patient striving to reach those goals. The Chronic Pain Guidelines allow for visits of physical therapy with fading of treatment to an independent self-directed home program. It appears the employee has received significant therapy sessions without demonstrated evidence of functional improvement to allow for additional therapy treatments. There is no report of acute flare-up, new injuries, or change in symptom or clinical findings to support for formal PT in a patient that has been instructed on a home exercise program for this chronic injury. Submitted reports have not adequately demonstrated the indication to support further physical therapy when prior treatment rendered has not resulted in any functional benefit. The 12 physical therapy visits is not medically necessary and appropriate.

1 prescription for Gabapentin 600mg #100: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Anti-Epilepsy Drugs/Gabapentin, pages 18-19.

Decision rationale: Although Gabapentin has been shown to be effective for treatment of diabetic painful neuropathy and postherpetic neuralgia and has been considered as a first-line treatment for neuropathic pain; however, submitted reports have not adequately demonstrated the specific symptom relief or functional benefit from treatment already rendered and has actually noted lack of effectiveness and has been discontinued. Previous treatment with Gabapentin has not resulted in any functional benefit and medical necessity has not been established. The 1 prescription for Gabapentin 600mg #100 is not medically necessary and appropriate.

1 prescription for Norco 10/325mg #100: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Opioids, page(s) 74-96.

Decision rationale: Per the MTUS Guidelines cited, opioid use in the setting of chronic, non-malignant, or neuropathic pain is controversial. Patients on opioids should be routinely monitored for signs of impairment and use of opioids in patients with chronic pain should be reserved for those with improved functional outcomes attributable to their use, in the context of an overall approach to pain management that also includes non-opioid analgesics, adjuvant therapies, psychological support, and active treatments (e.g., exercise). Submitted documents show no evidence that the treating physician is prescribing opioids in accordance to change in pain relief, functional goals with demonstrated improvement in daily activities, decreased in medical utilization or change in functional status. There is no evidence presented of random drug testing or utilization of pain contract to adequately monitor for narcotic safety, efficacy, and compliance. The MTUS provides requirements of the treating physician to assess and document for functional improvement with treatment intervention and maintenance of function that would otherwise deteriorate if not supported. From the submitted reports, there is no demonstrated evidence of specific functional benefit derived from the continuing use of opioids with persistent severe pain for this chronic injury without acute flare, new injury, or progressive deterioration. The 1 prescription for Norco 10/325mg #100 is not medically necessary and appropriate.