

Case Number:	CM15-0021322		
Date Assigned:	02/10/2015	Date of Injury:	04/29/2013
Decision Date:	03/31/2015	UR Denial Date:	01/21/2015
Priority:	Standard	Application Received:	02/04/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:
 State(s) of Licensure: New Jersey, Michigan, California
 Certification(s)/Specialty: Neurology, Neuromuscular Medicine

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 51 year old male with an industrial injury dated April 29, 2013. The injured worker diagnoses include complete rupture of rotator cuff, trigger finger, osteoarthritis, localized primarily involving the hand, wrist sprain and carpal tunnel syndrome. The injured worker is also status post right shoulder arthroscopic rotator cuff repair and right endoscopic carpal tunnel release surgery performed on January 16, 2014, and status post right wrist arthroscopic joint debridement, index trigger finger release, post interosseous nerve excision performed on December 3, 2014. He has been treated with diagnostic studies, radiographic imaging, prescribed medications, physical therapy, and periodic follow up visits. According to the progress note dated 1/13/2015, the injured worker reported improvement with shoulder. He also reported that since his hand surgery the shoulder has become more weak. Physical exam revealed restricted shoulder range of motion. The wrist range of motion and index trigger finger was noted to be stiff. The treating physician prescribed services of six physical therapy treatments for right shoulder. Utilization Review determination on January 21, 2015 denied the request for six physical therapy treatments for right shoulder, citing MTUS Guidelines.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Six (6) Physical therapy treatments for right shoulder: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Physical Medicine Page(s): 98-99.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Physical Medicine Page(s): 98.

Decision rationale: According to MTUS guidelines, Physical Medicine is "Recommended as indicated below. Passive therapy (those treatment modalities that do not require energy expenditure on the part of the patient) can provide short term relief during the early phases of pain treatment and are directed at controlling symptoms such as pain, inflammation and swelling and to improve the rate of healing soft tissue injuries. They can be used sparingly with active therapies to help control swelling, pain and inflammation during the rehabilitation process. Active therapy is based on the philosophy that therapeutic exercise and/or activity are beneficial for restoring flexibility, strength, endurance, function, range of motion, and can alleviate discomfort. Active therapy requires an internal effort by the individual to complete a specific exercise or task. This form of therapy may require supervision from a therapist or medical provider such as verbal, visual and/or tactile instruction(s). Patients are instructed and expected to continue active therapies at home as an extension of the treatment process in order to maintain improvement levels. Home exercise can include exercise with or without mechanical assistance or resistance and functional activities with assistive devices.(Colorado, 2002) (Airaksinen, 2006) Patient-specific hand therapy is very important in reducing swelling, decreasing pain, and improving range of motion in CRPS. (Li, 2005) The use of active treatment modalities (e.g., exercise, education, activity modification) instead of passive treatments is associated with substantially better clinical outcomes. In a large case series of patients with low back pain treated by physical therapists, those adhering to guidelines for active rather than passive treatments incurred fewer treatment visits, cost less, and had less pain and less disability. The overall success rates were 64.7% among those adhering to the active treatment recommendations versus 36.5% for passive treatment." (Fritz, 2007) There is no documentation of the efficacy and outcome of previous physical therapy sessions. The patient was approved for 44 physical therapy sessions but is not clear from the reviewed documents if the patient did attend these sessions and what the outcome. There is no documentation that the patient cannot perform home exercise. Therefore, the request for 6 physical therapy sessions for right shoulder is not medically necessary.