

Case Number:	CM15-0028071		
Date Assigned:	03/27/2015	Date of Injury:	03/13/2000
Decision Date:	05/01/2015	UR Denial Date:	01/15/2015
Priority:	Standard	Application Received:	02/13/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:

State(s) of Licensure: California

Certification(s)/Specialty: Physical Medicine & Rehabilitation, Pain Management

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 73-year-old male who sustained an industrial injury on March 13, 2000. He has reported low back pain and has been diagnosed with herniated disc, lumbosacral spine and lumbar radiculitis/neuritis (not otherwise specified). Treatment has included a home exercise program and medications. Currently the injured worker complains tenderness at bilateral SI joints right greater than left with a positive FABER's test. The treatment plan included medication management.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Fexmid (Cyclobenzaprine) 7.5mg #120 (Unspecified refills), one tablet po bid: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines 8 C.C.R. 9792.20 - 9792.26 MTUS (Effective July 18, 2009) Page(s): 63-66 of 127.

Decision rationale: Regarding the request for cyclobenzaprine, Chronic Pain Medical Treatment Guidelines support the use of non-sedating muscle relaxants to be used with caution as a 2nd line option for the short-term treatment of acute exacerbations of pain. Guidelines go on to state that cyclobenzaprine specifically is recommended for a short course of therapy. Within the documentation available for review, there is no identification of a specific analgesic benefit or objective functional improvement as a result of the cyclobenzaprine. Additionally, it does not appear that this medication is being prescribed for the short-term treatment of an acute exacerbation, as recommended by guidelines. Finally, there is no documentation of failure of first-line treatment options, as recommended by guidelines. In the absence of such documentation, the currently requested cyclobenzaprine is not medically necessary.

Nalfon (Fenoprofen Calcium) 400mg #90 (Unspecified refills): Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines 8 C.C.R. 9792.20 - 9792.26 MTUS (Effective July 18, 2009) Page(s): 67-72 of 127.

Decision rationale: Regarding the request for Nalfon, Chronic Pain Medical Treatment Guidelines state that NSAIDs are recommended at the lowest dose for the shortest period in patients with moderate to severe pain. Within the documentation available for review, there is no indication that Naproxen is providing any specific analgesic benefits (in terms of percent pain reduction, or reduction in numeric rating scale), or any objective functional improvement. In the absence of such documentation, the currently requested Nalfon is not medically necessary.

Prilosec (Omeprazole DR) 20mg #90 (Unspecified refills), po bid: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines 8 C.C.R. 9792.20 - 9792.26 MTUS (Effective July 18, 2009) Page(s): 68-69 of 127.

Decision rationale: Regarding the request for omeprazole (Prilosec), California MTUS states that proton pump inhibitors are appropriate for the treatment of dyspepsia secondary to NSAID therapy or for patients at risk for gastrointestinal events with NSAID use. Within the documentation available for review, there is no indication that the patient has complaints of dyspepsia secondary to NSAID use, a risk for gastrointestinal events with NSAID use, or another indication for this medication. In light of the above issues, the currently requested omeprazole (Prilosec) is not medically necessary.

Ultram ER (Tramadol Hcl ER) 150mg #90 (Unspecified refills), once capsule once daily: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines 8 C.C.R. 9792.20 - 9792.26 MTUS (Effective July 18, 2009) Page(s): 44, 47, 75-79, 120 of 127.

Decision rationale: Regarding the request for Ultram ER, California Pain Medical Treatment Guidelines state that this is an opiate pain medication. Due to high abuse potential, close follow-up is recommended with documentation of analgesic effect, objective functional improvement, side effects, and discussion regarding any aberrant use. Guidelines go on to recommend discontinuing opioids if there is no documentation of improved function and pain. Within the documentation available for review, there is no indication that the medication is improving the patient's function or pain (in terms of specific examples of functional improvement and percent reduction in pain or reduced NRS), no documentation regarding side effects, and no discussion regarding aberrant use. As such, there is no clear indication for ongoing use of the medication. Opioids should not be abruptly discontinued, but unfortunately, there is no provision to modify the current request to allow tapering. In light of the above issues, the currently requested Ultram ER is not medically necessary.

Norco (Hydrocodone bitartrate and acetaminophen) 10/325mg #120 (Unspecified refills), one tablet po q4-6h, prn: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines 8 C.C.R. 9792.20 - 9792.26 MTUS (Effective July 18, 2009) Page(s): 44, 47, 75-79, 120 of 127.

Decision rationale: Regarding the request for Norco, California Pain Medical Treatment Guidelines state that this is an opiate pain medication. Due to high abuse potential, close follow-up is recommended with documentation of analgesic effect, objective functional improvement, side effects, and discussion regarding any aberrant use. Guidelines go on to recommend discontinuing opioids if there is no documentation of improved function and pain. Within the documentation available for review, there is no indication that the medication is improving the patient's function or pain (in terms of specific examples of functional improvement and percent reduction in pain or reduced NRS), no documentation regarding side effects, and no discussion regarding aberrant use. As such, there is no clear indication for ongoing use of the medication. Opioids should not be abruptly discontinued, but unfortunately, there is no provision to modify the current request to allow tapering. In light of the above issues, the currently requested Norco is not medically necessary.

30gm and 120gm Flurbiprofen 25%, Menthol 10%, Camphor 3%, Capsaicin 0.0375% topical cream (Unspecified refills): Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines 8 C.C.R. 9792.20 - 9792.26 MTUS (Effective July 18, 2009) Page(s): 111-113 of 127.

Decision rationale: Regarding the request for flurbiprofen/menthol/camphor/capsaicin topical cream, CA MTUS states that topical compound medications require guideline support for all components of the compound in order for the compound to be approved. Topical NSAIDs are indicated for "Osteoarthritis and tendinitis, in particular, that of the knee and elbow or other joints that are amenable to topical treatment: Recommended for short-term use (4-12 weeks). There is little evidence to utilize topical NSAIDs for treatment of osteoarthritis of the spine, hip or shoulder. Neuropathic pain: Not recommended as there is no evidence to support use." Capsaicin is "Recommended only as an option in patients who have not responded or are intolerant to other treatments." Within the documentation available for review, none of the abovementioned criteria has been documented. Furthermore, there is no clear rationale for the use of topical medications rather than the FDA-approved oral forms for this patient. Given all of the above, the requested flurbiprofen/menthol/camphor/capsaicin topical cream is not medically necessary.

16gm and 60gm Cyclobenzaprine 10%, Tramadol 10% topical cream (Unspecified refills):
Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines 8 C.C.R. 9792.20 - 9792.26 MTUS (Effective July 18, 2009) Page(s): 111-113 of 127.

Decision rationale: Regarding the request for cyclobenzaprine/tramadol topical cream, CA MTUS states that topical compound medications require guideline support for all components of the compound in order for the compound to be approved. Muscle relaxants are not supported by the CA MTUS for topical use. Within the documentation available for review, there is no clear rationale for the use of topical medications rather than the FDA-approved oral forms for this patient given the lack of support from the guidelines. Given all of the above, the requested is not medically necessary.