

Case Number:	CM15-0028237		
Date Assigned:	02/20/2015	Date of Injury:	02/19/2013
Decision Date:	03/31/2015	UR Denial Date:	02/11/2015
Priority:	Standard	Application Received:	02/13/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:

State(s) of Licensure: California

Certification(s)/Specialty: Physical Medicine & Rehabilitation

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

This 57 year old female sustained an industrial injury on 2/19/13. She subsequently reports ongoing right neck and shoulder pain. Diagnoses include right shoulder impingement and cervical degenerative joint disease. The plan of treatment for this injured worker includes prescription pain medications. On 2/11/15, Utilization Review non-certified a request for Lidocaine 5% patch #30 and Ibuprofen 800mg #90. On 2/11/15, Utilization Review partially-certified Hydrocodone/APAP 5/325 #90--modified to Hydrocodone/APAP 5/325 #60. The above decisions were based on MTUS Chronic Pain guidelines.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Lidocaine 5% patch #30: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Topical Analgesics.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Topical Medications, Pages 111- 113.

Decision rationale: The patient exhibits diffuse tenderness and pain on the exam to the spine and extremities with radiating symptoms. The chance of any type of patch improving generalized symptoms and functionality significantly with such diffuse pain is very unlikely. Topical Lidoderm patch is indicated for post-herpetic neuralgia, according to the manufacturer. There is no evidence in any of the medical records that this patient has a neuropathic source for the diffuse pain. Without documentation of clear localized, peripheral pain to support treatment with Lidoderm along with functional benefit from treatment already rendered, medical necessity has not been established. There is no documentation of intolerance to oral medication as the patient is also on multiple other oral analgesics. The Lidocaine 5% patch #30 is not medically necessary and appropriate.

Ibuprofen 800mg #90: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines NSAIDs (non-steroidal anti-inflammatory drugs).

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines NSAIDs (non-steroidal anti-inflammatory drugs), Page 22.

Decision rationale: Anti-inflammatories are the traditional first line of treatment, to reduce pain so activity and functional restoration can resume, but long-term use may not be warranted. Monitoring of NSAID's functional benefit is advised as per Guidelines, long-term use of NSAIDS beyond a few weeks may actually retard muscle and connective tissue healing and increase the risk of hip fractures. Available reports submitted have not adequately addressed the indication to continue a NSAID for a chronic injury nor have they demonstrated any functional efficacy derived from treatment already rendered. The Ibuprofen 800mg #90 is not medically necessary and appropriate.

Hydrocodone/APAP 5/325 #90: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Opioids (for chronic pain).

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Opioids, page(s) 74-96.

Decision rationale: Per the MTUS Guidelines cited, opioid use in the setting of chronic, non-malignant, or neuropathic pain is controversial. Patients on opioids should be routinely monitored for signs of impairment and use of opioids in patients with chronic pain should be reserved for those with improved functional outcomes attributable to their use, in the context of an overall approach to pain management that also includes non-opioid analgesics, adjuvant therapies, psychological support, and active treatments (e.g., exercise). Submitted documents show no evidence that the treating physician is prescribing opioids in accordance to change in pain relief, functional goals with demonstrated improvement in daily activities, decreased in medical utilization or change in functional status. There is no evidence presented of random drug testing or utilization of pain contract to adequately monitor for narcotic safety, efficacy, and

compliance. The MTUS provides requirements of the treating physician to assess and document for functional improvement with treatment intervention and maintenance of function that would otherwise deteriorate if not supported. From the submitted reports, there is no demonstrated evidence of specific functional benefit derived from the continuing use of opioids with persistent severe pain for this chronic injury without acute flare, new injury, or progressive deterioration. The Hydrocodone/APAP 5/325 #90 is not medically necessary and appropriate.