

Case Number:	CM15-0043631		
Date Assigned:	03/13/2015	Date of Injury:	11/09/2010
Decision Date:	05/01/2015	UR Denial Date:	02/06/2015
Priority:	Standard	Application Received:	03/09/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:

State(s) of Licensure: Maryland, Texas, Virginia

Certification(s)/Specialty: Internal Medicine, Allergy and Immunology, Rheumatology

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 33-year-old male, who sustained an industrial injury on November 9, 2010. He reported injury to his lower back. The injured worker was diagnosed as having lumbago. Treatment to date has included medication and physical therapy exercises. On February 2, 2015, the injured worker complained of chronic low back pain, chronic groin pain, anxiety aggravated by the chronic pain and pain induced depression. His activities of daily living remain limited due to the severity of his chronic pain. The treatment plan included medications and a follow-up visit.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Cyclobenzaprine 10mg #60: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Muscle relaxants (for pain), Cyclobenzaprine.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Cyclobenzaprine, Medications for chronic pain, Antispasmodics Page(s): 41-42, 60-61, 64-66. Decision based on Non-MTUS Citation Up-to-date, Flexeril.

Decision rationale: Official Disability Guidelines (ODG) Pain, Cyclobenzaprine (Flexeril), Other Medical Treatment Guideline or Medical Evidence: Up-to-date, Flexeril, after a professional and thorough review of the documents, my analysis is that the above listed issue: Is/was NOT medically necessary. My rationale for why the requested treatment/service is or is not medically necessary: MTUS Chronic Pain Medical Treatment states for Cyclobenzaprine, "Recommended as an option, using a short course of therapy. The effect is greatest in the first 4 days of treatment, suggesting that shorter courses may be better. (Browning, 2001) Treatment should be brief." The medical documents indicate that patient is far in excess of the initial treatment window and period. Additionally, MTUS outlines, "Relief of pain with the use of medications is generally temporary, and measures of the lasting benefit from this modality should include evaluating the effect of pain relief in relationship to improvements in function and increased activity. Before prescribing any medication for pain, the following should occur: (1) determine the aim of use of the medication; (2) determine the potential benefits and adverse effects; (3) determine the patient's preference. Only one medication should be given at a time, and interventions that are active and passive should remain unchanged at the time of the medication change. A trial should be given for each individual medication. Analgesic medications should show effects within 1 to 3 days, and the analgesic effect of antidepressants should occur within 1 week. A record of pain and function with the medication should be recorded. (Mens, 2005)" Up-to-date "flexeril" also recommends "Do not use longer than 2-3 weeks." Medical documents do not fully detail the components outlined in the guidelines above and do not establish the need for long term/chronic usage of cyclobenzaprine. As such, the request for Flexeril 10mg #60 is not medically necessary.