

Case Number:	CM15-0048380		
Date Assigned:	03/20/2015	Date of Injury:	07/15/2013
Decision Date:	05/01/2015	UR Denial Date:	03/10/2015
Priority:	Standard	Application Received:	03/13/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:
 State(s) of Licensure: New Jersey, Michigan, California
 Certification(s)/Specialty: Neurology, Neuromuscular Medicine

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 49 year old female who sustained an industrial injury on 7/15/13. The injured worker reported symptoms in the back and left lower extremity. The injured worker was diagnosed as having lumbar radiculopathy, thoracic spine sprain/strain, lumbar spine sprain, strain rule out herniated nucleus pulposus with degenerative disc disease and diabetes mellitus. Treatments to date have included physical therapy, oral analgesic, and activity modification. Currently, the injured worker complains of pain in the back with radiation to the left lower extremity. The plan of care was for urine toxicology screen, medication prescription and a follow up appointment at a later date.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Urine tox screen: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Opioids, steps to avoid misuse/addiction Page(s): 77-78; 94.

Decision rationale: According to MTUS guidelines, urine toxicology screens is indicated to avoid misuse/addiction. "(j) Consider the use of a urine drug screen to assess for the use or the presence of illegal drugs." There is no evidence that the patient have aberrant behavior for urine drug screen. There is no clear evidence of abuse, addiction and poor pain control. There is no documentation that the patients have a history of use of illicit drugs. Therefore, the request for Urine drug screen is not medically necessary.

Tylenol #3 30/300 #120: Upheld

Claims Administrator guideline: The Claims Administrator did not cite any medical evidence for its decision.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Criteria for use of opioids Page(s): 76-79.

Decision rationale: According to MTUS guidelines, Tylenol#3 (Tylenol with Codeine) as well as other short acting opioids are indicated for intermittent or breakthrough pain (page 75). It can be used in acute post operative pain. It is not recommended for chronic pain of longterm use as prescribed in this case. In addition and according to MTUS guidelines, ongoing use of opioids should follow specific rules: "(a) Prescriptions from a single practitioner taken as directed, and all prescriptions from a single pharmacy. (b) The lowest possible dose should be prescribed to improve pain and function. (c) Office: Ongoing review and documentation of pain relief, functional status, appropriate medication use, and side effects. Pain assessment should include: current pain; the least reported pain over the period since last assessment; average pain; intensity of pain after taking the opioid; how long it takes for pain relief; and how long pain relief lasts. Satisfactory response to treatment may be indicated by the patient's decreased pain, increased level of function, or improved quality of life. Information from family members or other caregivers should be considered in determining the patient's response to treatment. The 4 A's for Ongoing Monitoring: Four domains have been proposed as most relevant for ongoing monitoring of chronic pain patients on opioids: pain relief, side effects, physical and psychosocial functioning, and the occurrence of any potentially aberrant (or non adherent) drug-related behaviors. These domains have been summarized as the "4 A's" (analgesia, activities of daily living, adverse side effects, and aberrant drug taking behaviors). The monitoring of these outcomes over time should affect therapeutic decisions and provide a framework." There is no documentation of reduction of pain and functional improvement with previous use of Tylenol #3. There is no clear documentation of the efficacy/safety of previous use of Tylenol #3. Therefore, the prescription of Tylenol with Codeine 30/300mg #120 is not medically necessary.