

Case Number:	CM15-0084341		
Date Assigned:	05/06/2015	Date of Injury:	05/23/2014
Decision Date:	06/05/2015	UR Denial Date:	04/07/2015
Priority:	Standard	Application Received:	05/01/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:

State(s) of Licensure: Iowa, Illinois, Hawaii

Certification(s)/Specialty: Preventive Medicine, Occupational Medicine, Public Health & General Preventive Medicine

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 47-year-old female, who sustained an industrial injury on 5/23/2014. She reported that a box fell onto her right shoulder. Diagnoses have included shoulder bursitis, shoulder tendonitis, impingement syndrome of shoulder and right shoulder rotator cuff tear. Treatment to date has included physiotherapy, acupuncture and medication. According to the progress report dated 3/31/2015, the injured worker complained of right shoulder pain rated 9/10 and right fifth finger pain rated 9/10. The pain was increased since the last office visit. Exam of the right shoulder showed tenderness to palpation and positive impingement signs. Exam of the right hand fifth digit showed tenderness to palpation and edema. The injured worker was temporarily totally disabled. Authorization was requested for FCL (Flurbiprofen 20%, Tramadol 20%) 180gm and a home interferential stimulator unit.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

FCL (Flurbiprofen 20%, Tramadol 20%) 180gm: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Topical Analgesics; Non-steroidal anti-inflammatory agents (NSAIDs).

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Topical Analgesics Page(s): 111-113. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Pain, Compound creams.

Decision rationale: MTUS and ODG recommends usage of topical analgesics as an option, but also further details "primarily recommended for neuropathic pain when trials of antidepressants and anticonvulsants have failed." The medical documents do not indicate failure of antidepressants or anticonvulsants. MTUS states, "There is little to no research to support the use of many of these agents. Any compounded product that contains at least one drug (or drug class) that is not recommended is not recommended." MTUS states that the only FDA- approved NSAID medication for topical use includes diclofenac, which is indicated for relief of osteoarthritis pain in joints. Flurbiprofen would not be indicated for topical use in this case. As such, the request for FCL (Flurbiprofen 20%, Tramadol 20%) 180gm is not medically necessary.

Home interferential stimulator unit: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Interferential Current Stimulation (ICS).

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Interferential Current Stimulation, Transcutaneous electrotherapy Page(s): 54, 114-116, 118-120. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG) Pain, TENS chronic pain (transcutaneous electrical nerve stimulation).

Decision rationale: MTUS states regarding TENS unit, "Not recommended as a primary treatment modality, but a one-month home-based TENS trial may be considered as a noninvasive conservative option, if used as an adjunct to a program of evidence-based functional restoration, for the conditions described below." For pain, MTUS and ODG recommend TENS (with caveats) for neuropathic pain, phantom limb pain and CRPSII, spasticity, and multiple sclerosis. The medical records do not indicate any of the previous conditions. ODG further outlines recommendations for specific body parts: Low back: Not recommended as an isolated intervention. Knee: Recommended as an option for osteoarthritis as adjunct treatment to a therapeutic exercise program. Neck: Not recommended as a primary treatment modality for use in whiplash-associated disorders, acute mechanical neck disease or chronic neck disorders with radicular findings. Ankle and foot: Not recommended. Elbow: Not recommended. Forearm, Wrist and Hand: Not recommended. Shoulder: Recommended for post-stroke rehabilitation. Medical records do not indicate conditions of the low back, knee, neck, ankle, elbow, or shoulders that meet guidelines. ODG further details criteria for the use of TENS for Chronic intractable pain (for the conditions noted above): (1) Documentation of pain of at least three months duration. (2) There is evidence that other appropriate pain modalities have been tried (including medication) and failed. (3) A one-month trial period of the TENS unit should be documented (as an adjunct to ongoing treatment modalities within a functional restoration approach) with documentation of how often the unit was used, as well as outcomes in terms of pain relief and function; rental would be preferred over purchase during this trial. (4) Other ongoing pain treatment should also be documented during the trial period including medication usage. (5) A treatment plan including the specific short- and long-term goals of treatment with the TENS unit should be submitted. (6) After a successful 1-month trial, continued TENS treatment may be recommended if the physician documents that the patient is likely to derive significant therapeutic benefit from continuous use of the unit over a long period of time. At this point purchase would be preferred over rental. (7) Use for acute pain (less than three months

duration) other than post-operative pain is not recommended. (8) A 2-lead unit is generally recommended; if a 4-lead unit is recommended, there must be documentation of why this is necessary. The medical records do not satisfy the several criteria for selection specifically, lack of documented 1-month trial, lack of documented short-long term treatment goals with TENS unit, and unit use for acute (less than three months) pain. Additionally, the patient does not have a qualifying diagnosis per guidelines. As such, the request for Home interferential stimulator unit is not medically necessary.