

<b>Case Number:</b>	CM15-0088106		
<b>Date Assigned:</b>	05/12/2015	<b>Date of Injury:</b>	03/27/2013
<b>Decision Date:</b>	06/11/2015	<b>UR Denial Date:</b>	04/10/2015
<b>Priority:</b>	Standard	<b>Application Received:</b>	05/07/2015

### HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:  
 State(s) of Licensure: North Carolina  
 Certification(s)/Specialty: Family Practice

### CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 48-year-old male, who sustained an industrial injury on 3/27/13. He reported a neck injury following a fall. The injured worker was diagnosed as having chronic pain with herniated nucleus pulposus C5-6 and C6-7, bilateral upper extremity radiating pain, bilateral carpal tunnel syndrome and bilateral shoulder pain. Treatment to date has included repair of L4-5 herniated disc two times, epidural steroid injections, oral medications, physical therapy and home exercise program. Currently, the injured worker complains of ongoing low back pain with radiation, numbness and tingling to right leg. The injured worker has returned to his usual and customary duties at work. Physical exam noted tenderness in lumbar spine with restricted range of motion and weakness and numbness of L5 distribution, restricted range of motion of cervical spine is noted. A request for authorization was submitted for upper and lower extremity (EMG) Electromyogram studies.

### IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

**Electromyography/ Nerve Conduction Studies Of Left Lower Extremities, unspecified in inpatient or outpatient:** Upheld

**Claims Administrator guideline:** Decision based on MTUS ACOEM Chapter 12 Low Back Complaints Page(s): 287-328.

**MAXIMUS guideline:** Decision based on MTUS ACOEM Chapter 12 Low Back Complaints Page(s): 303.

**Decision rationale:** The ACOEM chapters on low back complaints and the need for lower extremity EMG/NCV states: Unequivocal objective findings that identify specific nerve compromise on the neurologic examination are sufficient evidence to warrant imaging in patients who do not respond to treatment and who would consider surgery an option. When the neurologic examination is less clear, however, further physiologic evidence of nerve dysfunction should be obtained before ordering an imaging study. Indiscriminant imaging will result in false-positive findings, such as disk bulges, that are not the source of painful symptoms and do not warrant surgery. If physiologic evidence indicates tissue insult or nerve impairment, the practitioner can discuss with a consultant the selection of an imaging test to define a potential cause (magnetic resonance imaging [MRI] for neural or other soft tissue, computer tomography [CT] for bony structures). Electromyography (EMG), including H-reflex tests, may be useful to identify subtle, focal neurologic dysfunction in patients with low back symptoms lasting more than three or four weeks. There are unequivocal objective findings of nerve compromise on the neurologic exam provided for review. However, there is not mention of surgical consideration. There are no unclear neurologic findings on exam. For these reasons, criteria for lower extremity EMG/NCV have not been met as set forth in the ACOEM. Therefore, the request is not medically necessary.

**Electromyography/ Nerve Conduction Studies Left Upper Extremities, unspecified if inpatient or outpatient:** Upheld

**Claims Administrator guideline:** Decision based on MTUS ACOEM Chapter 11 Forearm, Wrist, and Hand Complaints Page(s): 253-286.

**MAXIMUS guideline:** Decision based on MTUS ACOEM Chapter 8 Neck and Upper Back Complaints Page(s): 173-174.

**Decision rationale:** The ACOEM chapter on neck and upper back complaints and special diagnostic studies states: Criteria for ordering imaging studies are:- Emergence of a red flag- Physiologic evidence of tissue insult or neurologic dysfunction- Failure to progress in a strengthening program intended to avoid surgery- Clarification of the anatomy prior to an invasive procedure. Physiologic evidence may be in the form of definitive neurologic findings on physical examination, electrodiagnostic studies, laboratory tests, or bone scans. Unequivocal findings that identify specific nerve compromise on the neurologic examination are sufficient evidence to warrant imaging studies if symptoms persist. When the neurologic examination is less clear, however, further physiologic evidence of nerve dysfunction can be obtained before ordering an imaging study. Electromyography (EMG), and nerve conduction velocities (NCV), including H-reflex tests, may help identify subtle focal neurologic dysfunction in patients with neck or arm symptoms, or both, lasting more than three or four weeks. The assessment may include sensory-evoked potentials (SEPs) if spinal stenosis or spinal cord myelopathy is

suspected. If physiologic evidence indicates tissue insult or nerve impairment, consider a discussion with a consultant regarding next steps, including the selection of an imaging test to define a potential cause (magnetic resonance imaging [MRI] for neural or other soft tissue, compute tomography [CT] for bony structures). Additional studies may be considered to further define problem areas. The recent evidence indicates cervical disk annular tears may be missed on MRIs. The clinical significance of such a finding is unclear, as it may not correlate temporally or anatomically with symptoms. The provided documentation does not show any signs of emergence of red flags or physiologic evidence of tissue insult or neurologic dysfunction. There is no mention of planned invasive procedures. There are no subtle neurologic findings listed on the physical exam. For these reasons criteria for special diagnostic testing has not been met per the ACOEM. Therefore, the request is not certified.