



January 16, 2013

**IMPORTANT NOTICE TO AWARDING BODIES AND OTHER INTERESTED PARTIES  
REGARDING MODIFICATIONS OF THE PREDETERMINED WAGE INCREASES  
IN THE DIRECTOR'S GENERAL PREVAILING WAGE DETERMINATIONS**

Dear Public Official/Other Interested Parties:

The following are modifications of the predetermined wage increases for the craft and classification listed below:

**CRAFT/CLASSIFICATION:** Sheet Metal Worker (HVAC)

**LOCALITIES:** All localities within San Luis Obispo, Santa Barbara, and Ventura counties.

**DETERMINATIONS:** SLO-2009-1, STB-2009-1, VEN-2009-1, SLO-2009-2, STB-2009-2, VEN-2009-2, SLO-2010-1, STB-2010-1, VEN-2010-1, SLO-2010-2, STB-2010-2, VEN-2010-2, SLO-2011-1, STB-2011-1, VEN-2011-1, SLO-2011-2, STB-2011-2, VEN-2011-2, SLO-2012-1, STB-2012-1, VEN-2012-1, SLO-2012-2, STB-2012-2, and VEN-2012-2.

The \$1.55 predetermined increase scheduled to take effect on February 1, 2013 has been modified. As noted below, there is a decrease to the total predetermined amount. The predetermined increase has been modified as follows:

**Effective February 1, 2013**, there will be an increase of \$0.40 allocated as follows: \$0.30 to Health & Welfare and \$0.10 Other Payments.

The \$1.75 predetermined increase scheduled to take effect on August 1, 2013 has been modified. As noted below, there is a decrease to the total predetermined amount. The predetermined increase has been modified as follows:

**Effective August 1, 2013**, there will be an increase of \$1.40 to be allocated to wages and/or fringe benefits.

The \$1.80 predetermined increase scheduled to take effect on February 1, 2014 has been modified. As noted below, there is a decrease to the total predetermined amount. The predetermined increase has been modified as follows:

**Effective February 1, 2014**, there will be an increase of \$0.50 to be allocated to wages and/or fringe benefits.

With the exception of the modifications above, all of the wage rates and other conditions found in the above referenced General Prevailing Wage Determinations remain in effect.