

## OSHSB 2014 Rulemaking Projects (proposed)

Sections	Subject/Description	Source	A/C	Brief Description
CSO/GISO	Consolidate Crane and Derrick standards	Staff	Yes	Consolidation of CSO and GISO Crane and Derrick Standards into one central T8 location in the GISO.
GISO Various Sections	Hybrid and electric vehicles - 1st and 2nd Responder Safety Protocols	Staff	Yes	Possible incorporation by reference of SAEJ2990 2012 into T8 pertaining to safeguarding 1st and 2nd incident responders from electrocution and fire.
T8 HVESO, CSO (CDAC)	Digger Derrick Trucks- Broadening of the Exemption	Federal Final Rule	No	Amend, commensurate with the Federal standard, the HVESO,CSO (CDAC) standards to broaden the existing digger derrick exemption from CDAC when lifting, placing equipment other than poles.
Sections 1598, 1599	Update CA MUTCD	Staff	No	Update the current CSO CA/MUTCD reference pertaining to flaggers and traffic control means and methods from the 2008 to the 2012 edition.
Sections 1604.1(c)(1), 1604.20 and 1604.27	Recertification, Servicing and Maintenance of Construction Personnel Hoists (CPH)	Petition Decision	Yes	Address T8 construction industry standards specifying standards for the certification, maintenance and servicing of CPH safety brakes and governors.
Section 1903(f)	Helicopter Landing Operations	Staff	No	Replace the Note with an Exception for emergency operations involving immediate hazard to life or property.
Section 1932	Outdoor Liquid Storage in Containers and Portable Tanks	Staff	No	Amend T8 to address outdoor flammable/combustible liquid storage standards (quantities/safe distances) to be commensurate with federal OSHA.
Section 3207	Occupancy Definitions	Staff	No	Update and harmonize occupancy terminology used in Title 8 and California Building and Fire Codes.
Section 3212	Alternative Personal Fall Protection Methods for Skylight Work	Petition Decision	Yes	Allow use of skylights, skylight screens and under skylight nets that are engineered with the requisite strength to prevent an employee fall from elevation.
Sections 3314 and 2320.4	Lockout/Tagout (LOTO)	Staff	No	Federal OSHA standards require each individual employee working on or near equipment and machinery subject to inadvertent start up to place their own LOTO tag on the master group energy control device. Amend T8 to be at least as effective as the Federal standard for this specific issue.

Sections	Subject/Description	Source	A/C	Brief Description
Sections 3316 and 3388	Lighting for Night Work in Agricultural Operations	DOSH Form 9	Yes	Augment and clarify the requirement to provide work area lighting about agricultural equipment operations and trucking operations during agricultural field operations.
Sections 3380 and 1514	Personal Protective Equipment- Body Protection	Staff	No	Amend to be as inclusive and effective as the Federal standard in 29 CFR 1910.132(a) and 1926.95 with regard to the kinds of equipment addressed and personal protective equipment coverage (e.g. extremities).
Section 3408	Wildland and Structural Firefighting PPE	Petition Decision	Yes	Address, without creating a new state mandate if possible, T8 amendments pertaining to firefighter PPE (footwear) via update of applicable national consensus standards.
Section 3441	Tractor Mounted Personnel Transportation Units	Petition Decision	Yes	Develop, as appropriate after advisory committee, specific standards addressing the use, care, maintenance and employee training for employers who use tractor mounted personnel transportation units.
Sections 3650(t)(30), 5041	Securing Loads Prior to Lifting by PIT, Definition of Sling	OSHAB Decision	No	Amend T8 to require employees to ensure the hoisted load is secured against inadvertent movement and to define "sling" commensurate with Federal OSHA.
GISO 4343,4344, new Section 4354(i)	Dual Control, Mobile Compaction Equipment	Staff	Yes	Address standards for the design and operation of dual control, mobile compaction equipment as reflected in the latest edition of ANSI Z245.1 standard.
GISO Section 4552	Vertical Food Mixers	DOSH Form 9	Yes	Address point of operation bowl guarding of vertical food mixers.
GISO 4885	Definition of Working Load	Staff	Yes	Include a definition of working load to clarify that it refers not to the weight of an object being lifted, but to the objects being lifted (i.e., the object being lifted and the load-attaching equipment).
GISO Section 5021	Proof load testing for cranes and hoisting equipment	OSHAB DAR	No	Amend T8 Crane and Derrick standards to address proof load testing for equipment 3 tons or less rated capacity commensurate with Federal OSHA standards.
Section 5154	Ventilation and PPE requirements for Open-Surface Tank Operations	Staff	No	Amend tables to ensure that accurate information on flow rates is conveyed to the employer and those responsible for designing, building and maintaining open surface tank ventilation systems.

Sections	Subject/Description	Source	A/C	Brief Description
Section 5158	Valve Regulated Lead Acid Storage Batteries	Staff	Yes	Update California lead-acid storage battery standards to industry standards, reflective of industry practices (e.g. Telecom industry) where such batteries are commonly found.
Section 5530, and Table FL-1	Storage Handling of Class II, III, Liquids in Proximity to Electrical Equipment	Staff	No	To render T8 at least as effective as Federal standards (29 CFR 1910.106(h)(7)(iii)) and the NFPA for all storage and handling issues not addressed by the GISO, including Table FL-1.
Sections 6165, 6170, 6180, 6181, 6183, and 6184	Fire Protection	Staff	No	NFPA references in Title 8 are outdated. Update Title 8 in harmony with local jurisdictions and updated fire codes.