


**STANDARDS PRESENTATION  
TO  
CALIFORNIA OCCUPATIONAL SAFETY AND HEALTH STANDARDS BOARD**

PROPOSED STATE STANDARD,  
TITLE 8, DIVISION 1, CHAPTER 4







Amend Plate I of Section 5001 to read:

~~PLATE I  
RECOMMENDED HAND SIGNALS FOR CONTROLLING CRANE OPERATIONS~~





**STANDARDS PRESENTATION  
TO  
CALIFORNIA OCCUPATIONAL SAFETY AND HEALTH STANDARDS BOARD**

PROPOSED STATE STANDARD,  
TITLE 8, DIVISION 1, CHAPTER 4

 <p><b>USE MAIN HOIST.</b> Tap fist on head; then use regular signals.</p>	 <p><b>USE WHIP LINE. (Auxiliary Hoist)</b> Tap elbow with one hand; then use regular signals.</p>	 <p><b>DOG EVERYTHING.</b> Clasp hands in front of body.</p>
 <p><b>RAISE THE BOOM AND LOWER THE LOAD.</b> With arm extended, thumb pointing up, flex fingers in and out as long as load movement is desired.</p>	 <p><b>LOWER THE BOOM AND RAISE THE LOAD.</b> With arm extended, thumb pointing down, flex fingers in and out as long as load movement is desired.</p>	 <p><b>TRAVEL. (Both Tracks)</b> Use both fists, in front of body, making a circular motion, about each other, indicating direction of travel; forward or backward. (For crawler cranes only)</p>
 <p><b>TRAVEL.</b> Arm extended forward, hand open and slightly raised, make pushing motion in direction of travel.</p>	 <p><b>EXTEND BOOM. (Telescoping Booms)</b> Both fists in front of body with thumbs pointing outward.</p>	 <p><b>RETRACT BOOM. (Telescoping Booms)</b> Both fists in front of body with thumbs toward each other.</p>

**STANDARDS PRESENTATION  
TO  
CALIFORNIA OCCUPATIONAL SAFETY AND HEALTH STANDARDS BOARD**








PROPOSED STATE STANDARD,  
TITLE 8, DIVISION 1, CHAPTER 4

 <p><b>EXTEND BOOM.</b> (Telescoping Boom) One Hand Signal. One fist in front of chest with thumb tapping chest.</p>	 <p><b>RETRACT BOOM</b> (Telescoping Boom). One Hand Signal. One fist in front of chest. Thumb pointing outward and heel of fist tapping chest.</p>	 <p><b>OPEN (Clamshell).</b> Arm extended. Open hand slowly.</p>
 <p><b>CLOSE (Clamshell).</b> Arm extended. Close hand slowly.</p>	 <p><b>TROLLEY TRAVEL.</b> Palm up. Fingers closed. Thumb pointing in direction of motion. Jerk hand horizontally.</p>	 <p><b>BRIDGE TRAVEL.</b> Arm extended forward. Hand open and slightly raised. Make pushing motion in direction of travel.</p>
 <p><b>MAGNET IS DISCONNECTED.</b> Crane operator spreads both hands apart—palms up.</p>	 <p><b>MULTIPLE TROLLEYS.</b> Hold up one finger for block marked "1" and two fingers for block marked "2." Regular signals follow.</p>	

**STANDARDS PRESENTATION  
TO  
CALIFORNIA OCCUPATIONAL SAFETY AND HEALTH STANDARDS BOARD**

PROPOSED STATE STANDARD,  
TITLE 8, DIVISION 1, CHAPTER 4






Plate I  
RECOMMENDED HAND SIGNALS FOR CONTROLLING CRANE OPERATIONS

 <p><b>STOP</b> – With arm extended horizontally to the side, palm down, arm is swung back and forth.</p>	 <p><b>EMERGENCY STOP</b> – With both arms extended horizontally to the side, palms down, arms are swung back and forth.</p>	 <p><b>HOIST</b> – With upper arm extended to the side, forearm and index finger pointing straight up, hand and finger make small circles.</p>
 <p><b>RAISE BOOM</b> – With arm extended horizontally to the side, thumb points up with other fingers closed.</p>	 <p><b>SWING</b> – With arm extended horizontally, index finger points in direction that boom is to swing.</p>	 <p><b>RETRACT TELESCOPING BOOM</b> – With hands to the front at waist level, thumbs point at each other with other fingers closed.</p>
 <p><b>RAISE THE BOOM AND LOWER THE LOAD</b> – With arm extended horizontally to the side and thumb pointing up, fingers open and close while load movement is desired.</p>	 <p><b>DOG EVERYTHING</b> – Hands held together at waist level.</p>	 <p><b>LOWER</b> – With arm and index finger pointing down, hand and finger make small circles.</p>
 <p><b>LOWER BOOM</b> – With arm extended horizontally to the side, thumb points down with other fingers closed.</p>	 <p><b>EXTEND TELESCOPING BOOM</b> – With hands to the front at waist level, thumbs point outward with other fingers closed.</p>	 <p><b>TRAVEL/TOWER TRAVEL</b> – With all fingers pointing up, arm is extended horizontally out and back to make a pushing motion in the direction of travel.</p>

**STANDARDS PRESENTATION  
TO  
CALIFORNIA OCCUPATIONAL SAFETY AND HEALTH STANDARDS BOARD**

PROPOSED STATE STANDARD,  
TITLE 8, DIVISION 1, CHAPTER 4


RECOMMENDED HAND SIGNALS FOR CONTROLLING CRANE OPERATIONS (Cont.)

 <p><b>LOWER THE BOOM AND RAISE THE LOAD</b> – With arm extended horizontally to the side and thumb pointing down, fingers open and close while load movement is desired.</p>	 <p><b>MOVE SLOWLY</b> – A hand is placed in front of the hand that is giving the action signal.</p>	 <p><b>USE AUXILIARY HOIST (whipline)</b> – With arm bent at elbow and forearm vertical, elbow is tapped with other hand. Then regular signal is used to indicate desired action.</p>
 <p><b>CRAWLER CRANE TRAVEL, BOTH TRACKS</b> – Use both fists in front of body, making a circular motion about each other indicating direction of travel, forward or backward.</p>	 <p><b>USE MAIN HOIST</b> – A hand taps on top of the head. Then regular signal is given to indicate desired action.</p>	 <p><b>CRAWLER CRANE TRAVEL, ONE TRACK</b> – Indicate track to be locked by raising fist on that side. Rotate other fist in front of body in direction that other track is to travel.</p>
 <p><b>TROLLEY TRAVEL</b> – With palm up, fingers closed and thumb pointing in direction of motion, hand is jerked horizontally in direction trolley is to travel.</p>		

**STANDARDS PRESENTATION  
TO  
CALIFORNIA OCCUPATIONAL SAFETY AND HEALTH STANDARDS BOARD**

PROPOSED STATE STANDARD,  
TITLE 8, DIVISION 1, CHAPTER 4

RECOMMENDED HAND SIGNALS FOR CONTROLLING CRANE OPERATIONS (Cont.)

 <p style="text-align: center;"><b>EXTEND BOOM (Telescoping Boom)</b></p> <p><b>One hand signal. One fist in front and tapping chest with the thumb.</b></p>	 <p style="text-align: center;"><b>RETRACT BOOM (Telescoping Boom)</b></p> <p><b>One hand signal. One fist in front of chest, thumb pointing outward and tapping the chest with the heel of the fist.</b></p>
 <p style="text-align: center;"><b>OPEN (Clamshell)</b></p> <p><b>Extend arm horizontally to the side, open hand slowly.</b></p>	 <p style="text-align: center;"><b>CLOSE (Clamshell)</b></p> <p><b>Extend arm horizontally to the side, close hand slowly.</b></p>
 <p style="text-align: center;"><b>MAGNET DISCONNECTED</b></p> <p><b>Crane operator spreads extends both arms horizontally to the side with palms up.</b></p>	 <p style="text-align: center;"><b>MULTIPLE TROLLEYS</b></p> <p><b>Hold up one finger for block marked "1" and two fingers for block marked "2", followed by a regular signal to indicate desired action.</b></p>

NOTE: Authority cited: Section 142.3, Labor Code. Reference: Section 142.3, Labor Code.