STATE OF CALIFORNIA-OFFICE OF ADMINISTRATIVE LAW For use by Secretary of State only See Instructions on NOTICE PUBLICATION/REGULATIONS SUBMISSION reverse) 5TD, 400 (REV, 01-2013) ENDORSED - FILED OAL FILE NOTICE FILE NUMBER REGULATORY ACTION NUMBER EMERGENCY NUMBER in the office of the Secretary of State 2016-1024 NUMBERS Z-2015-1 For use by Office of Administrative Law (OAL) only

| # 2016 OCT 24 P 4: 55 of the State of California DEC 05 2016 RECEIVED FOR FILING PUBLICATION DATE 1:40 PM OFFICE OF CCC n 4 °15 NOV 2 0 15 Office of Administrative Law REGULATIONS AGENCY FILE NUMBER (If any) AGENCY WITH RULEMAKING AUTHORITY Occupational Safety and Health Standards Board A. PUBLICATION OF NOTICE (Complete for publication in Notice Register) 1. SUBJECT OF NOTICE 2. REQUESTED PUBLICATION DATE TITLE(S) FIRST SECTION AFFECTED GISO Section 3273 December 4, 2015 GISO Section 3273 Title 8 TELEPHONE NUMBER FAX NUMBER (Optional) 3. NOTICE TYPE
Notice re Proposed 4. AGENCY CONTACT PERSON (916)-274-5743 Other (916)-274-5721 Marley Hart, Executive Officer Regulatory Action OAL USE ACTION ON PROPOSED NOTICE PUBLICATION DATE NOTICE REGISTER NUMBER Disapproved/ 2015 2015 B. SUBMISSION OF REGULATIONS (Complete when submitting regulations) 1b. ALL PREVIOUS RELATED OAL REGULATORY ACTION NUMBER(S) 1a. SUBJECT OF REGULATION(S) Working Area Catwalk Exception 2. SPECIFY CALIFORNIA CODE OF REGULATIONS TITLE(S) AND SECTION(S) (Including title 26, if toxics related) ADOPT SECTION(S) AFFECTED (List all section number(s) AMEND individually. Attach Section 3273 additional sheet if needed.) REPEAL TITLE(S) 3. TYPE OF FILING Regular Rulemaking (Gov. Certificate of Compliance: The agency officer named Emergency Readopt (Gov. Changes Without Regulatory Code §11346) below certifies that this agency complied with the Code, §11346.1(h)) Effect (Cal. Code Regs., title Resubmittal of disapproved or provisions of Gov. Code §§11346.2-11347.3 either 1, 5100) withdrawn nonemergency before the emergency regulation was adopted or File & Print Print Only filing (Gov. Code §§11349.3, within the time period required by statute. 11349.4) Resubmittal of disapproved or withdrawn Emergency (Gov. Code, Other (Specify) emergency filing (Gov. Code, §11346.1) §11346.1(b)) 4. ALL BEGINNING AND ENDING DATES OF AVAILABILITY OF MODIFIED REGULATIONS AND/OR MATERIAL ADDED TO THE RULEMAKING FILE (Cal. Code Regs. title 1, \$44 and Gov. Code \$11347.1) 5. EFFECTIVE DATE OF CHANGES (Gov. Code, 95 11343.4, 11346.1(d); Cal. Code Regs., title 1, §100) Effective January 1, April 1, July 1, or Effective on filing with Effective October 1 (Gov. Code §11343,4(a)) Secretary of State Regulatory Effect other (Specify) 5. CHECK IF THESE REGULATIONS REQUIRE NOTICE TO, OR REVIEW, CONSULTATION, APPROVAL OR CONCURRENCE BY, ANOTHER AGENCY OR ENTITY Fair Political Practices Commission State Fire Marshal Department of Finance (Form STD. 399) (SAM §6660) Other (Specify) 7. CONTACT PERSON TELEPHONE NUMBER FAX NUMBER (Optional) E-MAIL ADDRESS (Optional) Marley Hart, Executive Officer (916) 274-5721 (916) 274-5743 mhart@dir.ca.gov For use by Office of Administrative Law (OAL) only I certify that the attached copy of the regulation(s) is a true and correct copy of the regulation(s) identified on this form, that the information specified on this form is true and correct, and that I am the head of the agency taking this action, ENDORSED APPROVED or a designee of the head of the agency, and am authorized to make this certification. SNATURE OF AGENCY HEAD OR DESIGNEE 10/20116) handing ta DFC 0 5 2016 TYPED NAME AND TITLE OF SIGNATORY Marley Hart, Executive Officer Office of Administrative Law

STANDARDS PRESENTATION TO

CALIFORNIA OCCUPATIONAL SAFETY AND HEALTH STANDARDS BOARD

PROPOSED STATE STANDARD, TITLE 8, DIVISION 1, CHAPTER 4

§3273. Working Area.

(a) Permanent floors and platforms shall be free of dangerous projections or obstructions, maintained in good repair, and reasonably free of oil, grease, or water. Where the type of operation necessitates working on slippery floors, such surfaces shall be protected against slipping by using mats, grates, cleats, or other methods which provide equivalent protection. Where wet processes are used drainage shall be maintained and false floors, platforms, mats, or other dry standing places provided.

(Title 24, Part 2, Section 2-2304(f))

(c) Platforms, runways, ramps, or other elevated working levels, except catwalks, that are 30 inches or more above the floor, ground, or other working area shall be no less than 2 feet wide and have no less than 6 1/2 feet clear headroom. In existing installations where an overhead hazard exists due to clearances of less than 6 1/2 feet above ramps, runways, platforms, or other elevated work areas, such work area shall be relocated and the obstruction removed. If these procedures are impracticable, a suitable warning shall be placed near the obstruction to notify employees of its presence. Where the nature of the hazard is such that padding will increase safety, it shall be installed.

(Title 24, Part 2, Section 2-3320(h)(1))

(d) Catwalks shall be no less than 18 inches wide and have 6 1/2 feet clear headroom. When installed along inclined conveyors, crane booms, etc., where because of structural or load conditions it is unreasonable to comply with basic ramp standards, catwalks may have a slope exceeding 18 degrees.

(Title 24, Part 2, Section 2-3320(h)(2))

Exceptions:

- 1. When required location dictates, a catwalk may have less overhead clearance if a warning and padding are provided as in (c).
- 2. In bowling alleys at pin-spotting and pin-setting machines, catwalks shall be no less than nominal 8 inches wide and provided with an adequate handrail if the sides are not protected by another structure.

STANDARDS PRESENTATION TO

CALIFORNIA OCCUPATIONAL SAFETY AND HEALTH STANDARDS BOARD

PROPOSED STATE STANDARD, TITLE 8, DIVISION 1, CHAPTER 4

(3) In unfinished attics and other ceiling spaces where access is not routine and of a short duration, a catwalk shall not be required if 1) there are ceiling joists or similar structural members at 2 feet or closer centers, 2) planks or solid platforms at least 12 inches in width are provided and supported by at least two ceiling joists or similar structural members, 3) a qualified person has determined that the ceiling structure and any planks or platforms used can bear all intended loads and 4) employees are supported by the planks or platforms at all times when in the attic or ceiling space.

NOTE: Authority cited: Section 142.3, Labor Code. Reference Section 142.3, Labor Code; and Section 18943(c), Health and Safety Code.