

**STANDARDS PRESENTATION  
TO  
CALIFORNIA OCCUPATIONAL SAFETY AND HEALTH STANDARDS BOARD**

PROPOSED STATE STANDARD,  
TITLE 8, CHAPTER 4

Amend Sections 3336, 3650, and 3653 to read:

**3336. Loading Dock Operations.**

(a) ~~Trucks or trailers shall be secured from movement during dock loading and unloading operations.~~ Trucks, trailers, and railcars boarded by powered industrial trucks during loading dock operations shall be ~~made safe~~ **secured** against unintended movement as specified in subsections 3650(t)(22) and (23).

(b) ~~The employer shall establish and enforce a system to prevent trucks, trailers or railcars from pulling away from the loading dock before the loading or unloading operation~~ **has been is completed.**

\* \* \* \* \*

Note: Authority cited: Section 142.3, Labor Code. Reference: Section 142.3, Labor Code.

\* \* \* \* \*

**3650. Industrial Trucks. General.**

(a) ~~All new low lift and high lift trucks manufactured after June 26, 1998, shall be labeled as meeting the design and construction requirements of Part III, ASME B56.1 1993, Safety Standard for Low Lift and High Lift Trucks. All low lift and high lift trucks manufactured on or before June 26, 1998, shall be labeled as meeting either the design and construction requirements of the ASME standard indicated above or Part II, of the ANSI B56.1 1975 standard.~~

(b)(1) ~~Except as provided in subsection (a), industrial trucks manufactured after September 1, 1991 through March 1, 1999 shall have affixed a legible tag or label stating compliance with the following applicable standards or those listed in subsection (b)(2):~~

~~NFPA 505 1987, formerly ANSI B56.2 1987, for powered industrial trucks,  
UL 583 1984, formerly ANSI B56.3 1977, for electric battery powered industrial trucks,  
UL 558 1984, formerly ANSI B56.4 1977, for internal combustion engine powered industrial trucks;~~

~~ANSI/ASME B56.5 1988 for guided industrial vehicles,  
ANSI/ASME B56.6 1987 for rough terrain forklift trucks,  
ANSI/ASME B56.7 1987 for industrial crane trucks,  
ANSI/ASME B56.8 1988 for personnel and burden carriers,  
ANSI/ASME B56.9 1987 for operator controlled industrial tow tractors.~~

(2) ~~Except as provided in subsection (a), industrial trucks manufactured after March 1, 1999 shall have affixed a legible tag or label stating compliance with the following applicable standards:~~

~~NFPA 505 1987, formerly ANSI B56.2 1978, for powered industrial trucks,  
UL 583 1991, for electric battery powered industrial trucks,  
UL 558 1991, for internal combustion engine powered industrial trucks,~~

**STANDARDS PRESENTATION  
TO  
CALIFORNIA OCCUPATIONAL SAFETY AND HEALTH STANDARDS BOARD**

PROPOSED STATE STANDARD,  
TITLE 8, CHAPTER 4

~~ASME B56.5 - 1993, for guided industrial vehicles and automated functions of manned industrial vehicles;~~

~~ASME B56.6 - 1992, for rough terrain forklift trucks;~~

~~ANSI/ASME B56.7 - 1987, for industrial crane trucks;~~

~~ASME B56.8 - 1993, for personnel and burden carriers;~~

~~ASME B56.9 - 1992, for operator controlled industrial tow tractors.~~

~~(3) All name plates and model number, type designation and load capacity markings on industrial trucks, shall be maintained in a legible condition by the employer.~~

~~(e) Industrial trucks shall be designed, constructed and maintained in accordance with the applicable standards specified in subsection (a) and (b) of this section.~~

(a) Design and Construction.

(1) Industrial trucks manufactured after (insert effective date of rulemaking), shall be designed and constructed in accordance with the following applicable standards:

ANSI/ITSDF B56.1 – 2005, for low lift and high lift trucks,

ANSI/ITSDF B56.5 – 2005, for guided industrial vehicles and automated functions of manned industrial vehicles,

ANSI/ITSDF B56.6 - 2005, for rough terrain forklift trucks,

ANSI/ITSDF B56.8 - 2006, for personnel and burden carriers,

ANSI/ITSDF B56.9 – 2006, for operator controlled industrial tow tractors,

ANSI/ITSDF B56.10 - 2006, for manually propelled high lift trucks,

NFPA 505 – 2005, formerly ANSI B56.2, fire safety for powered industrial trucks,

UL 583 – 2007, formerly ANSI B56.3, for electric-battery-powered industrial trucks,

UL 558 – 1998, formerly ANSI B56.4, for internal combustion-powered industrial trucks.

(2) Industrial trucks manufactured after September 1, 1991, and on or before (insert effective date of rulemaking), shall be designed and constructed in accordance with either the applicable standards listed in subsection (a)(1), or the following applicable standards in effect at the time of manufacture:

ANSI B56.1, for low lift and high lift trucks,

ANSI B56.5 or ASME B56.5, for guided industrial vehicles and automated functions of manned industrial vehicles,

ANSI B56.6 or ASME B56.6, for rough terrain forklift trucks,

ANSI/ASME B56.7, for industrial crane trucks,

ANSI B56.8 or ASME B56.8, for personnel and burden carriers,

ANSI B56.9, for operator controlled industrial tow tractors,

ANSI B56.10, for manually propelled high lift trucks,

NFPA 505, formerly ANSI B56.2, fire safety for powered industrial trucks,

UL 583, formerly ANSI B56.3, for electric-battery-powered industrial trucks.

UL 558, formerly ANSI B56.4, for internal combustion-powered industrial trucks,

**STANDARDS PRESENTATION  
TO  
CALIFORNIA OCCUPATIONAL SAFETY AND HEALTH STANDARDS BOARD**

PROPOSED STATE STANDARD,  
TITLE 8, CHAPTER 4

(3) Industrial trucks shall be labeled as meeting the design and construction requirements of the applicable standards specified in subsections (a)(1) and (a)(2).

(b) All name plate, model number, type designation, and load capacity markings on industrial trucks shall be maintained in a legible condition.

(c) Industrial trucks shall be maintained in accordance with the applicable standards specified in subsections (a)(1) and (a)(2).

\* \* \* \* \*

(t) Industrial trucks and tow tractors shall be operated in a safe manner in accordance with the following operating rules:

\* \* \* \* \*

(33) When provided by the industrial truck manufacturer, an operator restraint system such as a seat belt shall be used.

\* \* \* \* \*

Note: Authority cited: Section 142.3, Labor Code. Reference: Section 142.3, Labor Code.

\* \* \* \* \*

**3653. Seat Belts.**

(a) Seat belt assemblies shall be provided and used on all equipment where rollover protection is installed and employees shall be instructed in their use.

\* \* \* \* \*

Note: Authority cited: Section 142.3, Labor Code. Reference: Section 142.3, Labor Code.