

DEPARTMENT OF INDUSTRIAL RELATIONS

Office of the Director – Research Unit

455 Golden Gate Avenue, 9th Floor

San Francisco, CA 94102

MAILING ADDRESS:

P. O. Box 420603

San Francisco, CA 94142-0603



November 22, 2016

**IMPORTANT NOTICE TO AWARDING BODIES
AND ALL INTERESTED PARTIES REGARDING MODIFICATION
TO THE DIRECTOR'S GENERAL PREVAILING WAGE DETERMINATIONS**

Dear Public Official/Other Interested Parties:

CRAFT: Electrician**CLASSIFICATION:** Communication & System Technician (2nd Shift & 3rd Shift)**DETERMINATION(s):** CAL-2015-1, DEL-2015-1, FRE-2015-1, HUM-2015-1, KIN-2015-1, LAK- 2015-1, MAD-2015-1, MAP-2015-1, MEN-2015-1, MER-2015-1, SJO-2015-1, STA-2015-1, TUL- 2015-1, TUO-2015-1, CAL-2015-2, DEL-2015-2, FRE-2015-2, HUM-2015-2, KIN-2015-2, LAK- 2015-2, MAD-2015-2, MAP-2015-2, MEN-2015-2, MER-2015-2, SJO-2015-2, STA-2015-2, TUL- 2015-2, TUO-2015-2, CAL-2016-1, DEL-2016-1, FRE-2016-1, HUM-2016-1, KIN-2016-1, LAK- 2016-1, MAD-2016-1, MAP-2016-1, MEN-2016-1, MER-2016-1, SJO-2016-1, STA-2016-1, TUL- 2016-1, TUO-2016-1, CAL-2016-2, DEL-2016-2, FRE-2016-2, HUM-2016-2, KIN-2016-2, LAK- 2016-2, MAD-2016-2, MAP-2016-2, MEN-2016-2, MER-2016-2, SJO-2016-2, STA-2016-2, TUL- 2016-2, and TUO-2016-2**LOCALITY:** All localities within Calaveras, Del Norte, Fresno, Humboldt, Kings, Lake, Madera, Mariposa, Mendocino, Merced, San Joaquin, Stanislaus, Tulare, and Tuolumne Counties**Communication & System Technician - 2nd Shift**

The predetermined wage increase of \$2.00 effective on December 1, 2016, has been reduced to \$1.90. The allocation is as follows:

- \$0.65 to the Basic Hourly Rate, \$0.50 to Health and Welfare, and \$0.75 to Pension

Communication & System Technician – 3rd Shift

The predetermined wage increase of \$2.00 effective on December 1, 2016, has been reduced to \$1.87. The allocation is as follows:

- \$0.62 to the Basic Hourly Rate, \$0.50 to Health and Welfare, and \$0.75 to Pension

With the exception of this modification stated above, all of the wage rates and other conditions found in the above referenced determinations remain unchanged.