

DEPARTMENT OF INDUSTRIAL RELATIONS  
Office of the Director – Research Unit  
455 Golden Gate Avenue, 9<sup>th</sup> Floor  
San Francisco, CA 94102

MAILING ADDRESS:  
P. O. Box 420603  
San Francisco, CA 94142-0603



August 27, 2020

**IMPORTANT NOTICE TO AWARDING BODIES AND ALL INTERESTED PARTIES  
REGARDING A MODIFICATION TO  
THE DIRECTOR'S GENERAL PREVAILING WAGE DETERMINATIONS**

Dear Public Official/Other Interested Parties:

**CRAFT:** Plumber

**CLASSIFICATION:** Landscape/Irrigation Tradesman (All Shifts)

**LOCALITIES:** All localities within Imperial, Inyo, Kern, Los Angeles, Mono, Orange, Riverside, San Bernardino, San Diego, San Luis Obispo, Santa Barbara and Ventura Counties

**DETERMINATIONS:** IMP-2017-2, INY-2017-2, KER-2017-2, LOS-2017-2, MON-2017-2, ORA-2017-2, RIV-2017-2, SBR-2017-2, SDI-2017-2, SLO-2017-2, STB-2017-2, VEN-2017-2, IMP-2018-1, INY-2018-1, KER-2018-1, LOS-2018-1, MON-2018-1, ORA-2018-1, RIV-2018-1, SBR-2018-1, SDI-2018-1, SLO-2018-1, STB-2018-12, VEN-2018-1, IMP-2018-2, INY-2018-2, KER-2018-2, LOS-2018-2, MON-2018-2, ORA-2018-2, RIV-2018-2, SBR-2018-2, SDI-2018-2, SLO-2018-2, STB-2018-2, VEN-2018-2, IMP-2019-1, INY-2019-1, KER-2019-1, LOS-2019-1, MON-2019-1, ORA-2019-1, RIV-2019-1, SBR-2019-1, SDI-2019-1, SLO-2019-1, STB-2019-1, VEN-2019-1, IMP-2019-2, INY-2019-2, KER-2019-2, LOS-2019-2, MON-2019-2, ORA-2019-2, RIV-2019-2, SBR-2019-2, SDI-2019-2, SLO-2019-2, STB-2019-2, VEN-2019-2, IMP-2020-1, INY-2020-1, KER-2020-1, LOS-2020-1, MON-2020-1, ORA-2020-1, RIV-2020-1, SBR-2020-1, SDI-2020-1, SLO-2020-1, STB-2020-1 and VEN-2020-1

The predetermined increase of \$0.52 scheduled to take effect on September 1, 2020 has been reduced. The correct predetermined increase is as follows:

Effective September 1, 2020, there will be an increase of \$0.51 allocated as follows: \$0.42 to the Basic Hourly Rate, \$0.03 to Pension and \$0.06 to Other.

With the exception of the above correction, all of the wage rates and other conditions found in the above referenced prevailing wage determinations remain unchanged.