

SCOPE OF WORK PROVISIONS

CRAFT/CLASSIFICATION

Electrician: Inside Wireman, Technician; Cable Splicer

ID

61-180-1

LOCALITY

Napa and Solano Counties

BURGLAR ALARM AND FIRE ALARM INSTALLATION

The Department has issued several important notices specifying the prevailing rate of pay for the installation of burglar and fire alarms. The notices provide a summary of the applicable rates of pay for burglar and fire alarm installation by county. To view the important notices, please visit the [Director's General Prevailing Wage Determinations website for Important Notices Archive](https://www.dir.ca.gov/oprl/Important_Notices_Archive/Important_notices_archive.htm) (https://www.dir.ca.gov/oprl/Important_Notices_Archive/Important_notices_archive.htm).

For Burglar Alarm Installation and Fire Alarm Installation performed in Napa and Solano Counties, the minimum rate of pay determinations are issued on a "Project-by-Project basis."

SCOPE OF WORK

SCOPE OF AGREEMENT: Workers employed under the terms of this Agreement shall do all on-site underground power distribution systems (including PVC and rigid conduit), temporary power and lighting systems and maintenance thereon, electrical construction, installation, [REDACTED] and maintenance and running of tests of electrical lighting, heat and power equipment. Also included is fiber optic systems and raceways installation, photovoltaic system electrical installation, including raceways. This shall include all temporary electrical maintenance of pumps, fans, blowers, and other electrical equipment, installation or erection work in new buildings in the course of construction and in existing buildings undergoing alterations, and in subways, tunnels and bridges. Prefabrication of boxes, brackets, bends and nipples are covered by this Agreement, but the use of catalogue items is permitted.

SECTION 3.17. CABLE SPLICING:

Where wiped lead joints are necessary, all work of joining, splicing and insulating, and the placing of flame-proof covering shall be performed by Cable Splicers. Journeyman Wiremen only shall be used in assisting Cable Splicers. Cable Splicers shall not be required to work on energized wire or cables when the difference in the potential is over 440 volts between any two conductors or between any conductor and ground, unless assisted by one Journeyman Wireman.

Cable Splicers shall furnish the tools necessary for the performance of the job.

The Employer shall pay a tool allowance of twenty dollars (\$20.00) per day when tools and equipment are supplied by the Cable Splicer