

OCCUPATION, SAFETY AND HEALTH APPEALS BOARD

2520 Venture Oaks Way, Suite 300
Sacramento, CA 95833
(916) 274-5751
FAX (916) 274-5785

RECEIVED

FEB 27 2012

APPEAL FORM OSH Appeals Board

314825910 _____

Inspection Number on Citation

2012-R4D3-0651

Rainbow of Hope Foundation _____

Employer Name on Citation

1. You only have 15 working days from receipt of a citation to appeal.

Rainbow of Hope Foundation _____

Employer Legal Name or DBA (Optional)

2. A copy of this form must be attached to each citation or notification appealed. Failure to file a completed form may result in dismissal of the appeal.

Address

350 S. Figueroa St., Suite 437, L.A., CA 90071

FIRST READ IMPORTANT INFORMATION ON THE REVERSE SIDE
THEN COMPLETE ONE APPEAL FORM FOR EACH CITATION

1. This is an Appeal from:

CITATION NO(s): 1 _____ Item No(s): 1&2 _____

NOTIFICATION OF FAILURE TO ABATE ALLEGED VIOLATION
CITATION NO(s): _____ Item No(s): _____

SPECIAL ORDER/SPECIAL ACTION NO: _____
Item No(s): _____

2. Specific ground(s) for this appeal are: (Check all that apply)

The safety order was not violated.

The classification (i.e. serious, willful, repeat) is incorrect.

The abatement requirements are unreasonable.

Required changes Time allowed to complete changes

The proposed penalty is unreasonable.

3. Explain any other reasons for appeal or issues to be raised on appeal. Affirmative defenses must be specifically stated. Some important affirmative defenses are listed on the OSHAB website at: <http://www.dir.ca.gov/OSHAB/oshab.html>
The proposed penalty is unconscionable and unconstitutionally excessive and in excess of jurisdiction ; there is a lack of jurisdiction; volunteers were trained in safety protocols; "evidence" was illegally obtained; there was no violation and no violation of CCR, Title 8, Section 461(a) and/or (f) and/or 5194(e)(1)

4.



(Signature of Employer or Employer's Representative)

{If there is any change in representation after you file your appeal, you must notify the Appeals Board in writing}

C. GRANVILLE-MATHEWS

(Type or print name)

Attorney

(Title)

350 S. Figueroa St. Suite 437,

(Address) {Address where all communications from the Appeals Board will be sent}

L.A.

CA

90071

(City)

(State)

(Zip Code)

310 906 7987

cgmlaw@gmail.com

2/23/12

(Telephone)

(E-Mail Address)

(Date)

{All correspondence from the Appeals Board will be sent to the representative above at the address above. If there is any change in address, telephone number, and/or e-mail address after you file your appeal, you must notify the Appeals Board of the change(s). All such notifications must be in writing}

IMPORTANT INFORMATION

- A. Use this form to appeal a Citation, Notification of Failure to Abate Alleged Violation, or Special Order/Special Action.
- B. You must complete *a separate appeal form for each citation or notification* you wish to appeal and *attach a copy of the complete citation or notification that you are appealing.*
- C. If the citation or notification being appealed includes more than one item **do not use separate appeals forms for each item.** Instead, specify the items you are appealing in the space provided in No. 1 on the front of this form. (for example, "Citation No. 1, Item Nos. 2, 5, and 8)
- D. **Be sure to sign your appeal form and provide all the information requested in No. 4 above.**
- E. Your appeal form shall be deemed not completed unless you attach a copy of each citation or notification that you are appealing, and failure to file a completed appeal form may result in dismissal of the appeal.
- F. If you or your representative change address, telephone number, and/or e-mail address, it is your responsibility to notify the Appeals Board in writing of the change(s). Otherwise the Appeals Board will continue to use the address it has on file and you risk not receiving notices or other communications from the Appeals Board. Appeals Board regulations make it the employer's obligation to notify the Appeals Board of any changes to the employer's and/or representative's contact information.
- G. Mail each completed Appeal form and citation or notification to the Occupational Safety and Health Appeals Board, 2520 Venture Oaks Way, Suite 300, Sacramento, CA 95833.
- H. Late appeals will not be accepted unless good cause is shown.

State of California

Division of Occupational Safety and Health
Van Nuys District Office (0950643; 4046)
6150 Van Nuys Boulevard, Suite 405
Van Nuys, CA 91401

Inspection Number: 314825910
Inspection Dates: 08/09/2011 - 02/07/2012
Issuance Date: 02/07/2012
CSHO ID: L0323
Optional Inspection Nbr: 009-12



Citation and Notification of Penalty

RECEIVED

FEB 27 2012

Company Name: Rainbow of Hope aka Rainbow of Hope Foundation
Inspection Site: 12349 Gladstone Ave, Sylmar, CA 91342

OSH Appeals Board

Citation 1 Item 1 Type of Violation: Regulatory

California Code of Regulations, Title 8, Section 461(a) - Permits to Operate

(a) Except during the time that a request for a permit remains unacted upon or as permitted in Section 461(f), no air tank shall be operated unless a permit to operate has been issued.

Reference:

California Code of Regulations, Title 8, Section 461(f) - Permits to Operate

(f) Air tanks having a volume of 1 1/2 cubic feet or less which have safety valves set to open at not more than 150 psi do not require permits to operate, but shall comply with all other provisions of these Orders, including construction. Air tanks used for self-contained breathing apparatus and having a volumetric capacity of 1 cubic foot or less and constructed, inspected, and maintained in accordance with DOT regulations do not require permits to operate.

Violation:

On and before 8/9/11, the employer utilized two pressure vessel tanks in the operation of an air compressor. No permit to operate had been issued for the tanks associated with Ingersoll Rand S/N: 0404160241 (located outside of the building at the south-east corner) and Coleman Powermate Compressors S/N: Z31412048 (located inside of the building, in the work area called "Area 51").

Date By Which Violation Must be Abated:

03/02/2012

Proposed Penalty:

\$ 250.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

State of California

Division of Occupational Safety and Health
Van Nuys District Office (0950643; 4046)
6150 Van Nuys Boulevard, Suite 405
Van Nuys, CA 91401

Inspection Number: 314825910

Inspection Dates: 08/09/2011-02/07/2012

Issuance Date: 02/07/2012

CSHO ID: L0323

Optional Inspection Nbr: 009-12



RECEIVED

FEB 27 2012

OSH Appeals Board

Citation and Notification of Penalty

Company Name: Rainbow of Hope aka Rainbow of Hope Foundation

Inspection Site: 12349 Gladstone Ave, Sylmar, CA 91342

Citation 1 Item 2 Type of Violation: General

California Code of Regulations, Title 8, Section 5194(e)(1) - Hazard Communication

(e) Written Hazard Communication Program.

(1) Employers shall develop, implement, and maintain at the workplace a written hazard communication program for their employees which at least describes how the criteria specified in sections 5194(f), (g), and (h) for labels and other forms of warning, material safety data sheets, and employee information and training will be met, and which also includes the following:

(A) A list of the hazardous substances known to be present using an identity that is referenced on the appropriate material safety data sheet (the list may be compiled for the workplace as a whole or for individual work areas);

(B) The methods the employer will use to inform employees of the hazards of non-routine tasks (for example, the cleaning of reactor vessels), and the hazards associated with substances contained in unlabeled pipes in their work areas.

Violation:

On and before 8/9/11, the employer did not develop and implement a written Hazard Communication Program for employees using various compressed and flammable gases.

Date By Which Violation Must be Abated:

03/02/2012

Proposed Penalty:

\$ 625.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

OCCUPATIONAL SAFETY AND HEALTH APPEALS BOARD

2520 Venture Oaks Way, Suite 300

Sacramento, CA 95833

(916) 274-5751

FAX (916) 274-5785

RECEIVED

FEB 27 2012

APPEAL FORM OSH Appeals Board

314825910

Inspection Number on Citation

2012-R4D3-0652

Rainbow of Hope Foundation

Employer Name on Citation

1. You only have 15 working days from receipt of a citation to appeal.

Rainbow of Hope Foundation

Employer Legal Name or DBA (Optional)

2. A copy of this form must be attached to each citation or notification appealed. Failure to file a completed form may result in dismissal of the appeal.

Address

350 S. Figueroa St., Suite 437, L.A., CA 90071

FIRST READ IMPORTANT INFORMATION ON THE REVERSE SIDE THEN COMPLETE ONE APPEAL FORM FOR EACH CITATION

1. This is an Appeal from:

[x] CITATION NO(s): 2 Item No(s): 1

[] NOTIFICATION OF FAILURE TO ABATE ALLEGED VIOLATION CITATION NO(s): Item No(s):

[] SPECIAL ORDER/SPECIAL ACTION NO: Item No(s):

2. Specific ground(s) for this appeal are: (Check all that apply)

[x] The safety order was not violated.

[x] The classification (i.e. serious, willful, repeat) is incorrect.


[] The abatement requirements are unreasonable.

[] Required changes [] Time allowed to complete changes

[x] The proposed penalty is unreasonable.

3. Explain any other reasons for appeal or issues to be raised on appeal. Affirmative defenses must be specifically stated. Some important affirmative defenses are listed on the OSHAB website at: http://www.dir.ca.gov/OSHAB/oshab.html The proposed penalty is unconscionable and unconstitutionally excessive and in excess of jurisdiction ; there is a lack of jurisdiction; volunteers were trained in safety protocols; "evidence" was illegally obtained; there was no violation and no violation of CCR, Title 8, Section 2340.1

4.



(Signature of Employer or Employer's Representative)

{If there is any change in representation after you file your appeal, you must notify the Appeals Board in writing}

C. GRANVILLE-MATHEWS

(Type or print name)

Attorney

(Title)

350 S. Figueroa St. Suite 437,

(Address) {Address where all communications from the Appeals Board will be sent}

L.A.

CA

90071

(City)

(State)

(Zip Code)

310 906 7987

cgmlaw@gmail.com

2/23/12

(Telephone)

(E-Mail Address)

(Date)

{All correspondence from the Appeals Board will be sent to the representative above at the address above. If there is any change in address, telephone number, and/or e-mail address after you file your appeal, you must notify the Appeals Board of the change(s). All such notifications must be in writing}

IMPORTANT INFORMATION

- A. Use this form to appeal a Citation, Notification of Failure to Abate Alleged Violation, or Special Order/Special Action.
- B. You must complete *a separate appeal form for each citation or notification* you wish to appeal and *attach a copy of the complete citation or notification that you are appealing.*
- C. If the citation or notification being appealed includes more than one item **do not use separate appeals forms for each item.** Instead, specify the items you are appealing in the space provided in No. 1 on the front of this form. (for example, "Citation No. 1, Item Nos. 2, 5, and 8)
- D. **Be sure to sign your appeal form and provide all the information requested in No. 4 above.**
- E. Your appeal form shall be deemed not completed unless you attach a copy of each citation or notification that you are appealing, and failure to file a completed appeal form may result in dismissal of the appeal.
- F. If you or your representative change address, telephone number, and/or e-mail address, it is your responsibility to notify the Appeals Board in writing of the change(s). Otherwise the Appeals Board will continue to use the address it has on file and you risk not receiving notices or other communications from the Appeals Board. Appeals Board regulations make it the employer's obligation to notify the Appeals Board of any changes to the employer's and/or representative's contact information.
- G. Mail each completed Appeal form and citation or notification to the Occupational Safety and Health Appeals Board, 2520 Venture Oaks Way, Suite 300, Sacramento, CA 95833.
- H. Late appeals will not be accepted unless good cause is shown.

State of California

Division of Occupational Safety and Health
Van Nuys District Office (0950643; 4046)
6150 Van Nuys Boulevard, Suite 405
Van Nuys, CA 91401

Inspection Number: 314825910
Inspection Dates: 08/09/2011 - 02/07/2012
Issuance Date: 02/07/2012
CSHO ID: L0323
Optional Inspection Nbr: 009-12



RECEIVED
FEB 27 2012

Citation and Notification of Penalty

Company Name: Rainbow of Hope aka Rainbow of Hope Foundation
Inspection Site: 12349 Gladstone Ave, Sylmar, CA 91342

OSH Appeals Board

Citation 2 Item 1 Type of Violation: **Serious**

California Code of Regulations, Title 8, Section 2340.1 Maintenance

Electrical equipment shall be maintained free from recognized hazards that are likely to cause death or serious physical harm to employees.

Violation:

On and before 8/9/11, in the production area, non-insulated copper pipes were used as conductors on the output side of the ASTEC power supplies of the P4 generator used in the production of TyLar gas. The output current ranges from 12VDC at 75A to 6VDC at 150A.

Date By Which Violation Must be Abated:
Proposed Penalty:

03/02/2012
\$ 6750.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

OCCUPATIONAL SAFETY AND HEALTH APPEALS BOARD

2520 Venture Oaks Way, Suite 300
Sacramento, CA 95833
(916) 274-5751
FAX (916) 274-5785

RECEIVED

FEB 27 2012

OSH Appeals Board

APPEAL FORM

314825910
Inspection Number on Citation

2012-R4 D 3 -0653

Rainbow of Hope Foundation
Employer Name on Citation

1. You only have 15 working days from receipt of a citation to appeal.

Rainbow of Hope Foundation

Employer Legal Name or DBA (Optional)

2. A copy of this form must be attached to each citation or notification appealed. Failure to file a completed form may result in dismissal of the appeal.

Address
350 S. Figueroa St., Suite 437, L.A., CA 90071

FIRST READ IMPORTANT INFORMATION ON THE REVERSE SIDE
THEN COMPLETE ONE APPEAL FORM FOR EACH CITATION

1. This is an Appeal from:

[x] CITATION NO(s): 3 Item No(s): 1

[] NOTIFICATION OF FAILURE TO ABATE ALLEGED VIOLATION
CITATION NO(s): Item No(s):

[] SPECIAL ORDER/SPECIAL ACTION NO:
Item No(s):

2. Specific ground(s) for this appeal are: (Check all that apply)

[x] The safety order was not violated.

[x] The classification (i.e. serious, willful, repeat) is incorrect.


[] The abatement requirements are unreasonable.

[] Required changes [] Time allowed to complete changes

[x] The proposed penalty is unreasonable.

3. Explain any other reasons for appeal or issues to be raised on appeal. Affirmative defenses must be specifically stated. Some important affirmative defenses are listed on the OSHAB website at: <http://www.dir.ca.gov/OSHAB/oshab.html>
The proposed penalty is unconscionable and unconstitutionally excessive and in excess of jurisdiction ; there is a lack of jurisdiction; volunteers were trained in safety protocols; "evidence" was illegally obtained; there was no violation and no violation of CCR, Title 8, Section 2540.3(a)

4.



(Signature of Employer or Employer's Representative)

{If there is any change in representation after you file your appeal, you must notify the Appeals Board in writing}

C. GRANVILLE-MATHEWS

(Type or print name)

Attorney

(Title)

350 S. Figueroa St. Suite 437,

(Address) {Address where all communications from the Appeals Board will be sent}

L.A.

CA

90071

(City)

(State)

(Zip Code)

310 906 7987

cgm1aw@gmail.com

2/23/12

(Telephone)

(E-Mail Address)

(Date)

{All correspondence from the Appeals Board will be sent to the representative above at the address above. If there is any change in address, telephone number, and/or e-mail address after you file your appeal, you must notify the Appeals Board of the change(s). All such notifications must be in writing}

IMPORTANT INFORMATION

- A. Use this form to appeal a Citation, Notification of Failure to Abate Alleged Violation, or Special Order/Special Action.
- B. You must complete *a separate appeal form for each citation or notification* you wish to appeal and *attach a copy of the complete citation or notification that you are appealing.*
- C. If the citation or notification being appealed includes more than one item **do not use separate appeals forms for each item.** Instead, specify the items you are appealing in the space provided in No. 1 on the front of this form. (for example, "Citation No. 1, Item Nos. 2, 5, and 8)
- D. **Be sure to sign your appeal form and provide all the information requested in No. 4 above.**
- E. Your appeal form shall be deemed not completed unless you attach a copy of each citation or notification that you are appealing, and failure to file a completed appeal form may result in dismissal of the appeal.
- F. If you or your representative change address, telephone number, and/or e-mail address, it is your responsibility to notify the Appeals Board in writing of the change(s). Otherwise the Appeals Board will continue to use the address it has on file and you risk not receiving notices or other communications from the Appeals Board. Appeals Board regulations make it the employer's obligation to notify the Appeals Board of any changes to the employer's and/or representative's contact information.
- G. Mail each completed Appeal form and citation or notification to the Occupational Safety and Health Appeals Board, 2520 Venture Oaks Way, Suite 300, Sacramento, CA 95833.
- H. Late appeals will not be accepted unless good cause is shown.

State of California

Division of Occupational Safety and Health
Van Nuys District Office (0950643; 4046)
6150 Van Nuys Boulevard, Suite 405
Van Nuys, CA 91401

Inspection Number: 314825910
Inspection Dates: 08/09/2011 - 02/07/2012
Issuance Date: 02/07/2012
CSHO ID: L0323
Optional Inspection Nbr: 009-12



Citation and Notification of Penalty

RECEIVED
FEB 27 2012

Company Name: Rainbow of Hope aka Rainbow of Hope Foundation
Inspection Site: 12349 Gladstone Ave, Sylmar, CA 91342

OSH Appeals Board

Citation 3 Item 1 Type of Violation: Willful Serious

California Code of Regulations, Title 8, Section 2540.3(a) Electrical Installations

(a) Equipment, wiring methods and installations of equipment in hazardous (classified) locations shall be one or more of the following:

- (1) Intrinsically safe.
- (2) Approved for the hazardous (classified) location.
- (3) Safe for the hazardous (classified) location.

Violation:

On and before 8/9/11, the employer was conducting Class 1 Division 2 operations involving flammable TyLar gas in a work area where electrical installations of the building, equipment, and machinery used were not designed for the hazardous location.

The MSDS prepared by an officer of Rainbow of Hope and Strategic Sciences Inc warns for installation of Class 1 electrical equipment in areas where TyLar gas is handled, yet the employer allowed employees to conduct TyLar gas research and manufacturing operations without such measures in place to prevent against accidental explosion hazards.

Date By Which Violation Must be Abated:	03/02/2012
Proposed Penalty:	\$ 67500.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

2520 Venture Oaks Way, Suite 300
Sacramento, CA 95833
(916) 274-5751
FAX (916) 274-5785

RECEIVED

FEB 27 2012

OSH Appeals Board

APPEAL FORM

314825910 _____

Inspection Number on Citation

2012-R4 D 3 -0654

Rainbow of Hope Foundation _____

Employer Name on Citation

1. You only have 15 working days from receipt of a citation to appeal.

Rainbow of Hope Foundation

Employer Legal Name or DBA (Optional)

2. A copy of this form must be attached to each citation or notification appealed. Failure to file a completed form may result in dismissal of the appeal.

Address

350 S. Figueroa St., Suite 437, L.A., CA 90071

**FIRST READ IMPORTANT INFORMATION ON THE REVERSE SIDE
THEN COMPLETE ONE APPEAL FORM FOR EACH CITATION**

1. This is an Appeal from:

CITATION NO(s): 4 _____ Item No(s): 1 _____

NOTIFICATION OF FAILURE TO ABATE ALLEGED VIOLATION
CITATION NO(s): _____ Item No(s): _____

SPECIAL ORDER/SPECIAL ACTION NO: _____
Item No(s): _____

2. Specific ground(s) for this appeal are: (Check all that apply)

The safety order was not violated.

The classification (i.e. serious, willful, repeat) is incorrect.

The abatement requirements are unreasonable.

Required changes Time allowed to complete changes

The proposed penalty is unreasonable.

3. Explain any other reasons for appeal or issues to be raised on appeal. Affirmative defenses must be specifically stated. Some important affirmative defenses are listed on the OSHAB website at: <http://www.dir.ca.gov/OSHAB/oshab.html>
The proposed penalty is unconscionable and unconstitutionally excessive and in excess of jurisdiction; there is a lack of jurisdiction; volunteers were trained in safety protocols; "evidence" was illegally obtained; there was no violation and no violation of CCR, Title 8, Section 3203(a)

4.



(Signature of Employer or Employer's Representative)

{If there is any change in representation after you file your appeal, you must notify the Appeals Board in writing}

C. GRANVILLE-MATHEWS

(Type or print name)

Attorney

(Title)

350 S. Figueroa St. Suite 437,

(Address) {Address where all communications from the Appeals Board will be sent}

L.A.

CA

90071

(City)

(State)

(Zip Code)

310 906 7987

cgmlaw@gmail.com

2/23/12

(Telephone)

(E-Mail Address)

(Date)

{All correspondence from the Appeals Board will be sent to the representative above at the address above. If there is any change in address, telephone number, and/or e-mail address after you file your appeal, you must notify the Appeals Board of the change(s). All such notifications must be in writing}

IMPORTANT INFORMATION

- A. Use this form to appeal a Citation, Notification of Failure to Abate Alleged Violation, or Special Order/Special Action.
- B. You must complete *a separate appeal form for each citation or notification* you wish to appeal and *attach a copy of the complete citation or notification that you are appealing.*
- C. If the citation or notification being appealed includes more than one item **do not use separate appeals forms for each item.** Instead, specify the items you are appealing in the space provided in No. 1 on the front of this form. (for example, "Citation No. 1, Item Nos. 2, 5, and 8)
- D. **Be sure to sign your appeal form and provide all the information requested in No. 4 above.**
- E. Your appeal form shall be deemed not completed unless you attach a copy of each citation or notification that you are appealing, and failure to file a completed appeal form may result in dismissal of the appeal.
- F. If you or your representative change address, telephone number, and/or e-mail address, it is your responsibility to notify the Appeals Board in writing of the change(s). Otherwise the Appeals Board will continue to use the address it has on file and you risk not receiving notices or other communications from the Appeals Board. Appeals Board regulations make it the employer's obligation to notify the Appeals Board of any changes to the employer's and/or representative's contact information.
- G. Mail each completed Appeal form and citation or notification to the Occupational Safety and Health Appeals Board, 2520 Venture Oaks Way, Suite 300, Sacramento, CA 95833.
- H. Late appeals will not be accepted unless good cause is shown.

State of California

Division of Occupational Safety and Health
Van Nuys District Office (0950643; 4046)
6150 Van Nuys Boulevard, Suite 405
Van Nuys, CA 91401

Inspection Number: 314825910
Inspection Dates: 08/09/2011-02/07/2012
Issuance Date: 02/07/2012
CSHO ID: L0323
Optional Inspection Nbr: 009-12



RECEIVED

FEB 27 2012

OSH Appeals Board

Citation and Notification of Penalty

Company Name: Rainbow of Hope aka Rainbow of Hope Foundation
Inspection Site: 12349 Gladstone Ave, Sylmar, CA 91342

Citation 4 Item 1 Type of Violation: **Serious**

California Code of Regulations, Title 8, Section 3203(a) Injury Illness Prevention Program

(a) Effective July 1, 1991, every employer shall establish, implement and maintain an effective Injury and Illness Prevention Program (Program). The Program shall be in writing and, shall, at a minimum:
(1) Identify the person or persons with authority and responsibility for implementing the Program.
(2) Include a system for ensuring that employees comply with safe and healthy work practices. Substantial compliance with this provision includes recognition of employees who follow safe and healthful work practices, training and retraining programs, disciplinary actions, or any other such means that ensures employee compliance with safe and healthful work practices.

(3) Include a system for communicating with employees in a form readily understandable by all affected employees on matters relating to occupational safety and health, including provisions designed to encourage employees to inform the employer of hazards at the worksite without fear of reprisal. Substantial compliance with this provision includes meetings, training programs, posting, written communications, a system of anonymous notification by employees about hazards, labor/management safety and health committees, or any other means that ensures communication with employees.

EXCEPTION: Employers having fewer than 10 employees shall be permitted to communicate to and instruct employees orally in general safe work practices with specific instructions with respect to hazards unique to the employees' job assignments as compliance with subsection (a)(3).

(4) Include procedures for identifying and evaluating work place hazards including scheduled periodic inspections to identify unsafe conditions and work practices. Inspections shall be made to identify and evaluate hazards.

(A) When the Program is first established;

EXCEPTION: Those employers having in place on July 1, 1991, a written Injury and Illness Prevention Program complying with previously existing section 3203.

(B) Whenever new substances, processes, procedures, or equipment are introduced to the workplace that represent a new occupational safety and health hazard; and

(C) Whenever the employer is made aware of a new or previously unrecognized hazard.

(5) Include a procedure to investigate occupational injury or occupational illness.

(6) Include methods and/or procedures for correcting unsafe or unhealthy conditions, work practices and work procedures in a timely manner based on the severity of the hazard:

(A) When observed or discovered; and,

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

State of California

Division of Occupational Safety and Health
Van Nuys District Office (0950643; 4046)
6150 Van Nuys Boulevard, Suite 405
Van Nuys, CA 91401

Inspection Number: 314825910

Inspection Dates: 08/09/2011-02/07/2012

Issuance Date: 02/07/2012

CSHO ID: L0323

Optional Inspection Nbr: 009-12



Citation and Notification of Penalty

Company Name: Rainbow of Hope aka Rainbow of Hope Foundation

Inspection Site: 12349 Gladstone Ave, Sylmar, CA 91342

(B) When an imminent hazard exists which cannot be immediately abated without endangering employee(s) and/or property, remove all exposed personnel from the area except those necessary to correct the existing condition. Employees necessary to correct the hazardous condition shall be provided the necessary safeguards.

(7) Provide training and instruction:

(A) When the program is first established;

EXCEPTION: Employers having in place on July 1, 1991, a written Injury and Illness Prevention Program complying with the previously existing Accident Prevention Program in Section 3203.

(B) To all new employees;

(C) To all employees given new job assignments for which training has not previously been received;

(D) Whenever new substances, processes, procedures or equipment are introduced to the workplace and represent a new hazard;

(E) Whenever the employer is made aware of a new or previously unrecognized hazard; and, (F) For supervisors to familiarize themselves with the safety and health hazards to which employees under their immediate direction and control may be exposed.

Violation:

Instance 1

The employer had not established, implemented, and maintained a written Injury and Illness Prevention Program which included all of the elements required by section 3203(a).

Instance 2

As of the 8/9/11 explosion, the employer had not corrected hazardous conditions that were previously identified in two prior explosions. The employer continued to manufacture TyLar gas without protecting employees from explosion hazards and or incompatible mixtures, such as oxygen and hydrogen.

Date By Which Violation Must be Abated:

03/02/2012

Proposed Penalty:

\$ 6750.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

2520 Venture Oaks Way, Suite 300
Sacramento, CA 95833
(916) 274-5751
FAX (916) 274-5785

RECEIVED

FEB 27 2012

OSH Appeals Board

APPEAL FORM

314825910 _____
Inspection Number on Citation

2012-R4 D3 -0655

Rainbow of Hope Foundation _____
Employer Name on Citation

1. You only have 15 working days from receipt of a citation to appeal.

Rainbow of Hope Foundation

Employer Legal Name or DBA (Optional)

2. A copy of this form must be attached to each citation or notification appealed. Failure to file a completed form may result in dismissal of the appeal.

Address

350 S. Figueroa St., Suite 437, L.A., CA 90071

**FIRST READ IMPORTANT INFORMATION ON THE REVERSE SIDE
THEN COMPLETE ONE APPEAL FORM FOR EACH CITATION**

1. This is an Appeal from:

CITATION NO(s): 5 _____ Item No(s): 1 _____

NOTIFICATION OF FAILURE TO ABATE ALLEGED VIOLATION
CITATION NO(s): _____ Item No(s): _____

SPECIAL ORDER/SPECIAL ACTION NO: _____
Item No(s): _____

2. Specific ground(s) for this appeal are: (Check all that apply)

The safety order was not violated.

The classification (i.e. serious, willful, repeat) is incorrect.

The abatement requirements are unreasonable.

Required changes Time allowed to complete changes

The proposed penalty is unreasonable.

3. Explain any other reasons for appeal or issues to be raised on appeal. Affirmative defenses must be specifically stated. Some important affirmative defenses are listed on the OSHAB website at: <http://www.dir.ca.gov/OSHAB/oshab.html>
The proposed penalty is unconscionable and unconstitutionally excessive and in excess of jurisdiction; there is a lack of jurisdiction; volunteers were trained in safety protocols; "evidence" was illegally obtained; there was no violation and no violation of CCR, Title 8, Section 3328(a)

4.



(Signature of Employer or Employer's Representative)

{If there is any change in representation after you file your appeal, you must notify the Appeals Board in writing}

C. GRANVILLE-MATHEWS

(Type or print name)

Attorney

(Title)

350 S. Figueroa St. Suite 437,

(Address) {Address where all communications from the Appeals Board will be sent}

L.A.

CA

90071

(City)

(State)

(Zip Code)

310 906 7987

cgmlaw@gmail.com

2/23/12

(Telephone)

(E-Mail Address)

(Date)

{All correspondence from the Appeals Board will be sent to the representative above at the address above. If there is any change in address, telephone number, and/or e-mail address after you file your appeal, you must notify the Appeals Board of the change(s). All such notifications must be in writing}

IMPORTANT INFORMATION

- A. Use this form to appeal a Citation, Notification of Failure to Abate Alleged Violation, or Special Order/Special Action.
- B. You must complete *a separate appeal form for each citation or notification* you wish to appeal and *attach a copy of the complete citation or notification that you are appealing.*
- C. If the citation or notification being appealed includes more than one item **do not use separate appeals forms for each item.** Instead, specify the items you are appealing in the space provided in No. 1 on the front of this form. (for example, "Citation No. 1, Item Nos. 2, 5, and 8)
- D. **Be sure to sign your appeal form and provide all the information requested in No. 4 above.**
- E. Your appeal form shall be deemed not completed unless you attach a copy of each citation or notification that you are appealing, and failure to file a completed appeal form may result in dismissal of the appeal.
- F. If you or your representative change address, telephone number, and/or e-mail address, it is your responsibility to notify the Appeals Board in writing of the change(s). Otherwise the Appeals Board will continue to use the address it has on file and you risk not receiving notices or other communications from the Appeals Board. Appeals Board regulations make it the employer's obligation to notify the Appeals Board of any changes to the employer's and/or representative's contact information.
- G. Mail each completed Appeal form and citation or notification to the Occupational Safety and Health Appeals Board, 2520 Venture Oaks Way, Suite 300, Sacramento, CA 95833.
- H. Late appeals will not be accepted unless good cause is shown.

State of California

Division of Occupational Safety and Health
Van Nuys District Office (0950643; 4046)
6150 Van Nuys Boulevard, Suite 405
Van Nuys, CA 91401

Inspection Number: 314825910
Inspection Dates: 08/09/2011 - 02/07/2012
Issuance Date: 02/07/2012
CSHO ID: L0323
Optional Inspection Nbr: 009-12



Citation and Notification of Penalty

RECEIVED

FEB 27 2012

Company Name: Rainbow of Hope aka Rainbow of Hope Foundation
Inspection Site: 12349 Gladstone Ave, Sylmar, CA 91342

OSH Appeals Board

Citation 5 Item 1 Type of Violation: **Serious**

California Code of Regulations, Title 8, Section 3328(a) Machinery and Equipment

(a) Machinery and equipment shall be of adequate design and shall not be used or operated under conditions of speeds, stresses, or loads which endanger employees.

Violation:

On and before 8/9/11, a pressure vessel specifically designed per manufacturer to store CNG (compressed natural gas), was used to store TyLar gas (alternative/experimental fuel, containing hydrogen and oxygen gases): TUFFSHELL "CNG ONLY" vessel. S/N: 098-022, Model#: RB36B18-049LM.

Date By Which Violation Must be Abated: 03/02/2012
Proposed Penalty: \$ 6750.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

OCCUPATIONAL SAFETY AND HEALTH APPEALS BOARD

2520 Venture Oaks Way, Suite 300
Sacramento, CA 95833
(916) 274-5751
FAX (916) 274-5785

RECEIVED

FEB 27 2012

OSH Appeals Board

APPEAL FORM

314825910
Inspection Number on Citation

2012-R4 D3 -0656

Rainbow of Hope Foundation
Employer Name on Citation

1. You only have 15 working days from receipt of a citation to appeal.

Rainbow of Hope Foundation

Employer Legal Name or DBA (Optional)

2. A copy of this form must be attached to each citation or notification appealed. Failure to file a completed form may result in dismissal of the appeal.

Address
350 S. Figueroa St., Suite 437, L.A., CA 90071

FIRST READ IMPORTANT INFORMATION ON THE REVERSE SIDE
THEN COMPLETE ONE APPEAL FORM FOR EACH CITATION

- 1. This is an Appeal from:
 - CITATION NO(s): 6 _____ Item No(s): 1 _____
 - NOTIFICATION OF FAILURE TO ABATE ALLEGED VIOLATION
CITATION NO(s): _____ Item No(s): _____
 - SPECIAL ORDER/SPECIAL ACTION NO: _____
Item No(s): _____

- 2. Specific ground(s) for this appeal are: (Check all that apply)
 - The safety order was not violated.
 - The classification (i.e. serious, willful, repeat) is incorrect.
 - The abatement requirements are unreasonable.
 - Required changes Time allowed to complete changes
 - The proposed penalty is unreasonable.

3. Explain any other reasons for appeal or issues to be raised on appeal. Affirmative defenses must be specifically stated. Some important affirmative defenses are listed on the OSHAB website at: <http://www.dir.ca.gov/OSHAB/oshab.html>
The proposed penalty is unconscionable and unconstitutionally excessive and in excess of jurisdiction; there is a lack of jurisdiction; volunteers were trained in safety protocols; "evidence" was illegally obtained; there was no violation and no violation of CCR, Title 8, Section 5164(a)

4.



(Signature of Employer or Employer's Representative)

{If there is any change in representation after you file your appeal, you must notify the Appeals Board in writing}

C. GRANVILLE-MATHEWS

(Type or print name)

Attorney

(Title)

350 S. Figueroa St. Suite 437,

(Address) {Address where all communications from the Appeals Board will be sent}

L.A.

CA

90071

(City)

(State)

(Zip Code)

310 906 7987

cgmlaw@gmail.com

2/23/12

(Telephone)

(E-Mail Address)

(Date)

{All correspondence from the Appeals Board will be sent to the representative above at the address above. If there is any change in address, telephone number, and/or e-mail address after you file your appeal, you must notify the Appeals Board of the change(s). All such notifications must be in writing}

IMPORTANT INFORMATION

- A. Use this form to appeal a Citation, Notification of Failure to Abate Alleged Violation, or Special Order/Special Action.
- B. You must complete *a separate appeal form for each citation or notification* you wish to appeal and *attach a copy of the complete citation or notification that you are appealing.*
- C. If the citation or notification being appealed includes more than one item **do not use separate appeals forms for each item.** Instead, specify the items you are appealing in the space provided in No. 1 on the front of this form. (for example, "Citation No. 1, Item Nos. 2, 5, and 8)
- D. **Be sure to sign your appeal form and provide all the information requested in No. 4 above.**
- E. Your appeal form shall be deemed not completed unless you attach a copy of each citation or notification that you are appealing, and failure to file a completed appeal form may result in dismissal of the appeal.
- F. If you or your representative change address, telephone number, and/or e-mail address, it is your responsibility to notify the Appeals Board in writing of the change(s). Otherwise the Appeals Board will continue to use the address it has on file and you risk not receiving notices or other communications from the Appeals Board. Appeals Board regulations make it the employer's obligation to notify the Appeals Board of any changes to the employer's and/or representative's contact information.
- G. Mail each completed Appeal form and citation or notification to the Occupational Safety and Health Appeals Board, 2520 Venture Oaks Way, Suite 300, Sacramento, CA 95833.
- H. Late appeals will not be accepted unless good cause is shown.

State of California

Division of Occupational Safety and Health
Van Nuys District Office (0950643; 4046)
6150 Van Nuys Boulevard, Suite 405
Van Nuys, CA 91401

Inspection Number: 314825910

Inspection Dates: 08/09/2011-02/07/2012

Issuance Date: 02/07/2012

CSHO ID: L0323

Optional Inspection Nbr: 009-12



RECEIVED

FEB 27 2012

OSH Appeals Board

Citation and Notification of Penalty

Company Name: Rainbow of Hope aka Rainbow of Hope Foundation
Inspection Site: 12349 Gladstone Ave, Sylmar, CA 91342

Citation 6 Item 1 Type of Violation: **Willful Serious**

California Code of Regulations, Title 8, Section 5164(a) - Storage of Hazardous Substances

(a) Substances which, when mixed, react violently, or evolve toxic vapors or gases, or which in combination become hazardous by reason of toxicity, oxidizing power, flammability, explosibility, or other properties, shall be evaluated for compatibility before storing. Incompatible substances shall be separated from each other in storage by distance, or by partitions, dikes, berms, secondary containment or otherwise, so as to preclude accidental contact between them.

Note: Some typical examples of such incompatible substances are: Mineral acids and oxidizing agents; mineral acids and cyanides; oxidizing agents and combustible materials; acids and alkalis.

Violation:

On and before 8/9/11, compressed oxygen and hydrogen gases, known incompatibles, were stored together as ingredients of TyLar gas in pressurized vessels prior to use for testing, demonstrations, and/or shipment. The employer previously knew that hydrogen gas is incompatible with oxidizers, yet continued to manufacture and store the two gases (oxygen and hydrogen) in mixture together.

Date By Which Violation Must be Abated:

03/02/2012

Proposed Penalty:

\$ 67500.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

OCCUPATIONAL SAFETY AND HEALTH APPEALS BOARD

2520 Venture Oaks Way, Suite 300
Sacramento, CA 95833
(916) 274-5751
FAX (916) 274-5785

RECEIVED

FEB 27 2012

OSH Appeals Board

APPEAL FORM

314825910
Inspection Number on Citation

2012-R4D3-0657

Rainbow of Hope Foundation
Employer Name on Citation

1. You only have 15 working days from receipt of a citation to appeal.

Rainbow of Hope Foundation

Employer Legal Name or DBA (Optional)

2. A copy of this form must be attached to each citation or notification appealed. Failure to file a completed form may result in dismissal of the appeal.

Address
350 S. Figueroa St., Suite 437, L.A., CA 90071

FIRST READ IMPORTANT INFORMATION ON THE REVERSE SIDE THEN COMPLETE ONE APPEAL FORM FOR EACH CITATION


- 1. This is an Appeal from:
 - CITATION NO(s): 7 _____ Item No(s): 1 _____
 - NOTIFICATION OF FAILURE TO ABATE ALLEGED VIOLATION
CITATION NO(s): _____ Item No(s): _____
 - SPECIAL ORDER/SPECIAL ACTION NO: _____
Item No(s): _____

2. Specific ground(s) for this appeal are: (Check all that apply)

- The safety order was not violated.
- The classification (i.e. serious, willful, repeat) is incorrect.
- The abatement requirements are unreasonable.
- Required changes Time allowed to complete changes
- The proposed penalty is unreasonable.

3. Explain any other reasons for appeal or issues to be raised on appeal. Affirmative defenses must be specifically stated. Some important affirmative defenses are listed on the OSHAB website at: <http://www.dir.ca.gov/OSHAB/oshab.html>
The proposed penalty is unconscionable and unconstitutionally excessive and in excess of jurisdiction ; there is a lack of jurisdiction; volunteers were trained in safety protocols; "evidence" was illegally obtained; there was no violation and no violation of CCR, Title 8, Section 5194(f)(1)

4.



(Signature of Employer or Employer's Representative)

{If there is any change in representation after you file your appeal, you must notify the Appeals Board in writing}

C. GRANVILLE-MATHEWS

(Type or print name)

Attorney

(Title)

350 S. Figueroa St. Suite 437,

(Address) {Address where all communications from the Appeals Board will be sent}

L.A.

CA

90071

(City)

(State)

(Zip Code)

310 906 7987

cgm1aw@gmail.com

2/23/12

(Telephone)

(E-Mail Address)

(Date)

{All correspondence from the Appeals Board will be sent to the representative above at the address above. If there is any change in address, telephone number, and/or e-mail address after you file your appeal, you must notify the Appeals Board of the change(s). All such notifications must be in writing}

IMPORTANT INFORMATION

- A. Use this form to appeal a Citation, Notification of Failure to Abate Alleged Violation, or Special Order/Special Action.
- B. You must complete *a separate appeal form for each citation or notification* you wish to appeal and *attach a copy of the complete citation or notification that you are appealing.*
- C. If the citation or notification being appealed includes more than one item **do not use separate appeals forms for each item.** Instead, specify the items you are appealing in the space provided in No. 1 on the front of this form. (for example, "Citation No. 1, Item Nos. 2, 5, and 8)
- D. **Be sure to sign your appeal form and provide all the information requested in No. 4 above.**
- E. Your appeal form shall be deemed not completed unless you attach a copy of each citation or notification that you are appealing, and failure to file a completed appeal form may result in dismissal of the appeal.
- F. If you or your representative change address, telephone number, and/or e-mail address, it is your responsibility to notify the Appeals Board in writing of the change(s). Otherwise the Appeals Board will continue to use the address it has on file and you risk not receiving notices or other communications from the Appeals Board. Appeals Board regulations make it the employer's obligation to notify the Appeals Board of any changes to the employer's and/or representative's contact information.
- G. Mail each completed Appeal form and citation or notification to the Occupational Safety and Health Appeals Board, 2520 Venture Oaks Way, Suite 300, Sacramento, CA 95833.
- H. Late appeals will not be accepted unless good cause is shown.

State of California
Division of Occupational Safety and Health
Van Nuys District Office (0950643; 4046)
6150 Van Nuys Boulevard, Suite 405
Van Nuys, CA 91401

Inspection Number: 314825910
Inspection Dates: 08/09/2011 - 02/07/2012
Issuance Date: 02/07/2012
CSHO ID: L0323
Optional Inspection Nbr: 009-12



Citation and Notification of Penalty

Company Name: Rainbow of Hope aka Rainbow of Hope Foundation
Inspection Site: 12349 Gladstone Ave, Sylmar, CA 91342

RECEIVED
FEB 27 2012

OSH Appeals Board

Citation 7 Item 1 Type of Violation: Serious

California Code of Regulations, Title 8, Section 5194(f)(1) - Hazard Communication

(f) Labels and Other Forms of Warning.

(1) The manufacturer, importer, or distributor shall ensure that each container of hazardous substances leaving the workplace is labeled, tagged or marked with the following information:

- (A) Identity of the hazardous substance(s);
- (B) Appropriate hazard warnings; and
- (C) Name and address of the manufacturer, importer, or other responsible party.

Exception to (f)(1): For solid metal (such as a steel beam or a metal casting) that is not exempted as an article due to its downstream use, the required label may be transmitted to the customer at the time of the initial shipment, and need not be included with subsequent shipments to the same employer unless the information on the label changes. The label may be transmitted with the initial shipment itself, or with the material safety data sheet that is to be provided prior to or at the time of the first shipment. This exception to requiring labels on every container of hazardous substances is only for the solid metal itself and does not apply to hazardous substances used in conjunction with, or known to be present with, the metal and to which the employees handling the metal may be exposed (for example, cutting fluids or lubricants).

Violation:

The three cylinders containing TyLar gas, shipped by Strategic Sciences Inc and located at the Vanguard Logistics facility on 8/9/2011, were not labeled, tagged or marked as required.

Date By Which Violation Must be Abated: 03/02/2012
Proposed Penalty: \$ 6750.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

OCCUPATION, SAFETY AND HEALTH A. PEAL

2520 Venture Oaks Way, Suite 300

Sacramento, CA 95833

(916) 274-5751

FAX (916) 274-5785

RECEIVED

FEB 27 2012

OSH Appeals Board

APPEAL FORM

314825910 _____

Inspection Number on Citation

2012-R 4 D 3 -0658

Rainbow of Hope Foundation _____

Employer Name on Citation

1. You only have 15 working days from receipt of a citation to appeal.

Rainbow of Hope Foundation _____

Employer Legal Name or DBA (Optional)

2. A copy of this form must be attached to each citation or notification appealed. Failure to file a completed form may result in dismissal of the appeal.

Address

350 S. Figueroa St., Suite 437, L.A., CA 90071

**FIRST READ IMPORTANT INFORMATION ON THE REVERSE SIDE
THEN COMPLETE ONE APPEAL FORM FOR EACH CITATION**

1. This is an Appeal from:

CITATION NO(s): 8 _____ Item No(s): 1 _____

NOTIFICATION OF FAILURE TO ABATE ALLEGED VIOLATION
CITATION NO(s): _____ Item No(s): _____

SPECIAL ORDER/SPECIAL ACTION NO: _____
Item No(s): _____

2. Specific ground(s) for this appeal are: (Check all that apply)

The safety order was not violated.

The classification (i.e. serious, willful, repeat) is incorrect.


The abatement requirements are unreasonable.

Required changes Time allowed to complete changes

The proposed penalty is unreasonable.

3. Explain any other reasons for appeal or issues to be raised on appeal. Affirmative defenses must be specifically stated. Some important affirmative defenses are listed on the OSHAB website at: <http://www.dir.ca.gov/OSHAB/oshab.html>
The proposed penalty is unconscionable and unconstitutionally excessive and in excess of jurisdiction ; there is a lack of jurisdiction; volunteers were trained in safety protocols; "evidence" was illegally obtained; there was no violation and no violation of CCR, Title 8, Section 5194(g)(2)

4.



(Signature of Employer or Employer's Representative)

{If there is any change in representation after you file your appeal, you must notify the Appeals Board in writing}

C. GRANVILLE-MATHEWS

(Type or print name)

Attorney

(Title)

350 S. Figueroa St. Suite 437,

(Address) {Address where all communications from the Appeals Board will be sent}

L.A.

CA

90071

(City)

(State)

(Zip Code)

310 906 7987

cgmlaw@gmail.com

2/23/12

(Telephone)

(E-Mail Address)

(Date)

{All correspondence from the Appeals Board will be sent to the representative above at the address above. If there is any change in address, telephone number, and/or e-mail address after you file your appeal, you must notify the Appeals Board of the change(s). All such notifications must be in writing}

IMPORTANT INFORMATION

- A. Use this form to appeal a Citation, Notification of Failure to Abate Alleged Violation, or Special Order/Special Action.
- B. You must complete *a separate appeal form for each citation or notification* you wish to appeal and *attach a copy of the complete citation or notification that you are appealing.*
- C. If the citation or notification being appealed includes more than one item **do not use separate appeals forms for each item.** Instead, specify the items you are appealing in the space provided in No. 1 on the front of this form. (for example, "Citation No. 1, Item Nos. 2, 5, and 8)
- D. **Be sure to sign your appeal form and provide all the information requested in No. 4 above.**
- E. Your appeal form shall be deemed not completed unless you attach a copy of each citation or notification that you are appealing, and failure to file a completed appeal form may result in dismissal of the appeal.
- F. If you or your representative change address, telephone number, and/or e-mail address, it is your responsibility to notify the Appeals Board in writing of the change(s). Otherwise the Appeals Board will continue to use the address it has on file and you risk not receiving notices or other communications from the Appeals Board. Appeals Board regulations make it the employer's obligation to notify the Appeals Board of any changes to the employer's and/or representative's contact information.
- G. Mail each completed Appeal form and citation or notification to the Occupational Safety and Health Appeals Board, 2520 Venture Oaks Way, Suite 300, Sacramento, CA 95833.
- H. Late appeals will not be accepted unless good cause is shown.

State of California

Division of Occupational Safety and Health
Van Nuys District Office (0950643; 4046)
6150 Van Nuys Boulevard, Suite 405
Van Nuys, CA 91401

Inspection Number: 314825910
Inspection Dates: 08/09/2011- 02/07/2012
Issuance Date: 02/07/2012
CSHO ID: L0323
Optional Inspection Nbr: 009-12



RECEIVED
FEB 27 2012

Citation and Notification of Penalty

Company Name: Rainbow of Hope aka Rainbow of Hope Foundation
Inspection Site: 12349 Gladstone Ave, Sylmar, CA 91342

OSH Appeals Board

Citation 8 Item 1 Type of Violation: **Serious**

California Code of Regulations, Title 8, Section 5194(g)(2) - Hazard Communication

(g) Material Safety Data Sheets.

(2) Each material safety data sheet shall be in English (although the employer may maintain copies in other languages as well) and shall contain at least the following information:

(A) The identity used on the label, and, except as provided for in section 5194(i) on trade secrets^E

(C) The physical hazards of the hazardous substance, including the potential for fire, explosion, and reactivity^E

(H) Any generally applicable precautions for safe handling and use which are known to the manufacturer, importer, or employer preparing the material safety data sheet, including the appropriate hygienic practices, protective measures during repair and maintenance of contaminated equipment, and procedures for cleanup of spills and leaks^E

Violation:

On and before 8/9/11, the employer did not properly identify the components of the TyLar gas and its associated physical and chemical hazards as required.

Date By Which Violation Must be Abated:

03/02/2012

Proposed Penalty:

\$ 6750.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

OCCUPATIONAL SAFETY AND HEALTH APPEALS BOARD

2520 Venture Oaks Way, Suite 300
Sacramento, CA 95833
(916) 274-5751
FAX (916) 274-5785

RECEIVED

FEB 27 2012

OSH Appeals Board

APPEAL FORM

314825910
Inspection Number on Citation

2012-R 4 D 3 -0659

Rainbow of Hope Foundation
Employer Name on Citation

1. You only have 15 working days from receipt of a citation to appeal.

Rainbow of Hope Foundation
Employer Legal Name or DBA (Optional)

2. A copy of this form must be attached to each citation or notification appealed. Failure to file a completed form may result in dismissal of the appeal.

Address
350 S. Figueroa St., Suite 437, L.A., CA 90071

FIRST READ IMPORTANT INFORMATION ON THE REVERSE SIDE
THEN COMPLETE ONE APPEAL FORM FOR EACH CITATION

- 1. This is an Appeal from:
 - CITATION NO(s): 9 _____ Item No(s): 1 _____
 - NOTIFICATION OF FAILURE TO ABATE ALLEGED VIOLATION
CITATION NO(s): _____ Item No(s): _____
 - SPECIAL ORDER/SPECIAL ACTION NO: _____
Item No(s): _____

- 2. Specific ground(s) for this appeal are: (Check all that apply)
 - The safety order was not violated.
 - The classification (i.e. serious, willful, repeat) is incorrect.
 - The abatement requirements are unreasonable.
 - Required changes Time allowed to complete changes
 - The proposed penalty is unreasonable.

3. Explain any other reasons for appeal or issues to be raised on appeal. Affirmative defenses must be specifically stated. Some important affirmative defenses are listed on the OSHAB website at: <http://www.dir.ca.gov/OSHAB/oshab.html>
The proposed penalty is unconscionable and unconstitutionally excessive and in excess of jurisdiction ; there is a lack of jurisdiction; volunteers were trained in safety protocols; "evidence" was illegally obtained; there was no violation and no violation of CCR, Title 8, Section 5416(c) and/or 2540.2

4.



(Signature of Employer or Employer's Representative)

{If there is any change in representation after you file your appeal, you must notify the Appeals Board in writing}

C. GRANVILLE-MATHEWS

(Type or print name)

Attorney

(Title)

350 S. Figueroa St. Suite 437,

(Address) {Address where all communications from the Appeals Board will be sent}

L.A.

CA

90071

(City)

(State)

(Zip Code)

310 906 7987

cgmlaw@gmail.com

2/23/12

(Telephone)

(E-Mail Address)

(Date)

{All correspondence from the Appeals Board will be sent to the representative above at the address above. If there is any change in address, telephone number, and/or e-mail address after you file your appeal, you must notify the Appeals Board of the change(s). All such notifications must be in writing}

IMPORTANT INFORMATION

- A. Use this form to appeal a Citation, Notification of Failure to Abate Alleged Violation, or Special Order/Special Action.
- B. You must complete *a separate appeal form for each citation or notification* you wish to appeal and *attach a copy of the complete citation or notification that you are appealing.*
- C. If the citation or notification being appealed includes more than one item **do not use separate appeals forms for each item.** Instead, specify the items you are appealing in the space provided in No. 1 on the front of this form. (for example, "Citation No. 1, Item Nos. 2, 5, and 8)
- D. **Be sure to sign your appeal form and provide all the information requested in No. 4 above.**
- E. Your appeal form shall be deemed not completed unless you attach a copy of each citation or notification that you are appealing, and failure to file a completed appeal form may result in dismissal of the appeal.
- F. If you or your representative change address, telephone number, and/or e-mail address, it is your responsibility to notify the Appeals Board in writing of the change(s). Otherwise the Appeals Board will continue to use the address it has on file and you risk not receiving notices or other communications from the Appeals Board. Appeals Board regulations make it the employer's obligation to notify the Appeals Board of any changes to the employer's and/or representative's contact information.
- G. Mail each completed Appeal form and citation or notification to the Occupational Safety and Health Appeals Board, 2520 Venture Oaks Way, Suite 300, Sacramento, CA 95833.
- H. Late appeals will not be accepted unless good cause is shown.

State of California

Division of Occupational Safety and Health
Van Nuys District Office (0950643; 4046)
6150 Van Nuys Boulevard, Suite 405
Van Nuys, CA 91401

Inspection Number: 314825910
Inspection Dates: 08/09/2011 - 02/07/2012
Issuance Date: 02/07/2012
CSHO ID: L0323
Optional Inspection Nbr: 009-12



RECEIVED
FEB 27 2012

Citation and Notification of Penalty

Company Name: Rainbow of Hope aka Rainbow of Hope Foundation
Inspection Site: 12349 Gladstone Ave, Sylmar, CA 91342

OSH Appeals Board

Citation 9 Item 1 Type of Violation: **Willful** Serious Accident Related

California Code of Regulations, Title 8, Section 5416(c) Flammable Vapors

(c) No source of ignition shall be permitted in any location, indoors or outdoors, where the concentration of the flammable gases or vapors exceeds or may reasonably be expected to exceed 25 percent of the lower explosive limit. Tests shall be made to ascertain that this limit is not exceeded before a source of ignition is introduced into such location, and such tests shall be repeated frequently (or a continuous indicator used) as long as conditions giving rise to such concentrations of flammable vapors or gases continue and a source of ignition is present. If electronic or thermal testing equipment is used, it must be approved for use in such flammable conditions as required by section 2540.2

Violation:

On 8/9/11, the employer was engaged in TyLar gas manufacturing and storage operations that could reasonably be expected to give rise to explosive environments, as shown by two previous explosions involving similar operations. The employer did not ensure that all sources of ignition were eliminated from the work area. As a result an employee of Rainbow of Hope and an employee of Realm Catalyst, Inc. were seriously injured when a TyLar gas pressure vessel exploded.

Date By Which Violation Must be Abated: 03/02/2012
Proposed Penalty: \$ 70000.00

Compliance Officer/District Manager

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.