

Case Number:	CM14-0173005		
Date Assigned:	10/23/2014	Date of Injury:	03/09/2004
Decision Date:	12/02/2014	UR Denial Date:	09/17/2014
Priority:	Standard	Application Received:	10/20/2014

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. The expert reviewer is Board Certified in Physical Medicine and Rehabilitation has a subspecialty in Pain Medicine and is licensed to practice in California. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/services. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

This is a patient with a date of injury of 3/9/04. A utilization review determination dated 9/17/14 recommends non-certification of acupuncture and Lidoderm. 9/9/14 medical report identifies low back pain and migraine headaches. On exam, there is tenderness and spasms. Recommendations include additional acupuncture (previous sessions were beneficial in decreasing pain, increasing ROM, relaxing muscles, and minimizing frequency of oral pain medications), Mentherm gel, Lidoderm, Soma, tramadol, ibuprofen, naproxen, omeprazole, TENS patches, tramadol, topiramate, and LidoPro cream.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

12 acupuncture x 12 visits: Upheld

Claims Administrator guideline: Decision based on MTUS Acupuncture Treatment Guidelines.

MAXIMUS guideline: Decision based on MTUS Acupuncture Treatment Guidelines.

Decision rationale: Regarding the request for acupuncture, California MTUS does support the use of acupuncture for chronic pain. Acupuncture is recommended to be used as an adjunct to physical rehabilitation and/or surgical intervention to hasten functional recovery. Additional use is supported when there is functional improvement documented, which is defined as "either a

clinically significant improvement in activities of daily living or a reduction in work restrictions... and a reduction in the dependency on continued medical treatment." A trial of up to 6 sessions is recommended, with up to 24 total sessions supported when there is ongoing evidence of functional improvement. Within the documentation available for review, while some improvement is noted, the functional improvement as defined by the CA MTUS has not been clearly identified. Additionally, while the provider notes that acupuncture has minimized the frequency of oral pain medication, approximately 10 medications have been prescribed even though no VAS scores are noted and the positive exam findings are minimal. Furthermore, the amount of prior treatment is not clearly identified. In light of the above issues, the currently requested acupuncture is not medically necessary.

Lidoderm 5% patches #30-3 refills: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Topical Analgesics.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Page(s): 111-113 of 127.

Decision rationale: Regarding the request for Lidoderm, CA MTUS states that topical lidocaine is "Recommended for localized peripheral pain after there has been evidence of a trial of first-line therapy (tri-cyclic or SNRI anti-depressants or an AED such as gabapentin or Lyrica)." Within the documentation available for review, there is no documentation of localized peripheral neuropathic pain and failure of first-line therapy. In light of the above issues, the requested Lidoderm is not medically necessary.

Soma 350mg #30: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Muscle relaxants (for pain).

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Page(s): 63-66 of 127.

Decision rationale: Regarding the request for Soma, Chronic Pain Medical Treatment Guidelines support the use of nonsedating muscle relaxants to be used with caution as a 2nd line option for the short-term treatment of acute exacerbations of pain. Within the documentation available for review, there is no identification of a specific analgesic benefit or objective functional improvement as a result of the medication. Additionally, it does not appear that this medication is being prescribed for the short-term treatment of an acute exacerbation, as recommended by guidelines. In the absence of such documentation, the currently requested Soma is not medically necessary.

Tramadol 50mg #60: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Opioids, criteria for use.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Page(s): 44, 47, 75-79, 120 of 127.

Decision rationale: Regarding the request for tramadol, California Pain Medical Treatment Guidelines note that it is an opiate pain medication. Due to high abuse potential, close follow-up is recommended with documentation of analgesic effect, objective functional improvement, side effects, and discussion regarding any aberrant use. Guidelines go on to recommend discontinuing opioids if there is no documentation of improved function and pain. Within the documentation available for review, there is no indication that the medication is improving the patient's function or pain (in terms of specific examples of functional improvement and percent reduction in pain or reduced NRS), no documentation regarding side effects, and no discussion regarding aberrant use. As such, there is no clear indication for ongoing use of the medication. Opioids should not be abruptly discontinued, but unfortunately, there is no provision to modify the current request to allow tapering. In light of the above issues, the currently requested tramadol is not medically necessary.

TENS unit: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines TENS (transcutaneous electrotherapy).

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Page(s): 114-117 of 127.

Decision rationale: Regarding the request for TENS, Chronic Pain Medical Treatment Guidelines state that transcutaneous electrical nerve stimulation (TENS) is not recommended as a primary treatment modality, but a one-month home-based TENS trial may be considered as a noninvasive conservative option if used as an adjunct to a program of evidence-based functional restoration. Guidelines recommend failure of other appropriate pain modalities including medications prior to a TENS unit trial. Prior to TENS unit purchase, one month trial should be documented as an adjunct to ongoing treatment modalities within a functional restoration approach, with documentation of how often the unit was used, as well as outcomes in terms of pain relief and function. Within the documentation available for review, there is no indication that the patient has undergone a TENS unit trial as outlined above. In the absence of such documentation, the currently requested TENS unit is not medically necessary.