

Case Number:	CM14-0216337		
Date Assigned:	01/06/2015	Date of Injury:	05/13/2005
Decision Date:	02/28/2015	UR Denial Date:	12/05/2014
Priority:	Standard	Application Received:	12/24/2014

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:

State(s) of Licensure: California

Certification(s)/Specialty: Physical Medicine & Rehabilitation, Pain Management

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

This is a patient with a date of injury of 5/13/05. A utilization review determination dated 12/5/14 recommends non-certification/modification of Cyclobenzaprine, Omeprazole, and Butrans. It referenced an 11/7/14 medical report (not included for review) identifying back pain 5-7/10, swelling of legs and hands, insomnia, constipation, anxiety, skin rash, and dizziness. Medications help in managing pain without adverse effects. On exam, there is tenderness and limited ROM.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Cyclobenzaprine 10mg #90: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Cyclobenzaprine (Flexeril).

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Muscle Relaxants (for pain) Page(s): 63-66.

Decision rationale: Regarding the request for Cyclobenzaprine, Chronic Pain Medical Treatment Guidelines support the use of non-sedating muscle relaxants to be used with caution as a 2nd line option for the short-term treatment of acute exacerbations of pain. Within the documentation available for review, there is no identification of a specific analgesic benefit or objective functional improvement as a result of the medication. Additionally, it does not appear that this medication is being prescribed for the short-term treatment of an acute exacerbation, as recommended by guidelines. In the absence of such documentation, the currently requested Cyclobenzaprine is not medically necessary.

Omeprazole 20mg #100: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines NSAIDs, GI symptoms & cardiovascular risk.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines NSAIDs, GI symptoms & cardiovascular risk Page(s): 68-69.

Decision rationale: Regarding the request for Omeprazole (Prilosec), California MTUS states that proton pump inhibitors are appropriate for the treatment of dyspepsia secondary to NSAID therapy or for patients at risk for gastrointestinal events with NSAID use. Within the documentation available for review, there is no indication that the patient has complaints of dyspepsia secondary to NSAID use, a risk for gastrointestinal events with NSAID use, or another indication for this medication. In light of the above issues, the currently requested Omeprazole (Prilosec) is not medically necessary.

Butrans 10mcg #4, refill: 1: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Butrans (buprenorphine).

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Opioids, criteria for use Page(s): 76-80.

Decision rationale: Regarding the request for Butrans, California Pain Medical Treatment Guidelines note that it is an opiate pain medication. Due to high abuse potential, close follow-up is recommended with documentation of analgesic effect, objective functional improvement, side effects, and discussion regarding any aberrant use. Guidelines go on to recommend discontinuing opioids if there is no documentation of improved function and pain. Within the documentation available for review, there is no indication that the medication is improving the patient's function or pain (in terms of specific examples of functional improvement and percent reduction in pain or reduced NRS) and no discussion regarding aberrant use. As such, there is no clear indication for ongoing use of the medication. Opioids should not be abruptly discontinued, but unfortunately, there is no provision to modify the current request to allow tapering. In light of the above issues, the currently requested Butrans is not medically necessary.