

Case Number:	CM14-0217346		
Date Assigned:	01/07/2015	Date of Injury:	04/29/2009
Decision Date:	02/28/2015	UR Denial Date:	12/11/2014
Priority:	Standard	Application Received:	12/29/2014

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:

State(s) of Licensure: Indiana

Certification(s)/Specialty: Preventive Medicine, Occupational Medicine

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

This employee is a 57 year old female with date of injury of 4/29/2009. A review of the medical records indicate that the patient is undergoing treatment for lumbosacral strain/sprain. Subjective complaints include continued low back pain with radiation down the left leg. Objective findings include limited range of motion of the lumbar spine with tenderness to palpation of the paravertebrals; positive straight leg raise on the left. Treatment has included Ibuprofen, Zanaflex, Norco, and Gabapentin. The utilization review dated 12/11/2014 non-certified 4 packs of electrical stimulation electrodes, Zynex Nexwave, and 9 volt batteries.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Purchase of 4 packs of electrical stimulation electrodes: Upheld

Claims Administrator guideline: Decision based on MTUS ACOEM Chapter 12 Low Back Complaints, Chronic Pain Treatment Guidelines Transcutaneous electrotherapy.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Interferential Current Stimulation, Transcutaneous electrotherapy Page(s): 114-120. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG), TENS

Decision rationale: The equipment in question is related to a device that is similar to a TENS unit. MTUS states regarding TENS unit, "Not recommended as a primary treatment modality, but a one-month home-based TENS trial may be considered as a noninvasive conservative option, if used as an adjunct to a program of evidence-based functional restoration, for the conditions described below." For pain, MTUS and ODG recommend TENS (with caveats) for neuropathic pain, phantom limb pain and CRPSII, spasticity, and multiple sclerosis. The medical records do not indicate any of the previous conditions. ODG further outlines recommendations for specific body parts: Low back: Not recommended as an isolated intervention. Knee: Recommended as an option for osteoarthritis as adjunct treatment to a therapeutic exercise program. Neck: Not recommended as a primary treatment modality for use in whiplash-associated disorders, acute mechanical neck disease or chronic neck disorders with radicular findings. Ankle and foot: Not recommended. Elbow: Not recommended. Forearm, Wrist and Hand: Not recommended. Shoulder: Recommended for post-stroke rehabilitation. Medical records do not indicate conditions of the low back, knee, neck, ankle, elbow, or shoulders that meet guidelines. Of note, medical records do not indicate knee osteoarthritis. ODG further details criteria for the use of TENS for Chronic intractable pain (for the conditions noted above): (1) Documentation of pain of at least three months duration (2) There is evidence that other appropriate pain modalities have been tried (including medication) and failed (3) A one-month trial period of the TENS unit should be documented (as an adjunct to ongoing treatment modalities within a functional restoration approach) with documentation of how often the unit was used, as well as outcomes in terms of pain relief and function; rental would be preferred over purchase during this trial (4) Other ongoing pain treatment should also be documented during the trial period including medication usage (5) A treatment plan including the specific short- and long-term goals of treatment with the TENS unit should be submitted (6) After a successful 1-month trial, continued TENS treatment may be recommended if the physician documents that the patient is likely to derive significant therapeutic benefit from continuous use of the unit over a long period of time. At this point purchase would be preferred over rental. (7) Use for acute pain (less than three months duration) other than post-operative pain is not recommended. (8) A 2-lead unit is generally recommended; if a 4-lead unit is recommended, there must be documentation of why this is necessary. The medical records do not satisfy the several criteria for selection specifically, lack of documented 1-month trial, lack of documented short-long term treatment goals with TENS unit, and unit use for acute (less than three months) pain. As such, the request for purchase of 4 packs of electrical stimulation electrodes is not medically necessary.

Purchase of Zynex NexWave: Upheld

Claims Administrator guideline: Decision based on MTUS ACOEM Chapter 12 Low Back Complaints, Chronic Pain Treatment Guidelines Transcutaneous electrotherapy.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Interferential Current Stimulation, Transcutaneous electrotherapy Page(s): 114-120. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG), TENS

Decision rationale: The equipment in question is related to a device that is similar to a TENS unit. MTUS states regarding TENS unit, "Not recommended as a primary treatment modality, but

a one-month home-based TENS trial may be considered as a noninvasive conservative option, if used as an adjunct to a program of evidence-based functional restoration, for the conditions described below." For pain, MTUS and ODG recommend TENS (with caveats) for neuropathic pain, phantom limb pain and CRPSII, spasticity, and multiple sclerosis. The medical records do not indicate any of the previous conditions. ODG further outlines recommendations for specific body parts: Low back: Not recommended as an isolated intervention. Knee: Recommended as an option for osteoarthritis as adjunct treatment to a therapeutic exercise program. Neck: Not recommended as a primary treatment modality for use in whiplash-associated disorders, acute mechanical neck disease or chronic neck disorders with radicular findings. Ankle and foot: Not recommended. Elbow: Not recommended. Forearm, Wrist and Hand: Not recommended. Shoulder: Recommended for post-stroke rehabilitation. Medical records do not indicate conditions of the low back, knee, neck, ankle, elbow, or shoulders that meet guidelines. Of note, medical records do not indicate knee osteoarthritis. ODG further details criteria for the use of TENS for Chronic intractable pain (for the conditions noted above): (1) Documentation of pain of at least three months duration (2) There is evidence that other appropriate pain modalities have been tried (including medication) and failed (3) A one-month trial period of the TENS unit should be documented (as an adjunct to ongoing treatment modalities within a functional restoration approach) with documentation of how often the unit was used, as well as outcomes in terms of pain relief and function; rental would be preferred over purchase during this trial (4) Other ongoing pain treatment should also be documented during the trial period including medication usage (5) A treatment plan including the specific short- and long-term goals of treatment with the TENS unit should be submitted (6) After a successful 1-month trial, continued TENS treatment may be recommended if the physician documents that the patient is likely to derive significant therapeutic benefit from continuous use of the unit over a long period of time. At this point purchase would be preferred over rental. (7) Use for acute pain (less than three months duration) other than post-operative pain is not recommended. (8) A 2-lead unit is generally recommended; if a 4-lead unit is recommended, there must be documentation of why this is necessary. The medical records do not satisfy the several criteria for selection specifically, lack of documented 1-month trial, lack of documented short-long term treatment goals with TENS unit, and unit use for acute (less than three months) pain. As such, the request for purchase of Zynex NexWave is not medically necessary.

Purchase of 4 Zynex 9 voll batteries: Upheld

Claims Administrator guideline: Decision based on MTUS ACOEM Chapter 12 Low Back Complaints, Chronic Pain Treatment Guidelines Transcutaneous electrotherapy.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Interferential Current Stimulation, Transcutaneous electrotherapy Page(s): 114-120. Decision based on Non-MTUS Citation Official Disability Guidelines (ODG), TENS

Decision rationale: The equipment in question is related to a device similar to a TENS unit. MTUS states regarding TENS unit, "Not recommended as a primary treatment modality, but a one-month home-based TENS trial may be considered as a noninvasive conservative option, if used as an adjunct to a program of evidence-based functional restoration, for the conditions described below." For pain, MTUS and ODG recommend TENS (with caveats) for neuropathic

pain, phantom limb pain and CRPSII, spasticity, and multiple sclerosis. The medical records do not indicate any of the previous conditions. ODG further outlines recommendations for specific body parts: Low back: Not recommended as an isolated intervention. Knee: Recommended as an option for osteoarthritis as adjunct treatment to a therapeutic exercise program. Neck: Not recommended as a primary treatment modality for use in whiplash-associated disorders, acute mechanical neck disease or chronic neck disorders with radicular findings. Ankle and foot: Not recommended. Elbow: Not recommended. Forearm, Wrist and Hand: Not recommended. Shoulder: Recommended for post-stroke rehabilitation. Medical records do not indicate conditions of the low back, knee, neck, ankle, elbow, or shoulders that meet guidelines. Of note, medical records do not indicate knee osteoarthritis. ODG further details criteria for the use of TENS for Chronic intractable pain (for the conditions noted above): (1) Documentation of pain of at least three months duration (2) There is evidence that other appropriate pain modalities have been tried (including medication) and failed (3) A one-month trial period of the TENS unit should be documented (as an adjunct to ongoing treatment modalities within a functional restoration approach) with documentation of how often the unit was used, as well as outcomes in terms of pain relief and function; rental would be preferred over purchase during this trial (4) Other ongoing pain treatment should also be documented during the trial period including medication usage (5) A treatment plan including the specific short- and long-term goals of treatment with the TENS unit should be submitted (6) After a successful 1-month trial, continued TENS treatment may be recommended if the physician documents that the patient is likely to derive significant therapeutic benefit from continuous use of the unit over a long period of time. At this point purchase would be preferred over rental. (7) Use for acute pain (less than three months duration) other than post-operative pain is not recommended. (8) A 2-lead unit is generally recommended; if a 4-lead unit is recommended, there must be documentation of why this is necessary. The medical records do not satisfy the several criteria for selection specifically, lack of documented 1-month trial, lack of documented short-long term treatment goals with TENS unit, and unit use for acute (less than three months) pain. As such, the request for purchase of 4 Zynex 9 voll batteries is not medically necessary.