

Case Number:	CM14-0052581		
Date Assigned:	07/09/2014	Date of Injury:	09/29/2005
Decision Date:	05/27/2015	UR Denial Date:	03/26/2014
Priority:	Standard	Application Received:	04/21/2014

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:
 State(s) of Licensure: Texas, Florida, California
 Certification(s)/Specialty: Preventive Medicine, Occupational Medicine

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 52 year old female who sustained an industrial injury on September 29, 2005. Prior treatment includes medications, bilateral thumb surgery, and epidural steroid injections. Currently the injured worker complains of constant back pain. Diagnoses associated with the request include status post right thumb and left thumb trigger thumb release cervical syndrome with radiculopathy, thumb arthritis and lumbosacral syndrome with sciatica. The treatment plan includes bilateral thumb injections and Opana.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Bilateral Thumb Injection with Steroids/Lidocaine: Upheld

Claims Administrator guideline: Decision based on MTUS ACOEM Chapter 11 Forearm, Wrist, and Hand Complaints Page(s): 265. Decision based on Non-MTUS Citation Official Disability Guidelines, Forearm, Wrist and Hand (Acute and Chronic).

MAXIMUS guideline: Decision based on MTUS ACOEM Chapter 3 Initial Approaches to Treatment Page(s): ACOEM, Chapter 3, Initial Approaches to Treatment, page 48.

Decision rationale: Injections of corticosteroids or local anesthetics or both should be reserved for patients who do not improve with more conservative therapies. Steroids can weaken tissues and predispose to re-injury. Local anesthetics can mask symptoms and inhibit long-term solutions to the patient's problem. Both corticosteroids and local anesthetics have risks associated with intramuscular or intraarticular administration, including infection and unintended damage to neurovascular structures. Injections of opioids are never indicated except for conditions involving acute, severe trauma. I did not see documented exhaustion of conservative care in this case; the request is appropriately non-certified. Therefore, the requested treatment is not medically necessary.

Opana ER 40mg #180: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines 8 C.C.R. 9792.20 - 9792.26 Page(s): 79, 80 and 88 of 127.

Decision rationale: The current California web-based MTUS collection was reviewed in addressing this request. They note in the Chronic Pain section: When to Discontinue Opioids: Weaning should occur under direct ongoing medical supervision as a slow taper except for the below mentioned possible indications for immediate discontinuation. They should be discontinued: (a) If there is no overall improvement in function, unless there are extenuating circumstances. When to Continue Opioids; (a) If the patient has returned to work. (b) If the patient has improved functioning and pain. In the clinical records provided, it is not clearly evident these key criteria have been met in this case. Moreover, in regards to the long term use of opiates, the MTUS also poses several analytical necessity questions such as: has the diagnosis changed, what other medications is the patient taking, are they effective, producing side effects, what treatments have been attempted since the use of opioids, and what is the documentation of pain and functional improvement and compare to baseline. These are important issues, and they have not been addressed in this case. As shared earlier, there especially is no documentation of functional improvement with the regimen. The request for the opiate usage is not certified per MTUS guideline review. Therefore, the requested treatment is not medically necessary.

Opana 10mg #180: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines 8 C.C.R. 9792.20 - 9792.26 Page(s): 79, 80 and 88 of 127.

Decision rationale: The current California web-based MTUS collection was reviewed in addressing this request. They note in the Chronic Pain section: When to Discontinue Opioids: Weaning should occur under direct ongoing medical supervision as a slow taper except for the below mentioned possible indications for immediate discontinuation. They should be

discontinued: (a) If there is no overall improvement in function, unless there are extenuating circumstances. When to Continue Opioids; (a) If the patient has returned to work. (b) If the patient has improved functioning and pain. In the clinical records provided, it is not clearly evident these key criteria have been met in this case. Moreover, in regards to the long term use of opiates, the MTUS also poses several analytical necessity questions such as: has the diagnosis changed, what other medications is the patient taking, are they effective, producing side effects, what treatments have been attempted since the use of opioids, and what is the documentation of pain and functional improvement and compare to baseline. These are important issues, and they have not been addressed in this case. As shared earlier, there especially is no documentation of functional improvement with the regimen. The request for the opiate usage is not certified per MTUS guideline review. Therefore, the requested treatment is not medically necessary.