

Case Number:	CM15-0001986		
Date Assigned:	01/13/2015	Date of Injury:	06/01/2004
Decision Date:	03/11/2015	UR Denial Date:	12/11/2014
Priority:	Standard	Application Received:	01/05/2015

HOW THE IMR FINAL DETERMINATION WAS MADE

MAXIMUS Federal Services sent the complete case file to an expert reviewer. He/she has no affiliation with the employer, employee, providers or the claims administrator. He/she has been in active clinical practice for more than five years and is currently working at least 24 hours a week in active practice. The expert reviewer was selected based on his/her clinical experience, education, background, and expertise in the same or similar specialties that evaluate and/or treat the medical condition and disputed items/Service. He/she is familiar with governing laws and regulations, including the strength of evidence hierarchy that applies to Independent Medical Review determinations.

The Expert Reviewer has the following credentials:

State(s) of Licensure: California

Certification(s)/Specialty: Physical Medicine & Rehabilitation, Pain Management

CLINICAL CASE SUMMARY

The expert reviewer developed the following clinical case summary based on a review of the case file, including all medical records:

The injured worker is a 69 year old male, who sustained an industrial injury on June 1, 2004. The diagnoses have included lumbar sprain/strain herniated lumbar disc with radiculitis/radiculopathy, right knee internal derangement, status post right knee arthroscopic surgery, left knee, mild ligamentous strain, internal derangement, symptoms of anxiety and depression and symptoms of insomnia. Treatment to date has included oral medication, urine drug screening, and right knee arthroscopic surgery date unknown. Currently, the IW complains of complains of pain in the lower back with radicular symptoms into the right and left leg, the symptoms are aggravated with prolonged sitting, standing and walking and with lifting.. On December 11, 2014 Utilization Review non-certified a Norco 10/325mg quantity 120 and Prilosec 20mg quantity 120noting Medical treatment utilization schedule (MTUS) guideline was cited.On November 26, 2014, the injured worker submitted an application for IMR for review of Norco 10/325mg quantity 120 and Prilosec 20mg quantity 120.

IMR ISSUES, DECISIONS AND RATIONALES

The Final Determination was based on decisions for the disputed items/services set forth below:

Norco 10/325 MG #120: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Opioids.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines Opioids, criteria for use Page(s): 76-80.

Decision rationale: Regarding the request for Norco, California Pain Medical Treatment Guidelines note that it is an opiate pain medication. Due to high abuse potential, close follow-up is recommended with documentation of analgesic effect, objective functional improvement, side effects, and discussion regarding any aberrant use. Guidelines go on to recommend discontinuing opioids if there is no documentation of improved function and pain. Within the documentation available for review, there is no indication that the medication is improving the patient's function or pain (in terms of specific examples of functional improvement and percent reduction in pain or reduced NRS), no documentation regarding side effects, and no discussion regarding aberrant use. As such, there is no clear indication for ongoing use of the medication. Opioids should not be abruptly discontinued, but unfortunately, there is no provision to modify the current request to allow tapering. In light of the above issues, the currently requested Norco is not medically necessary.

Prilosec 20 MG #120: Upheld

Claims Administrator guideline: Decision based on MTUS Chronic Pain Treatment Guidelines.

MAXIMUS guideline: Decision based on MTUS Chronic Pain Treatment Guidelines NSAIDs, GI symptoms & cardiovascular risk Page(s): 68-69.

Decision rationale: Regarding the request for Prilosec, California MTUS states that proton pump inhibitors are appropriate for the treatment of dyspepsia secondary to NSAID therapy or for patients at risk for gastrointestinal events with NSAID use. Within the documentation available for review, there is no indication that the patient has complaints of dyspepsia secondary to NSAID use, a risk for gastrointestinal events with NSAID use, or another indication for this medication. In light of the above issues, the currently requested Prilosec is not medically necessary.